



LS/DS 34xx/35xx Technical Accessory Guide









NOTE: DS3508-SR, DS3508-HD, LS3408-FZ, and LS3578-FZ discontinued 11/2016 - see PMB 2834
 DS3578-SR, DS3578-HD, DS3508-ER and DS3578-ER discontinued 2/2017 - see PMB 2866
 DS3578-DP, DS3508-DP discontinued 6/2017 - see PMB 2946
 LS3408-ER and LS3578-ER to be discontinued 1/2019 - see PMB 10010

NOTE: This document is only for general reference. Solution Builder and related PMBs should be used for product availability, pricing, and final solution selection.

* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles

Part Number		Description	Notes	Required Items
STB3478-C0007WR		LS/DS3478 Charging-Communication Cradle	<ul style="list-style-type: none"> Provides radio and charging capabilities Only compatible with 3478 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.
STB3408-C0007R		LS/DS3478 Charge-Only Cradle	<ul style="list-style-type: none"> Only provides charging capability Only compatible with 3478 series scanners 	PWR-BGA9V18W0WW and 50-16000-182R
FLB3478-C0007WR		LS/DS3478 Charging-Communication Forklift Cradle	<ul style="list-style-type: none"> Provides radio and charging capabilities Only compatible with 3478 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.
FLB3408-C0007R		LS/DS3478 Charge-Only Forklift Cradle	<ul style="list-style-type: none"> Only provides charging capability Only compatible with 3478 series scanners 	<ul style="list-style-type: none"> PWRS-14000-251R or PWRS-14000-252R AND TBA DC Line Cord if connecting to forklift. PWR-BGA9V18W0WW and 50-16000-182R can be used for demo purposes (not mounted to forklift)
STB3578-CF007WR		LS/DS3578 Charging-Communication Cradle with FIPS support	<ul style="list-style-type: none"> Provides radio and charging capabilities Up to 7 FIPS enabled scanners can be paired per cradle (3 non-FIPS enabled scanners). Certified at FIPS 140-2 Level 1 - uses 128 or 256 bit AES encryption between cradle and scanner. Supports Image Capture and OCR/MICR when used with FIPS enabled scanners. Also supports non-FIPS enabled scanners. FIPS only specific features detailed above will not be available though. Only compatible with 3578 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.
STB3578-C0007WR		LS/DS3578 Charging-Communication Cradle	<ul style="list-style-type: none"> Provides radio and charging capabilities Up to 3 scanners can be paired per cradle. Only compatible with 3578 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.

STB3508-C0007R		LS/DS3578 Charge-Only Cradle	<ul style="list-style-type: none"> Only provides charging capability Only compatible with 3578 series scanners 	<p><u>External Power Supply</u> PWR-BGA9V18W0WWW and 50-16000-182R</p> <p>OR</p> <p><u>USB Power</u> USB host cable. NOTE: Host must be capable of providing power to cradle via USB. Charging via USB power will be slower than External Power Supply</p>
FLB3578-CF007WR		LS/DS3578 Charging-Communication Forklift Cradle with FIPS support	<ul style="list-style-type: none"> Provides radio and charging capabilities Up to 7 FIPS enabled scanners can be paired per cradle (3 non-FIPS enabled scanners). Certified at FIPS 140-2 Level 1 - uses 128 or 256 bit AES encryption between cradle and scanner. Supports Image Capture and OCR/MICR when used with FIPS enabled scanners. Also supports non-FIPS enabled scanners. FIPS only specific features detailed above will not be available though. Only compatible with 3578 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.
FLB3578-C0007WR		LS/DS3578 Charging-Communication Forklift Cradle	<ul style="list-style-type: none"> Provides radio and charging capabilities Up to 3 scanners can be paired per cradle. Only compatible with 3578 series scanners 	Host communication cable and possibly a power supply depending on the host cable type.
FLB3508-C0007R		LS/DS3578 Charge-Only Forklift Cradle	<ul style="list-style-type: none"> Only provides charging capability Only compatible with 3578 series scanners 	<p><u>External Power Supply</u> PWRS-14000-251R or PWRS-14000-252R AND TBA DC Line Cord if connecting to forklift. PWR-BGA9V18W0WWW and 50-16000-182R can be used for demo purposes (not mounted to forklift)</p> <p>OR</p> <p><u>USB Power</u> USB host cable. NOTE: Host must be capable of providing power to cradle via USB. Charging via USB power will be slower than External Power Supply</p>
21-32665-46R		UBC Adapter for 3478/3578 Battery Charging	This device makes the charging of multiple batteries easy and cost effective. Simply snap the battery into the adapter and slide the adapter into the UBC charging station. The charging station holds up to four adapters.	<p>KT32665-02R</p> <p>OR</p> <p>KT32665-03R</p> <p>OR</p> <p>UBC2000-I500DES</p>
UBC2000-I500DES		UBC Charging Station	<ul style="list-style-type: none"> Quad bay charger. Holds four UBC adapter modules. Includes 50-16002-011R power cord and PWRS-14000-242R power supply Energy Star certified 	<ul style="list-style-type: none"> 23844-00-00R AC Line Cord 1 to 4 UBC adapters











Communication Cables











Zebra associates and partners can also see Zebra's Universal Cable Guide at: https://partnerportal.zebra.com/PartnerPortal/product_services/downloads_z/barcode_scanners/Universal-Cable-Guide-Bar-Code-Scanners.xlsx











Standard USB Cables










NOTE: DS3508-ER requires that host can provide at least 1.2A current on USB port.








Non-Shielded USB Cable Part Number (used on all but FIPS 3578 cradles)	Shielded USB Cable Part Number (only used on FIPS 3578 cradles)	Picture	Description	Notes	Required Items
--	---	---------	-------------	-------	----------------









CBA-U01-S07ZAR	CBA-U21-S07ZBR		USB Cable: Series A Connector, 7ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
	CBA-U21-S07ZAR - to be replaced by CBA-U21-S07ZBR after stock is used up - PMB 3003				
CBA-U18-S07PAR *Discontinued 10/31/2012, PMB 2152	CBA-U38-S07PAR		USB Cable: Series A Connector, 7ft. Powered	Cable can be used when host device doesn't provide enough power on USB port or to provide power to scanner while host is turned off.	Requires 5V external power supply like PWRS-14000-058R if host is not capable of providing power via USB port
CBA-U30-S15ZBR (cable ties shield to ground which allows it to be used with scanners requiring Non-Shielded or Shielded cables)	CBA-U30-S15ZBR (has heavier gauge wire vs. CBA-U30-S15ZAR, can support 5V and 12V power, scanner dependent)		USB Cable: Series A Connector, 15ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U10-S15ZAR	CBA-U30-S15ZAR - to be discontinued 2/2019, now use CBA-U30-S15ZBR - see PMB 10044				
CBA-U12-C09ZAR	CBA-U32-C09ZAR		USB Cable: (Series A Connector, 9ft. Coiled)		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U09-C15ZAR	CBA-U29-C15ZAR		USB Cable: Series A Connector, 15ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U06-S09EAR	CBA-U26-S09EAR		USB Cable:EAS, Series A Connector, 9ft. Straight	Integrates with Checkpoint EAS security tag system	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
IBM POS USB Cables					
Non-Shielded USB Cable Part Number (used on all but FIPS 3578 cradles)	Shielded USB Cable Part Number (only used on FIPS 3578 cradles)	Picture	Description	Notes	Required Items
CBA-U23-S07ZBR (cable ties shield to ground which allows it to be used with scanners requiring Non-Shielded or Shielded cables)	CBA-U23-S07ZBR (has heavier gauge wire vs. CBA-U23-S07ZAR, can support 5V and 12V power, scanner dependent)		USB Cable: Power Plus Connector, 7ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U03-S07ZAR	CBA-U23-S07ZAR - to be discontinued 2/2019, now use CBA-U23-S07ZBR - see PMB 10044				
CBA-U35-S15ZBR (cable ties shield to ground which allows it to be used with scanners requiring Non-Shielded or Shielded cables)	CBA-U35-S15ZBR (has heavier gauge wire vs. CBA-U35-S15ZAR, can support 5V and 12V power, scanner dependent)		USB Cable: Power Plus Connector, 15ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U15-S15ZAR	CBA-U35-S15ZAR - to be discontinued 2/2019, now use CBA-U35-S15ZBR - see PMB 10044				
CBA-U14-C09ZAR *Discontinued 10/31/2012, PMB 2152	CBA-U34-C09ZAR		USB Cable: Power Plus Connector, 9ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U08-C15ZAR	CBA-U28-C15ZAR		USB Cable: Power Plus Connector, 15ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U07-S09EAR	CBA-U27-S09EAR		USB Cable: Power Plus Connector, 9ft. Straight with EAS	Integrates with Checkpoint EAS security tag system	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.

RS232 Cables				
Part Number	Picture	Description	Notes	Required Items
CBA-R01-S07PBR		RS232 Cable:STD-DB9 Female, TxD on 2, 7ft. Straight	•Includes improved TTL current limit protection circuitry vs. CBA-R01-S07PAR	Requires external power supply
CBA-R01-S07PAR		RS232 Cable:STD-DB9 Female, TxD on 2, 7ft. Straight	•To be discontinued 2/2019, now use CBA-R01-S07PBR - see PMB 10044	Requires external power supply
CBA-R02-C09PAR		RS232 Cable:STD-DB9 Female, TxD on 2, 9ft. Coiled		Requires external power supply
CBA-R03-C12PAR		RS232 Cable:STD-DB9 Female, TxD on 2, 12ft. Coiled		Requires external power supply
CBA-R06-C20PAR		RS232 Cable:STD-DB9 Female, TxD on 2, 20ft. Coiled		Requires external power supply
CBA-R49-C09ZAR		RS232 Cable: True Cvtr, STD DB9 Female, PWR Pin 9, 9ft coiled - Freezer Rated	<ul style="list-style-type: none"> •This cable is recommended for use with the VC70. •Cable provides $\pm 12V$ signaling (RS232C) needed by some older PLC's which may not support TTL signalling •Cable and strain relief are rated for freezer environment use (-30°C) and is recommended for use with all VC70 installations, regardless of temperature in the environment. 	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R46-C09ZBR		RS232 Cable: True Cvtr, DB9 Female, Pwr Pin 9, TxD on 2, 9ft. Coiled	•Cable provides $\pm 12V$ signaling (RS232C) needed by some older PLC's which may not support TTL signalling	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R37-C09ZAR		RS232 Cable: STD-DB9 Female, PWR Pin 9, 9ft coiled	<ul style="list-style-type: none"> •This cable is recommended for use with the VH10, VC80, 8585/8595, and 8515. •CBA-R49-C09ZAR is recommended to be used with VC70. •Includes improved strain relief design over CBA-R36-C09ZAR 	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R73-C09ZAR		RS232 Cable: True Cvtr, DB9 Male, Pwr Pin 9, TxD on 2, 9ft. Coiled	•Cable provides $\pm 12V$ signaling (RS232C) needed by some older PLC's which may not support TTL signalling	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R32-S07PAR		RS232 Cable: True Cvtr, DB9 Female, TxD on 2, 7ft. Straight	•Cable provides $\pm 12V$ signaling (RS232C) needed by some older PLC's which may not support TTL signalling	Requires external power supply
Siemens Nixdorf Beetle POS Terminal RS232 Cables				
Part Number	Picture	Description	Notes	Required Items
CBA-R08-S07ZBR		RS232 Cable: Nixdorf Beetle 5V Direct Power Cable 7ft. Straight	•Includes improved TTL current limit protection circuitry vs. CBA-R08-S07ZAR	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.


CBA-R08-S07ZAR		RS232 Cable: Nixdorf Beetle-5V Direct Power Cable 7ft. Straight	*To be discontinued 2/2019, now use CBA-R08-S07ZBR - see PMB 10044	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R09-C09ZAR		RS232 Cable: Nixdorf Beetle-5V Direct Power Cable 9ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R10-S07ZBR		RS232 Cable: Nixdorf Beetle-12V Direct Power, 7ft. Straight	*Includes improved TTL current limit protection circuitry vs. CBA-R10-S07ZAR	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R10-S07ZAR		RS232 Cable: Nixdorf Beetle-12V Direct Power, 7ft. Straight	*To be discontinued 2/2019, now use CBA-R10-S07ZBR - see PMB 10044	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R41-S12ZAR		RS232 Cable: Nixdorf Beetle-12V Direct Power, 12ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R12-C12ZAR		RS232 Cable: Nixdorf Beetle-12V Direct Power, 12ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R14-C20ZAR		RS232 Cable: Nixdorf Beetle, 20ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R43-C20ZAR		RS232 Cable: Nixdorf Beetle, DB25, 20ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-R13-S09EAR		RS232 Cable: Nixdorf Beetle-12V Direct Power, 7ft. Straight., with EAS	Integrates with Checkpoint EAS security tag system	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
Other POS Terminal RS232 Cables				
Part Number	Picture	Description	Notes	Required Items
CBA-R23-S07ZBR		RS232 Cable: Fujitsu Team POS 500 ICL , 7ft straight	*Includes improved TTL current limit protection circuitry vs. CBA-R23-S07ZAR	
CBA-R23-S07ZAR		RS232 Cable: Fujitsu Team POS 500 ICL , 7ft straight	*To be discontinued 2/2019, now use CBA-R23-S07ZBR - see PMB 10044	
CBA-R22-C09ZAR		RS232 Cable: Fujitsu Team POS 500 ICL, 9ft coiled		
CBA-R24-C20ZAR		RS232 Cable: Fujitsu Team POS 500 ICL, 20ft Coiled		





CBA-R27-S07ZAR		RS232 Cable: NCR7432 DYNKEY, 7ft. Straight	*To be discontinued 2/2019 - see PMB 10043	
CBA-R31-C09ZAR		CBL:RS232 (NCR7448) 9FT,CLD		
CBA-R47-C09ZAR		CBL:RS232 (NCR AUX PORT) 9FT, CLD		
25-32465-26		RS232 Cable: PSC Magellan scanner Auxiliary Port, 6ft Coiled		
CBA-R28-C09ZAR		RS232 Cable: Verifone Ruby, 9ft, Coiled		
Keyboard Wedge Cables				
Part Number	Picture	Description	Notes	Required Items
CBA-K01-S07PAR		Keyboard Wedge Cable: PS/2, Power Port, 7ft. Straight	Host can provide enough power on PS2 port for scanner, however, Zebra recommends using an external power supply to protect the host's PS2 port.	
CBA-K05-S15PAR		Keyboard Wedge Cable: PS/2, Power Port, 15ft. Straight	*To be discontinued 2/2019 - see PMB 10043 *Host can provide enough power on PS2 port for scanner, however, Zebra recommends using an external power supply to protect the host's PS2 port.	
CBA-K02-C09PAR		Keyboard Wedge Cable: PS/2, Power Port, 9ft. Coiled	Host can provide enough power on PS2 port for scanner, however, Zebra recommends using an external power supply to protect the host's PS2 port.	
CBA-K06-C12PAR		Keyboard Wedge Cable: PS/2, Power Port, 12ft. Coiled	*To be discontinued 2/2019 - see PMB 10043 *Host can provide enough power on PS2 port for scanner, however, Zebra recommends using an external power supply to protect the host's PS2 port.	
CBA-K08-C20PAR		Keyboard Wedge Cable: PS/2, Power Port, 20ft. Coiled	Host can provide enough power on PS2 port for scanner, however, Zebra recommends using an external power supply to protect the host's PS2 port.	
IBM 468x/469x POS Cables				
Part Number	Picture	Description	Notes	Required Items
CBA-M04-S07ZAR		IBM 468x/9x, Port 5B Cable, 7ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-M01-S07ZAR		IBM 468x/9x, Port 9B Cable, 7ft. Straight		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.

CBA-M02-C09ZAR		IBM 468x9x, Port 9B Cable, 9ft. Coiled		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-M10-C12ZAR		IBM 468x9x-Port 9B, 12ft. Coiled	Made available again 8/2016	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-M03-S09EAR		IBM 468x9x Cable, Port 9B with EAS, 9ft. Straight	*Integrates with Checkpoint EAS security tag system	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
Scanner Emulation Cables <i>NOTE: Not supported on 35XX series</i>				
CBA-D02-C09ZAR		CBL: STD UNDECODED 9 FT COILED		Requires external power supply
Vehicle Mount Computer Cables				
25-159548-02		VC70N0 to 34xx/35xx Cable (USB)	<ul style="list-style-type: none"> *USB cable locks onto VC70 using two screws * Provides enough power for DS3508-ER * 12 ft long when extended *Improved performance in freezer environments vs. 25-159548-01. The conductor insulation material was changed to a stiffer material so the copper does not flex at as sharp an angle, resulting in a longer bend life. 	
25-164479-02		VC6090 to 34xx/35xx Scanner Cable (USB)	<ul style="list-style-type: none"> * Locking and sealed USB cable * Provides enough power for DS3508-ER * coiled cable * 9 ft. long when extended *Improved performance in freezer environments vs. 25-164479-01. The conductor insulation material was changed to a stiffer material so the copper does not flex at as sharp an angle, resulting in a longer bend life. 	
25-71917-03R		VC5000 or FLC9000 to 34xx/35xx Cable (serial)	<ul style="list-style-type: none"> *9 ft long when extended *Improved performance in freezer environments vs. 25-71917-02R. The conductor insulation material was changed to a stiffer material so the copper does not flex at as sharp an angle, resulting in a longer bend life. *Do not use with DS3508-ER on VC5000. Use CBA-U40-C09ZAR instead. 	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-U40-C09ZAR		VC5000 or FLC9000 to DS3508-ER "Y" Cable (USB)	<ul style="list-style-type: none"> *Y cable design connects to: <ul style="list-style-type: none"> - VC5090: COM1 or COM2 AND USB A port - FLC9000: COM1 AND USB port (requires 25-71915-01R USB host adapter) *USB communication between VC5090/ FLC9000 and scanner. NOTE: MC92 may need to be set to USB Host Mode. *COM1 or COM2 port provides additional power needed for DS3508-ER. NOTE: An application (i.e. SerialWedge or DataWedge) must be used to open the COM port before power will be applied to it. *Coiled cable is 9 ft long when extended *Rated to -30°C for freezer environment use. 	

CBL-71918-12R		VC5000 or FLC9000 to 34xx/35xx Cable (USB)	<ul style="list-style-type: none"> ▸ This cable can't be used on full screen units that use an external keyboard since the keyboard uses the same rugged USB connector. ▸ 9 ft long when extended ▸ Improved performance in freezer environments vs. CBL-71918-11R. The conductor insulation material was changed to a stiffer material so the copper does not flex at as sharp an angle, resulting in a longer bend life. 	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
25-71918-01R		VC5000 or FLC9000 to 34xx/35xx Cable (USB)	<ul style="list-style-type: none"> ▸ This cable can't be used on full screen units that use an external keyboard since the keyboard uses the same rugged USB connector. ▸ 9 ft long when extended ▸ Recommend using CBL-71918-11R instead 	Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-T14-C09ZAR		Scanner Emulation Cable: Connects 34XX to VRC6900		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
CBA-T26-C09ZAR		CABLE:UNDECODED LS3400 ONLY,VRC6900		
CBA-T13-C09ZAR		RS232 Cable: Connects 34XX to VRC7900/8900		Does not require external power supply unless host will be powered off and charging of 3478/3578 is still required.
Terminal Specific Cables				
P1031365-057		Scanner to QLn Series Printer Cable	<ul style="list-style-type: none"> ▸ Allows scanner to be directly connected to serial port on QLn series printers ▸ Serial port on printer will power the scanner ▸ 41" long when extended 	
CBA-A51-S16ZAR		Auxillary Scanner Cable to MP6000/MP7000, RS232 Serial	<ul style="list-style-type: none"> ▸ Allows handheld scanners to be used with MP6000/MP7000 for scanning heavy/awkward items. ▸ 5 meter length ▸ RS232 serial connection to scanner ▸ Connects to AUX2 port on MP6000/MP7000 ▸ Provides power to corded scanners ▸ NOTE: MP6000/MP7000 supports maximum of 2 auxillary scanners. 	
Synapse Adapter Cables				
CBA-S01-S07ZAR		Synapse Adapter Cable: 7ft. Straight		May require external power supply depending on Synapse adapter chosen
CBA-S05-S09EAR		Synapse Adapter Cable with EAS 9ft. Straight	Integrates with Checkpoint EAS security tag system	
Misc				
Part Number	Picture	Description	Notes	Required Items

20-54090-07R		Intellistand		
20-67176-01R		Desk Top Holder		
11-66553-06R		Wall Mount Holder		
11-35035-01R or 9009397 *to be discontinued 2/2019 - see PMB 10057		Holster	Mounts to belt or pants	
21-52612-01R		Rugged Scanner Holder	Can be mounted to forklift	
A1235ST (3rd party) * https://shilpitrading.com		Holster - Wearable or Fixed Mount	<ul style="list-style-type: none"> *Durable Ballistic Nylon Holster. *Skid-proof pad on back to prevent sliding around on waist belt. *Integral belt loop with snap for quick on/off belt *Includes two elastic loop pockets for pens. *Grommeted hole at bottom for easy in/out of unit and drainage. *Stiffeners for structure and rigidity. *Includes two plastic cable tie-wraps for mounting on fork lifts or other fixed mount installations. *Also compatible with 36xx series scanners. *Can be used with optional Waist Belt for Holster (A1227ST). 	

1000225		Scanner Holder	<ul style="list-style-type: none"> Simple rubber coated metal holder. Easily mounts to forklifts 	
(3rd party) * Walker Technology - (513)561-6600 http://www.smart-grip.com		Scanner Holder	<ul style="list-style-type: none"> All Metal Construction Fully Adjustable Mounting Protects Laser Optics Scanner is Fully Secure Lens Protection in Holder Designed For Forklifts Optional tether cord 	
123-8S3 (Holder with 8 foot retractor cable) 123-12S3 (Holder with 12 foot retractor cable) (3rd party) * http://www.ilcsolutions.com		Scanner holder with cable management	<ul style="list-style-type: none"> Includes cable management system Provides protection from over extending and failures due to broken cable cuts and broken connections 	
132-S3 (3rd party) * http://www.ilcsolutions.com		Scanner Holder		
520-12-S3 (12 volt holder) 520-24-S3 (24 volt holder) 520-3648-S3 (36-48 volt holder) (3rd party) * http://www.ilcsolutions.com		Thermotrax heated scanner holder with cable management	<ul style="list-style-type: none"> Eliminates "Fogging" and "Freezing" on laser scanner lens due to temperature and humidity changes. Insures "good reads" in the harsh environments where rapid or extreme temperature changes occur such as traveling from a refrigerated or frozen storage area to a loading dock, from an air-conditioned warehouse to outdoors, or any place where condensation is likely to occur on the scanner lens. Includes cable management system that draws the scanner's cable back to the holder to reduce over extending cable and failures due to cable cuts and broken connection ends. 	
521-12-S3 (12 volt holder) 521-24-S3 (24 volt holder) 521-3648-S3 (36-48 volt holder) (3rd party) * http://www.ilcsolutions.com		Clearhold Heated scanner holder without cable management	<ul style="list-style-type: none"> Eliminates "Fogging" and "Freezing" on laser scanner lens due to temperature and humidity changes. Insures "good reads" in the harsh environments where rapid or extreme temperature changes occur such as traveling from a refrigerated or frozen storage area to a loading dock, from an air-conditioned warehouse to outdoors, or any place where condensation is likely to occur on the scanner lens. 	
(3rd party) * http://www.ultimacase.com	Agora Edge website	Additional Holsters		
(3rd party) * http://logisterra.com	Logisterra website	Additional Holsters		
A1227ST (3rd party) * https://www.shilpitradinc.com		Belt for Holster	<ul style="list-style-type: none"> Belt is 2 inches wide Extends to 48 inches Quick on/off snap buckle 	

50-12500-066		Wrist Strap	<ul style="list-style-type: none"> Attaches to bottom tether point on handle of 3478/3578 	
50-15400-031		Tool Balancer/Pulley		
Power Supplies/Power Cords				
Part Number	Picture	Description	Notes	Required Items
For powering 3408/3508 corded scanners				
PWR-WUA5V4W0US		Power Supply for 3408/3508 (US)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in US, CA, MX, JP, TW. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-253R 	
PWR-WUA5V4W0IN		Power Supply for 3408/3508 (India)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in India. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-254R 	
PWR-WUA5V4W0BR		Power Supply for 3408/3508 (Brazil)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in Brazil. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-255R 	
PWR-WUA5V4W0EU		Power Supply for 3408/3508 (EU and UK)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in EU and UK. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-256R 	
PWR-WUA5V4W0CN		Power Supply for 3408/3508 (China)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in China. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-257R 	
PWR-WUA5V4W0AU		Power Supply for 3408/3508 (Australia)	<ul style="list-style-type: none"> Used when connecting communication cables labeled above as "Requires external power supply". For use in Australia. 5.2V, 1.1A, 5.7W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-258R 	
PWRS-14000-058R		Power Supply for 3408/3508 (Universal)	<ul style="list-style-type: none"> 100-250 VAC, 5.2VDC, 2A Energy Star Compliant Can be used as alternative to PWRS-14000-25xR power supplies. 	23844-00-00
23844-00-00R		AC Line Cord		

For powering Battery Chargers or Cradles				
PWR-BGA9V18W0WW		Universal Power Supply for 3478/3578 Cradles	<ul style="list-style-type: none"> •9V, 2A, 18W output •Provides US DOE Level VI compliance for power efficiency •Replaces 50-14000-266R 	50-16000-182R
PWRS-14000-251R		Fork Lift Cradle High Voltage Power Supply for 3478/3578 Cradles	<ul style="list-style-type: none"> •Replaces PWRS-14000-122R, meets regulatory requirements for use in EU countries. •Supports 36, 48, 60 nominal VDC fork lift vehicles. •18-75VDC input,12VDC output •Energy Star Compliant 	DC Power Cable (CBL-DC-573A1-01)
PWRS-14000-252R		Fork Lift Cradle Low Voltage Power Supply for 3478/3578 Cradles	<ul style="list-style-type: none"> •Replaces PWRS-14000-122R, meets regulatory requirements for use in EU countries. •Supports 12, 24 nominal VDC fork lift vehicles. •9-30VDC input,12VDC output •Energy Star Compliant 	DC Power Cable (CBL-DC-573A1-01)
CBL-DC-573A1-01		Forklift DC Power Cable for 3478/3578 Cradles	<ul style="list-style-type: none"> •Connects Forklift Power Supply (PWRS-14000-251R or PWRS-14000-252R) to 3478/3578 Cradle 	PWRS-14000-251R or PWRS-14000-252R
25-54956-02R		Forklift DC Power Cable for 3478/3578 Cradles	<ul style="list-style-type: none"> •Connects Forklift Power Supply (50-14000-122R) to 3478/3578 Cradle 	50-14000-122R
23844-00-00R		AC Line Cord		
50-16000-182R		AC Line Cord	Used with PWR-BGA9V18W0WW/50-14000-266R/50-14000-239R power supplies	
Batteries				
Part Number	Picture	Description	Notes	Required Items
BTRY-LS34IAB00-00		3478/3578 Spare Battery		