TXR54AZ00-1204AI ACTIVE

RAYCHEM | RAYCHEM TXR

TE Internal #: EG1635-000

Ruggedized Backshells & Adapters, RAYCHEM TXR

View on TE.com >



Connectors > Connector Backshells & Adapters > Ruggedized Backshells & Adapters



Connector General Specification Number: AS50151 Class D,L,U,W Crimp Contact, AS50151 Class D,L,U,W Crimp Contact Less ENDBELL, AS50151 Class L,W Crimp Contact, AS50151 Crimp Contact, AS81703 Series 3, AS81703 Series 3/Class E,L, MIL-DTL-26482 Series 2/Class A,L, MIL-DTL-83723 Series I/Class A,G,R, MIL-DTL-83723 Series III/Class A,G,K,R, MIL-DTL-83723 Series III/Class A,G,K,R,S, MIL-DTL-83723 Series III/Class A,G,R, MIL-DTL-83723 Series III/Class G,R, MIL-DTL-83723 Series III/Class G,R, MIL-DTL-83723 Series III/Class B, MIL-DTL-83723 Series IIII/Class B, MIL-DTL-83723 Series III/Class B, MIL-DTL-83723 Series IIII/Cl

Backshell Material: Aluminum

Adapter Plating Material: Zinc Nickel (ASTM B841)

Cable Diameter Range: 3.2 – 5.1 mm [.125 – .2 in]

Adapter Angle: Straight

Features

Product Type Features

Termination Device Included	TR04AI
Pluggable I/O Accessory Type	Tinel-Lock Adapter
Adapter Angle	Straight
Termination Device Type	Side-Entry Tinel-Lock Ring, Tinel-Lock Adapter, Tinel-Lock Ring
Connector Shell Size	07, 12, 12S

Body Features

Color	Black
Backshell Material	Aluminum
Adapter Plating Material	Zinc Nickel (ASTM B841)
TE Adapter Code	54
Adapter Entry Size	4

Termination Features

Overbraid Termination	Tinel-Lock Ring
-----------------------	-----------------

Dimensions

Cable Entry Diameter	.2 – 6.4 mm[.01 – .25 in]



Cable Diameter Range

3.2 – 5.1 mm[.125 – .2 in]

Usage Conditions

Salt Spray Resistance	500 Hr
Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
In duate Ctan day da	
Industry Standards	
Connector Detail Specification Number	AS34001, AS34011, AS34041, AS34061,
	AS34081, AS34091, AS34121, AS34241,
	AS34461, AS34501, AS34511, AS34541,
	AS34561, AS34641, AS34671, AS34681,
	M83723/01, M83723/02, M83723/03,
	M83723/04, M83723/05, M83723/06,
	M83723/07, M83723/08, M83723/13,
	M83723/14, M83723/36, M83723/37,
	M83723/38, M83723/39, M83723/40,
	M83723/41, M83723/42, M83723/43,
	M83723/48, M83723/49, M83723/65,
	M83723/66, M83723/67, M83723/68,
	M83723/69, M83723/71, M83723/72,
	M83723/73, M83723/74, M83723/75,
	M83723/76, M83723/77, M83723/78,
	M83723/82, M83723/83, M83723/84,
	M83723/85, M83723/86, M83723/87,
	M83723/91, M83723/92, M83723/95,
	M83723/96, M83723/97, M83723/98,
	MS3459, MS3470, MS3471, MS3472,
	MS3474, MS3475, MS3476, NAS 1599, NAS
	1641, NAS 1642, NAS 1643, NAS 1650, NAS
	1651, NAS 1652, NAS 1653, NAS 1692, NAS
	1693, NAS 1694, NAS 1699, NAS 1700, NAS
	1701, NAS 1702

Other

Connector General Specification Number	AS50151 Class D,L,U,W Crimp Contact, AS50151 Class D,L,U,W Crimp Contact Less ENDBELL, AS50151 Class L,W Crimp Contact, AS50151 Crimp Contact, AS81703 Series 3, AS81703 Series 3/Class E,L, MIL- DTL-26482 Series 2/Class A,L, MIL-DTL- 83723 Series I/Class A,G,R, MIL-DTL-83723 Series I/Class G,R, MIL-DTL-83723 Series III /Class A,G,K,R, MIL-DTL-83723 Series III /Class A,G,K,R,MIL-DTL-83723 Series III /Class G,R, MIL-DTL-83723 Series III /Class G,R, MIL-DTL-83723 Series III/Class G,R,W, MIL-DTL-83723 Series III/Class S, MIL-DTL-83723 Series III/Class H
	WIL-DTE-03723 Series IIII/Class II



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (.3% in BODY & NUT) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | RAYCHEM TXR





Customers Also Bought













Documents

Product Drawings
TXR54AZ00-1204AI

English

Datasheets & Catalog Pages

5-1654025-5_sec6_Adapters

English

Circular Backshells

English