

AMP | MQS

TE Internal #: 1-1534096-1 Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, PBT GF, Wire-to-Board / Wire-to-Device, MQS

View on TE.com >

Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Cable Exit Angle: 180° (In-Line)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: **PBT GF**

Features

Product Type Features

Protection & Strain Relief Accessory Type

Connector System

Cover - Cable Exit

Wire-to-Board, Wire-to-Device



Body Features

| Cable Exit Angle | 180° (In-Line) | |
|--|---|--|
| Primary Product Color | Black | |
| Primary Product Material | PBT GF | |
| Mechanical Attachment | | |
| Strain Relief | With | |
| Dimensions | | |
| Compatible Cable Bundle Diameter Range | 7 mm[.275 in] | |
| Usage Conditions | | |
| Operating Temperature (Max) | 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 ° F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F] | |
| Operating Temperature Range | -40 – 120 °C[-40 – 248 °F] | |
| Industry Standards | | |
| UL Flammability Rating | UL 94HB | |
| Packaging Features | | |

C For support call+1 800 522 6752

1-1534096-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, PBT GF, Wire-to-Board / Wire-to-Device, MQS



| Packaging Method | Carton |
|------------------|--------|
| Other | |
| Serviceable | Yes |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant | |
|---|---|--|
| EU ELV Directive 2000/53/EC | Compliant | |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold | |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC | |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free | |
| Solder Process Capability | Not applicable for solder process capability | |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



1-1534096-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, PBT GF, Wire-to-Board / Wire-to-Device, MQS



Also in the Series | MQS


| | All and a second | | |
|---|--|--|----------------------------------|
| Automotive Connector Caps & Covers (131) | Automotive Connector EMC Shielding (2) | Automotive Connector Locks & Position Assurance(29) | Automotive Housings(489) |
| | A Contraction of the second se | | |
| Automotive Seals & Cavity Plugs(26) | Automotive Terminals(96) | Data Connectivity Headers(1) | Insertion & Extraction Tools(42) |





Other Automotive Connector Accessories(13) PCB Headers & Receptacles(206)

Customers Also Bought



1-1534096-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 180° (In-Line), Black, PBT GF, Wire-to-Board / Wire-to-Device, MQS





Documents

Product Drawings MQS ABDECKKAPPE2X6P

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1534096-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1534096-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1534096-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English