

SlimSeal | SlimSeal Miniature Connectors

TE Internal #: 1-2834236-1

Ballast Connectors, Connector, Wire-to-Board, 3 Position, 2.5 mm Centerline, Sealable, Printed Circuit Board, SlimSeal Miniature

Connectors


View on TE.com >



Connectors > Lighting Connectors > Ballast Connectors > SLIMSEAL MINIATURE HEADERS











Lighting Product Type: Connector Connector System: Wire-to-Board

Number of Positions: 3 Centerline (Pitch): 2.5 mm

Sealable: Yes

All SLIMSEAL MINIATURE HEADERS (8)

Features

Product Type Features

Lighting Product Type	Connector
Connector System	Wire-to-Board
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Rows	1
Number of Positions	3
Electrical Characteristics	
Operating Voltage (Max)	250 VAC
Contact Features	
Contact Current Rating (Max)	5 A
Termination Features	



Tool-less Wire Termination	No
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Natural
Centerline (Pitch)	2.5 mm
Dimensions	
Wire Size	18 – 22 AWG
Usage Conditions	
UV Exposure Rated	No
Operating Temperature Range	-40 – 105 °C
Identification Marking	
Circuit Identification Feature	With
Industry Standards	
UL Flammability Rating	UL 94V-0
Agency/Standard	UL
Agency/Standard Number	UL 1977

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts









Also in the Series | SlimSeal Miniature Connectors




Customers Also Bought

















Documents

Product Drawings

3P REC, IP67 R/A SMT CONN, NATURE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2834236-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2834236-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2834236-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SlimSeal Connector Miniature Series

English

SlimSeal Connector Miniature Series

Product Specifications

Application Specification

English