TE Internal #: 1217175-1

Magnet Wire Terminals, Receptacle, Lead Wire Size 14 – 10 AWG,

Lead Wire Size 2 – 5.2 mm², Crimp, Crimp Area Length 8.76 mm [.

345 in], Tin Plating

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Receptacle

Mating Pin Diameter: 3.18 mm [.125 in]

Accepts Wire Insulation Diameter (Max): 4.32 mm [.17 in]

Accepts Wire Insulation Diameter Range: 3.3 – 4.32 mm [.13 – .17 in]

Lead Wire Size: 14 – 10 AWG

Features

Product Type Features

Wire Insulation Support Retention Type	Insulation Support
Compatible With Discrete Wire Type	Stranded
Sealable	No

Configuration Features

Contact Features

Magnet Wire Terminal Type	Receptacle
Mating Pin Diameter	3.18 mm[.125 in]
Terminal Plating Material	Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp
Crimp Area Length	8.76 mm[.345 in]

Mechanical Attachment



Wire Insulation Support	With
Dimensions	
Terminal Height	6.1 mm[.24 in]
Accepts Wire Insulation Diameter (Max)	4.32 mm[.17 in]
Accepts Wire Insulation Diameter Range	3.3 – 4.32 mm[.13 – .17 in]
Lead Wire Size	$2 - 5.2 \text{ mm}^2$
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]
Overall Product Length	20.95 mm[.824 in]
Usage Conditions	
Insulation Requirement	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Quantity	9000
Packaging Method	Reel
Other	
Comment	High Retention Force

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 360052-1 125 DIA CLSTR BLK




TE Part # 360051-1 CLUSTER BLOCK



TE Part # 520995-1 .125 CLUSTER BLOCK HSG



TE Part # 1217186-1 CLUSTER BLOCK HOUSING



TE Part # 1217200-1 CLUSTER BLOCK HOUSING



TE Part # 1-1742539-3
CLUSTER BLOCK RECEPT, TPCuFeP



TE Part # 1217261-1 HSG .125 CLUSTER BLOCK NAT



TE Part # 1217181-1 CLUSTER BLOCK HSG.



TE Part # 1217187-1 CLUSTER BLOCK HOUSING



TE Part # 2-2150368-2 OCEAN_2.0_Applicator-E-140F180F



TE Part # 2150368-2 OCEAN_2.0_Applicator-E-140F180F



TE Part # 7-2150368-2
OCEAN_2.0_Applicator-E-140F180F





Customers Also Bought
















Documents

Product Drawings

CLUSTER BLOCK RECPT.

English

CAD Files

Customer View Model

ENG_CVM_CVM_1217175-1_R.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217175-1_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1217175-1_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Magnet Wire Terminals, Receptacle, Lead Wire Size 14 – 10 AWG, Lead Wire Size 2 – 5.2 mm², Crimp, Crimp Area Length 8.76 mm [.345 in], Tin Plating



MD_1217175-1_05302017516_dmtec

English

MD_1217175-1_05302017516_dmtec

English