

1393364-2 ✓ ACTIVE

AMP | [Get .64 Connector System](#)

TE Internal #: 1393364-2

Automotive Terminals, Receptacle, Mating Tab Width 1 mm [.039 in], Tab Thickness .025 in [.64 mm], 24 – 22 AWG Wire Size, Get .64 Connector System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: **1 mm [.039 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **24 – 22 AWG**

[All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB \(29\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Typical Current Rating	1 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1 mm [.039 in]
Mating Tab Thickness	.64 mm [.025 in]
Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	.22 – .35 mm ²
-----------	---------------------------



Wire Size Search	22 AWG, 23 AWG, 24 AWG
------------------	------------------------

Wire Insulation Diameter	1.2 – 1.4 mm [.043 – .065 in]
--------------------------	-------------------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
-----------------------------	--

Operating Temperature Range	-40 – 150 °C [-40 – 302 °F]
-----------------------------	-----------------------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
------------------	------

Packaging Quantity	10000
--------------------	-------

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2305570-1
TERMINAL CUTTER, SIDE FEED



TE Part # CAT-G3353-CH8172
GET .64 CONNECTOR SYSTEM, CONNECTOR HSG



TE Part # 1438299-1
GET MALE TERM, A, AU, REREEL



TE Part # 2278398-1
3WAY GET 0.64 SEAL PLUG



TE Part # 2151540-1
OCEAN_2.0_APPLICATOR-S-055F0700



TE Part # 1411001-6
SEALED HARN ASSY W CPA KEY B




TE Part # 2203663-6
2X9 SEALED PLUG ASSY KEY B



TE Part # 1-1419168-1
MARKET 1X6 FEMALE SEALED



TE Part # 1924639-2
1X8 FEMALE ASSY KEY D, LP LATC



TE Part # 1411001-7
2x4 SEALED HARN ASSY W/O CPA



TE Part # 2-2151540-1
OCEAN_2.0_APPLICATOR-S-055F0700



TE Part # 2-2151540-2
OCEAN_2.0_APPLICATOR-S-055F0700




TE Part # 2151540-2
OCEAN_2.0_APPLICATOR-S-055F0700



TE Part # 7-2151540-1
OCEAN_2.0_APPLICATOR-S-055F0700



TE Part # 7-2151540-2
OCEAN_2.0_APPLICATOR-S-055F0700



KIT
REPRESENTATION ONLY

TE Part # 7-2151540-7
OCEAN_2.0_SPARE_PART_KIT-055F0700




TE Part # 2272431-4
1X6 GET UNSLD SIDE LATCH PLUG,
KEY D




TE Part # 3-2151540-2
OCEAN_2.0_APPLICATOR-S-
055F0700


Also in the Series | Get .64 Connector System




Automotive Connector Caps & Covers
(7)



Automotive Housings(108)



Automotive Terminals(30)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #928966-2
SPT REC 6.3 Contact SWS Sn



TE Part #2151307-1
OCEAN_2.0_APPLICATOR-S-
042F0620




TE Part #2295163-2
22POS,MIXED,REC HSG,ASSY




TE Part #2295163-3
22POS,MIXED,REC HSG,ASSY



TE Part #2295163-4
22POS,MIXED,REC HSG,ASSY



TE Part #1372157-4
ANVIL SLEEVE



TE Part #1372732-2
CLAMPING LEVER



TE Part #5-1372710-8
CUTTING BLADE



Documents

Product Drawings

V23540X7000Y 12=GET FEM TERM A

English

CAD Files

Customer View Model

[ENG_CVM_1393364-2_B2.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1393364-2_B2.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1393364-2_B2.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English