

1393367-1 ✓ ACTIVE

AMP | [Get .64 Connector System](#)

TE Internal #: 1393367-1

Automotive Terminals, Receptacle, Mating Tab Width 1 mm [.039 in], Tab Thickness .025 in [.64 mm], 24 – 22 AWG Wire Size, Get .64 Connector System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: **1 mm [.039 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **24 – 22 AWG**

[All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB \(29\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Typical Current Rating	9 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1 mm [.039 in]
Mating Tab Thickness	.64 mm [.025 in]
Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	.22 – .35 mm ²
-----------	---------------------------



Wire Size Search	22 AWG, 23 AWG, 24 AWG
------------------	------------------------

Wire Insulation Diameter	1.2 – 1.4 mm [.043 – .065 in]
--------------------------	-------------------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
-----------------------------	--

Operating Temperature Range	-40 – 125 °C [-40 – 257 °F]
-----------------------------	-----------------------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
------------------	------

Packaging Quantity	10000
--------------------	-------

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-G3353-CH8172 GET .64 CONNECTOR SYSTEM, CONNECTOR HSG</p>	 <p>TE Part # 2305570-1 TERMINAL CUTTER, SIDE FEED</p>	 <p>TE Part # 1-1419158-6 GET MALE TERM, A, SN, REREEL</p>	 <p>TE Part # 2278398-1 3WAY GET 0.64 SEAL PLUG</p>
 <p>TE Part # 2151540-1 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	 <p>TE Part # 1411001-6 SEALED HARN ASSY W CPA KEY B</p>	 <p>TE Part # 2203663-6 2X9 SEALED PLUG ASSY KEY B</p>	 <p>TE Part # 1-1419168-1 MARKET 1X6 FEMALE SEALED</p>
 <p>TE Part # 1924639-2 1X8 FEMALE ASSY KEY D, LP LATC</p>	 <p>TE Part # 1452842-3 22 POS FEMALE HSG ASSY</p>	 <p>TE Part # 1411001-7 2x4 SEALED HARN ASSY W/O CPA</p>	 <p>TE Part # 2-2151540-1 OCEAN_2.0_APPLICATOR-S- 055F0700</p>
 <p>TE Part # 2-2151540-2 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	 <p>TE Part # 2151540-2 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	 <p>TE Part # 2272006-1 Plug Assembly, 20P GET, w/o CPA</p>	 <p>TE Part # 2382775-2 SDE F GET PIN/SCKT 0.35-0.22mm2 DIE SET</p>




TE Part # 7-2151540-1
OCEAN_2.0_APPLICATOR-S-055F0700



TE Part # 7-2151540-2
OCEAN_2.0_APPLICATOR-S-055F0700




TE Part # 7-2151540-7
OCEAN_2.0_SPARE_PART_KIT-055F0700




TE Part # 2382775-1
SDE F GET PIN / SOCKET 0.35-0.22 mm2 ASSY


Also in the Series | **Get .64 Connector System**




Automotive Connector Caps & Covers (7)



Automotive Housings(108)



Automotive Terminals(30)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #1438299-2
GET MALE TERM, A, SN




TE Part #1-2208021-3
22POS,0.64 GENER. Y,REC HSG,ASSY




TE Part #1438890-7
PIN CONTACT, JACK, 180 DEGREE, SMB




TE Part #2298123-1
MATE-AX, Pin outer contact, RTK 031




TE Part #1601517-1
G061D16BX=RTM 900-2600



TE Part #1-1438893-0
PLUG HOUSING, 1 POSITION, 180 DEGREE, FA



TE Part #1418993-1
FERRULE



TE Part #2203238-1
PLUG SUBASSEMBLY, RTK031 2DS-PPFW, FAKRA



Documents

Product Drawings

[V23540X7000Y 11=GET-FEM TERM S](#)

English

[V23540X7000Y 11=GET-FEM TERM S](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1393367-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1393367-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1393367-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

German

[Application Specification](#)

English

Product Environmental Compliance

[MD_1393367-1_07032017952_dmtec](#)

English

[MD_1393367-1_07032017952_dmtec](#)



English

Instruction Sheets

UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese