TE Internal #: 1393454-1


Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Wire-to-Board / Wire-

to-Device, 28 Position

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Cable Exit Angle: 90° (Right Angle)

Strain Relief: Without

Primary Product Color: Black Primary Product Material: PBT GF

Features

Product Type Features	
Protection & Strain Relief Accessory Type	Cover - Cable Exit
Connector System	Wire-to-Board, Wire-to-Device
Configuration Features	
Number of Positions	28
Body Features	
Cable Exit Angle	90° (Right Angle)
Primary Product Color	Black
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	Without
Dimensions	
Compatible Cable Bundle Diameter Range	10.75 mm[.423 in]

Compatible Cable Bundle Diameter Range

Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 ° C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F] [284 °F]

Operating Temperature Range -40 - 140 °C[-40 - 284 °F]

Industry Standards



UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1440
Packaging Method	Box
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought



TE Part #1927574004 ATUM-6/2-2-SP



TE Part #1-1718492-4 1.5MM TAB HSG 36 POS ASSY



TE Part #5-1241608-1 MQS1,5 Sn rec CB unseal. 0,75-1,5



TE Part #927357-2 FF 110 2P HOUSING PA66 BLACK



TE Part #1335390003 ES-CAP-NO.3-B8-X-40MM



TE Part #964197-1



TE Part #1-2278597-1 JPT REC. HSG, 8POSN.





Documents

Product Drawings

V23542C1028Z100=28P ABDECKKAPP

English

V23542C1028Z100=28P ABDECKKAPP

English

CAD Files

3D PDF

English

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Wire-to-Board / Wire-to-Device, 28 Position



Customer View Model

ENG_CVM_1393454-1_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1393454-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1393454-1_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.