


LED Tube Fixture T8 120cm G13 1x36W IP20

Article number 145096









General ETIM properties

Luminaires
Batten luminaire
145096
Bailey
LED Tube Fixture
Т8







ETIM specifications

Electrical connection with connector system	Yes
Connection type	Other
Conductor cross section [mm²]	0.5
Number of poles	3
Type of wiring	Ending
Length [mm]	1230
Height/depth [mm]	80
Width [mm]	55
Max. system power [W]	36
Suitable for lamp power [W]	36 - 36
With movement sensor	No
With switch	No
Suitable for emergency lighting	No
Covering of the luminaire with thermally insulating material possible	No
Luminaire with limited surface temperature, sign "D"	No
Protection class	I
Degree of protection (IP)	IP20
Light distributor	None
No dim function	Yes
Dimming with push-button	No
Dimming Zigbee	No
Dimming Touch and Dim	No

Dimming Sine Wave Reduction	No
Dimming RF	No
Dimming programmable	No
Dimming phase cut-on	No
Dimming phase cut-off	No
Dimming mains voltage modulation	No
Dimming manufacturer's proprietary system	No
Dimming LineSwitch	No
Dimming GPRS	No
Dimming potentiometer (integrated)	No
Dimming DSI	No
Dimming DMX	No
Dimming DALI	No
Dimming 1-10 V	No
Dimming 0-10 V	No
With control gear	No
Type of control gear	Not required
Nominal voltage [V]	230 - 230
Voltage type	AC
Colour housing	White
Material	Steel
Lamp holder	G13
Suitable for number of lamps	1
With light source	No
Lamp type	LED exchangeable



Complementary articles



141882

LED Meat T8 1200 G13 22W Red EM+AC



141891

LED Party T8 29X1200 G13 18W (36W) Red EM+AC



141894

LED Party T8 29X1200 G13 18W (36W) Green EM+AC



141897

LED Party T8 29X1200 G13 18W (36W) Blue EM+AC



80100040813

LED Ecobasic T8 1200 LED Ecobasic T8 1200 G13 20W (36W) 2100lm 830 EM+AC



80100040814

G13 20W (36W) 2200lm 840 EM+AC