

**VPK (blanking plug in plastic)
VP M40 K54**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



For sealing surplus threaded holes to maintain the IP class of protection

General ordering data

| | |
|------------|---|
| Type | VP M40 K54 |
| Order No. | 1776950000 |
| Version | VPK (blanking plug in plastic), Blanking plug, M 40, 13 mm, IP65, Polyamid 6 (PA6 - GF30) |
| GTIN (EAN) | 4032248156399 |
| Qty. | 25 pc(s). |

**VPK (blanking plug in plastic)
VP M40 K54**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Length | 7 mm | Length (inches) | 0.276 inch |
| Net weight | 10.16 g | | |

General information

| | | | |
|-----------------------------------|-------------------------|-----------------------------------|--------|
| Material | Polyamid 6 (PA6 - GF30) | Cable glands | metric |
| External thread | M 40 | Pitch of thread | 1.5 mm |
| Length of thread | 13 mm | Protection degree | IP54 |
| Protection degree with GWDR | IP65 | Operating temperature range, min. | -40 °C |
| Operating temperature range, max. | 100 °C | Head diameter | 46 mm |
| UL 94 flammability rating | V-2 | Halogen | No |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC000451 | ETIM 7.0 | EC000451 |
| eClass 9.0 | 27-14-44-25 | eClass 9.1 | 27-14-44-33 |
| eClass 10.0 | 27-14-44-25 | UNSPSC | 30-21-18-01 |

Approvals

Approvals



ROHS Conform

Downloads

| | |
|--------------------|---|
| Brochure/Catalogue | CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN |
| Engineering Data | EPLAN.WSCAD |
| Engineering Data | STEP |

Data sheet

**VPK (blanking plug in plastic)
VP M40 K54**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

