

Alcoswitch | Alcoswitch MSS

TE Internal #: 1825274-1

Alcoswitch MSS, Slide Switches, Six Pole - Three Throw Configuration (Pole-Throw), Vertical, Copper Alloy, Single Actuator,

3 Position, On On On, .3 A

View on TE.com >



Relays, Contactors & Switches > Switches > Slide Switches



Configuration (Pole-Throw): Six Pole - Three Throw

Slide Switch Mounting Angle: Vertical
Contact Base Material: Copper Alloy

Number of Actuators: Single

Number of Slide Switch Positions: 3

Features

Product Type Features

| Threaded Case | Without |
|------------------------|-----------------|
| Grade | Instrumentation |
| Switch Type | Slide |
| Product Type | Switch |
| Terminal Configuration | Standard |
| Actuator Style | Extended, Side |

Configuration Features

| Terminals Connected | 1-2, 5-6, 9-10, 13-14, 17-18, 21-22 |
|----------------------------------|-------------------------------------|
| Configuration (Pole-Throw) | Six Pole - Three Throw |
| Number of Actuators | Single |
| Number of Slide Switch Positions | 3 |
| Operating Function | On On On |

Electrical Characteristics

| Slide Switch Voltage Rating (VAC) | 125 |
|-----------------------------------|-----|
|-----------------------------------|-----|

Body Features

| Actuator Travel | 2 mm[.079 in] |
|-------------------|---------------|
| Actuator Material | POM |
| Actuator Color | Black |



Contact Features

| Contact Base Material | Copper Alloy |
|-------------------------------------|--------------|
| Slide Switch Contact Current Rating | .3 A |
| Switch Contact Plating Material | Silver |

Termination Features

| Tarmination Tuna | PC | |
|------------------|----|--|
| Termination Type | ГС | |

Mechanical Attachment

| PCB Mount Retention | With |
|-----------------------------|--------------|
| PCB Mount Retention Type | Guide Post |
| Slide Switch Mounting Angle | Vertical |
| Slide Switch Mounting Type | Through Hole |

Dimensions

| PCB Tail Length | 3.81 mm[.151 in] |
|-----------------|-------------------|
| Actuator Length | 12.5 mm[.49 in] |
| Length | 32.1 mm[1.264 in] |

Identification Marking

Industry Standards

| UL Flammability Rating | UL 94HB |
|------------------------|---------|
|------------------------|---------|

Packaging Features

| Packaging Method | Tray | |
|------------------|------|--|
| J J J | -) | |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content | Not Yet Reviewed for halogen content |



Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | Alcoswitch MSS



Customers Also Bought













Documents

Product Drawings

MSS6350R04=6P3T SL SW R/A AG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1825274-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1825274-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1825274-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English

Product Environmental Compliance

TE Material Declaration

English