

#### Alcoswitch | Alcoswitch DIP, Alcoswitch DIP GDH

TE Internal #: 1977831-3

Alcoswitch DIP, DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP

View on TE.com >



Relays, Contactors & Switches > Switches > DIP & SIP Switches



DIP & SIP Switch Product Type: Switch

DIP & SIP Switch Contact Mating Area Plating Material: Gold

DIP & SIP Switch Housing Color: Black

DIP & SIP Switch Housing Material: Polyphenylene Sulfide (PPS)

Auto-Insertable: No

## **Features**

### **Product Type Features**

DIP & SIP Switch Product Type	Switch
Sealed DIP & SIP Switch	Yes
DIP & SIP Switch Type	DIP
Actuator Style	Recessed Rocker

### **Configuration Features**

Number of Positions	6
Number of Switches	6
Configuration (Pole-Throw)	Single Pole - Single Throw

# **Electrical Characteristics**

DIP & SIP Switch Voltage Rating	50 VDC
- i ci cii ciii ciii ga i iaini g	

### **Body Features**

Seal Type	Tape
Actuator Color	White

#### **Contact Features**

Solder Tail Contact Plating	Gold over Nickel
DIP & SIP Switch Contact Mating Area Plating Material	Gold
Auto-Insertable	No
DIP & SIP Switch Contact Current Rating	.1 A



Contact Base Material	Copper Alloy
Mechanical Attachment	
DIP & SIP Switch Mounting Type	Surface Mount
Housing Features	
Low Profile	Yes
DIP & SIP Switch Housing Color	Black
DIP & SIP Switch Housing Material	Polyphenylene Sulfide (PPS)
DIP & SIP Switch Centerline	1.27 mm[.05 in]
Dimensions	
Length	8.75 mm[.344 in]
Height	2.2 mm[.093 in]
Usage Conditions	
Operating Temperature Range	-30 – 85 °C
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tape & Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2018 (181) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**













# Also in the Series | Alcoswitch DIP







Also in the Series | Alcoswitch DIP GDH





# Customers Also Bought















# **Documents**

**Product Drawings** 

DIP SWITCH GDH06SATR04

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1977831-3\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1977831-3\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1977831-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Alcoswitch DIP, DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP



Datasheets & Catalog Pages
SWITCHES\_CORE\_PROGRAM\_CATALOG

English