![HP logo]

HP E-Series E14 G4 35.6 cm (14") 1920 x 1080 pixels Full HD LED White

Brand : HP

Product name : E14 G4

Product family: E-Series

Product code: 1B065AA#ABB

- Get a clear view—inside or out—with an ultra-bright, anti-glare, 400-nit screen that delivers equally sharp, visuals in dark rooms or direct sunlight.
- Expand your laptop's visual workspace and boost your productivity with a slim, lightweight Full HD monitor that weighs just 620 g and is less than 4.75 mm thick.
- Work without interruption with a monitor that has a 65W power pass-through so you can power your monitor from your laptop's USB-C™ and charge it from its power brick at the same time.
E14 G4 Portable Monitor

HP E-Series E14 G4 35.6 cm (14") 1920 x 1080 pixels Full HD LED White:

The on-the-go monitor that's ready to work in any light
Double down on your productivity with the HP E14 G4 Portable Monitor. Remove from the soft sleeve, stand up on the kickstand, and connect with the simplicity of just one USB-C™ cable.[1] Enjoy a great view indoors or outdoors from an extra-bright screen.

XXX°	5ms	1080p

Display

Display diagonal *	35.6 cm (14")
Display brightness (typical)	400 cd/m²
Display resolution *	1920 x 1080 pixels
Native aspect ratio *	16:9
Response time	5 ms
HD type *	Full HD
Display technology *	LED
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA),720 x 400,800 x 600 (SVGA),1024 x 768 (XGA),1280 x 1024 (SXGA),1280 x 720 (HD 720),1440 x 900 (WXGA+),1600 x 900,1680 x 1050 (WSXGA+),1920 x 1080 (HD 1080)
Contrast ratio (typical) *	800:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Panel type *	IPS
Pixel pitch	0.161 x 0.161 mm
Pixel density	157 ppi
Horizontal scan range	30 - 80 kHz
Vertical scan range	59 - 60 Hz

Performance

Flicker-free technology	✔
HP segment	Business

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	White

Ports & interfaces

DVI port	✘
HDMI *	✘
Audio input	✘
Headphone out *	✘

Ergonomics

VESA mounting *	✘
Height adjustment *	✘
Pivot	✘
Swivelling	✘
Tiltable	✔
Tilt angle range	0 - 78°

Power

Energy efficiency class (SDR) *	B
Energy consumption (SDR) per 1000 hours *	5 kWh
Power consumption (typical) *	6 W
Power consumption (standby) *	0.3 W
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	5 - 95%

Weight & dimensions

Width (without stand)	32.1 cm
Depth (without stand)	1.52 cm
Height (without stand)	21 cm
Weight (without stand)	640 g

Packaging data

Cables included	USB Type-C
Package width	405 mm

Design		Packaging data	
Certification	BIS; BSMI; CB; CCC; CE; cTUVus; EAC; ENERGY STAR®; FCC; ICES; ISE for Cambodia; ISO 9241-307; KC/KCC; NOM; SEPA; Taiwan Green Mark; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC; WW application; UAE	Package depth	61 mm
		Package height	284 mm
		Package weight	1.54 kg

Ports & interfaces	
Built-in USB hub *	✔
USB upstream port type	USB Type-C

195122635008

0 195122 635008