

#### Microdot

TE Internal #: 2-1532171-8 Microminiature & Nanominiature D Connectors, Receptacle, Cableto-Board, 9 Position, .05 in [1.27 mm] Centerline, Wire & Cable, Signal

View on TE.com >



Connectors > D-Shaped Connectors > Microminiature & Nanominiature D Connectors



Connector & Housing Type: Receptacle Connector System: Cable-to-Board Number of Positions: 9

Mounting Hardware: None

Centerline (Pitch): 1.27 mm [.05 in ]

# Features

## Product Type Features

Connector & Housing Type

Connector System

Receptacle

Cable-to-Board

Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	9
Contact Features	
Contact Current Rating (Max)	3 A
Mechanical Attachment	
Mounting Hardware	None
Housing Features	
Centerline (Pitch)	1.27 mm[.05 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Product Compliance	

**S** For support call+1 800 522 6752

# 2-1532171-8

Microminiature & Nanominiature D Connectors, Receptacle, Cable-to-Board, 9 Position, .05 in [1.27 mm] Centerline, Wire & Cable, Signal



#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Cd (.2% in Component part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




**Customers Also Bought** 

# 2-1532171-8

Microminiature & Nanominiature D Connectors, Receptacle, Cable-to-Board, 9 Position, .05 in [1.27 mm] Centerline, Wire & Cable, Signal





# Documents

TE Part #4-1589474-5

STM037PC2DC036N = WDUALOBE

Product Drawings M83513/04-A12C, MCKS-C2-B-9S6Q9-36.0

=TE

English

#### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_2-1532171-8\_D.2d\_dxf.zip

English

#### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2-1532171-8\_D.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1532171-8\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**C** For support call+1 800 522 6752

# 2-1532171-8

Microminiature & Nanominiature D Connectors, Receptacle, Cable-to-Board, 9 Position, .05 in [1.27 mm] Centerline, Wire & Cable, Signal



Products for Aerospace and Defense

English