

2-5435668-5 ✓ ACTIVE

[Alcoswitch](#) | [Alcoswitch DIP](#)

TE Internal #: 2-5435668-5


Alcoswitch DIP, DIP & SIP Switches, Switch, Gold, Blue Housing,  
Polyester GF, Sealed, 6 Switch, DIP, Rocker (Top Actuated)

Actuator Style, 1 A

[View on TE.com >](#)



Relays, Contactors & Switches > Switches > DIP & SIP Switches



DIP & SIP Switch Product Type: **Switch**

DIP & SIP Switch Contact Mating Area Plating Material: **Gold**

DIP & SIP Switch Housing Color: **Blue**

DIP & SIP Switch Housing Material: **Polyester GF**

Auto-Insertable: **No**

## Features

### Product Type Features

DIP & SIP Switch Product Type	Switch
Sealed DIP & SIP Switch	Yes
DIP & SIP Switch Type	DIP
Actuator Style	Rocker (Top Actuated)

### Configuration Features

Number of Positions	6
Number of Switches	6
Configuration (Pole-Throw)	Single Pole - Single Throw

### Electrical Characteristics

DIP & SIP Switch Voltage Rating	40 VDC
---------------------------------	--------

### Body Features

Seal Type	Tape
-----------	------

### Contact Features

Solder Tail Contact Plating	Tin
	30 $\mu$ m
DIP & SIP Switch Contact Mating Area Plating Material	Gold
Auto-Insertable	No
DIP & SIP Switch Contact Current Rating	1 A



Contact Base Material	Copper Alloy
-----------------------	--------------

### Termination Features

Termination Post Length	3.56 mm[.14 in]
-------------------------	-----------------

### Mechanical Attachment

Mounting Angle	Vertical
----------------	----------

DIP & SIP Switch Mounting Type	Through Hole
--------------------------------	--------------

### Housing Features

Low Profile	Yes
-------------	-----

DIP & SIP Switch Housing Color	Blue
--------------------------------	------

DIP & SIP Switch Housing Material	Polyester GF
-----------------------------------	--------------

DIP & SIP Switch Centerline	2.54 mm[.1 in]
-----------------------------	----------------

### Dimensions

Height	7.36 mm[.29 in]
--------	-----------------

Length	17.27 mm[.68 in]
--------	------------------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Method	Tube
------------------	------

Packaging Quantity	21
--------------------	----

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Out of Scope
-----------------------------	--------------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
--	---

















Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--


Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts


			
TE Part # 5435640-5 DIP SW 8POSN AU	TE Part # 4-5435640-1 DIP SW 10 POSN SEALED	TE Part # 2-5435668-7 DIP SW 7 POSN W/TAPE AU	TE Part # 5435640-3 DIP SW 5POSN AU
			
TE Part # 5435640-7 DIP SW 10POSN AU	TE Part # 3-435640-5 DIP SW 4 POSN SEALED	TE Part # 5435668-5 LO PROFILE DIP SW 6P AU	TE Part # 3-5435668-5 DIP SW 5 POSN W/TAPE AU
			
TE Part # 2-435668-8 DIP SW 8 POSN W/TAPE AU	TE Part # 3-435640-9 DIP SW 8 POSN SEALED	TE Part # 435640-5 DIP SW 8POSN AU	TE Part # 2-5435640-9 DIP SW 2POSN AU
			
TE Part # 435668-7 LO PROFILE DIP SW 8P AU	TE Part # 5435668-4 LO PROFILE DIP SW 5P AU	TE Part # 3-435668-3 DIP SW 3 POSN W/TAPE AU	TE Part # 4-435640-7 SWITCH 10 POSN SPST STD PRO SP



TE Part # 5-435640-0  
DIP SW 8 POSN SEALED LESS MKT



TE Part # 5-5435640-1  
DIP SW 10P SPST SPLC MARKING




TE Part # 5-5435640-7  
DIP SW 9 POS



TE Part # 5435668-7  
LO PROFILE DIP SW 8P AU

## Also in the Series | Alcoswitch DIP



DIP & SIP Switches(291)



Rotary Switches(25)



Switch Seals & Accessories(1)


## Customers Also Bought




TE Part #5747190-2  
09 RCPT SP/MS CNUT



TE Part #4-1437559-6  
MTM106DPC=SW TOG SHORT LEVER P



TE Part #1776263-2  
Term Blk, 90 degree, stacking



TE Part #796682-3  
TERMI-BLOK PCB MOUNT 90 3P.



TE Part #87230-2  
04 MODII HDR DRRA UNSHRD .100



TE Part #5-534267-2  
20 MODIV VRT DR DE 100/125



TE Part #5745183-2  
09 RCPT SP/MS STD



TE Part #140546  
RING TONGUE 18-14 .236X.390  
ELCTRO TPBR



TE Part #829154-4  
4P AMP-QUICK STLEI



## Documents

### Product Drawings

[DIP SW 6 POSN W/TAPE AU](#)

English

---

### CAD Files

Customer View Model

[ENG\\_CVM\\_2-5435668-5\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_2-5435668-5\\_A.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_2-5435668-5\\_A.2d\\_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

[Application Specification](#)

English

---

### Product Environmental Compliance

[DIP SW 6 POSN W/TAPE AU](#)

English

[DIP SW 6 POSN W/TAPE AU](#)

English

---

### Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English