


### CHAMP

TE Internal #: 2-552271-1 TE Internal Description: ASSY, RCPT, 14 POS, B SLOT View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > IDC D-Sub Connectors



Connector & Housing Type: Receptacle Solid Wire Size: .13 – .32 mm<sup>2</sup> Stranded Wire Size: .33 mm<sup>2</sup>

## Features

## **Product Type Features**

Profile	Standard
Connector Classification	IDC
Slot Type Letter Code	В
Product Category	Connectors
Connector & Housing Type	Receptacle

## **Configuration Features**

Number of Positions	14		
Number of Rows	2		
Compatible With Wire & Cable Type	Discrete Wire, Round Jacketed Cable		
Contact Features			
Contact Mating Area Plating Thickness	.76 μm[30 μin]		
Contact Mating Area Plating Material	Gold, Gold Flash, Gold Flash over Palladium Nickel		
Contact Underplating Material	Palladium Nickel		
Contact Base Material	Copper Alloy		
Mechanical Attachment			
Flange Thickness	Thin		
Mating Connector Lock	With		
Mating Connector Lock Type	Bail Lock, Screwlocks		

**C** For support call+1 800 522 6752

2-552271-1

ASSY, RCPT, 14 POS, B SLOT



Housing Material	Thermoplastic		
Housing Color Dot Designation	Blue		
Housing Color	Black		
Centerline (Pitch)	2.16 mm[.085 in]		
Dimensions			
Insulation Diameter (Max)	1.14 mm[.045 in]		
Solid Wire Size	.13 – .32 mm²		
Stranded Wire Size	.33 mm <sup>2</sup>		
Wire Size	26 – 24 AWG		
Operation/Application			
Shielded	No		
Packaging Features			
Packaging Method	Box & Tray, Package		
Packaging Quantity	100		
Other			
Comment	RP Style is not compatible with integral locking latch receptacles		

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

#### ASSY, RCPT, 14 POS, B SLOT



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Customers Also Bought**





## Documents

### **CAD** Files

Customer View Model ENG\_CVM\_2-552271-1\_L.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_2-552271-1\_L.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_2-552271-1\_L.2d\_dxf.zip

2-552271-1

ASSY, RCPT, 14 POS, B SLOT



English		
3D PDF		
English		
By downloading the CAD file I accept and agree to the <b>Terms and Conditions</b> of use.		
Product Specifications		
Application Specification		
English		
Agency Approvals		
UL Report		
English		
UL Report		
English		