



TE Internal #: 2-86566-0

FFC Contacts, Cable-to-Cable, 2.54 mm [.1 in] Centerline, Discrete Wire, Socket, Tin, Reel, Crimp, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Contacts >

2.54mm FFC Connectors Socket Contacts



Connector System: **Cable-to-Cable**

Centerline (Pitch): **2.54 mm [.1 in]**

Compatible With Wire & Cable Type: **Discrete Wire**

Contact Type: **Socket**

Contact Mating Area Plating Material: **Tin**

[All 2.54mm FFC Connectors Socket Contacts \(35\)](#)

Features

Product Type Features

Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

	100 μin
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	2 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------



Housing Features

Centerline (Pitch)	2.54 mm [.1 in]
--------------------	-----------------

Dimensions

Accepts Conductor Width	1.27 mm, 1.82 mm
Wire Size	.12 – .4 mm ²
Accepts Wire Insulation Diameter Range	1.02 – 1.42 mm [.04 – .056 in]

Usage Conditions

Operating Temperature Range	-65 – 105 °C [-85 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Method	Reel
------------------	------

Other

Comment	Crimp Control Monitor 567561-1 for AMPOMATOR CLS II Machine., Crimp Control Monitor 567561-2 for AMP-O-ELECTRIC., Use Extraction Tool No. 91092-1 for end locking slot and Extraction Tool No. 91093-1 for side locking lance slot.
---------	---

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-F439-R2435254
2.54mm FFC Connectors Receptacle Housing



TE Part # 2305570-1
TERMINAL CUTTER, SIDE FEED



TE Part # 7-2151980-7
OCEAN_2.0_SPARE_PART_KIT-055F062O



TE Part # 2-2151980-1
OCEAN_2.0_Applicator-S-055F062O



TE Part # 2-2151980-2
OCEAN_2.0_Applicator-S-055F062O-A



TE Part # 2151980-1
OCEAN_2.0_Applicator-S-055F062O



TE Part # 2151980-2
OCEAN_2.0_Applicator-S-055F062O-A



TE Part # 7-2151980-1
OCEAN_2.0_Applicator-S-055F062O



TE Part # 7-2151980-2
OCEAN_2.0_Applicator-S-055F062O-A

Customers Also Bought



TE Part #353907-1
CT 1.5MM REC CONT CRIMP TYPE




TE Part #1609112-3
10CE1 M0=F7804



TE Part #91536-1
CCII MINI-UMNL PIN 20-18 16-20x2 ASSY




TE Part #104257-2
03 MTE RCPT HSG SR LATCH .100 ASSY



TE Part #154718-3
PL 250 REC 0.7-2.0 MM2 0.406 TPBR



TE Part #1375819-1
CST-100 II CONTACT TIN PLT




TE Part #1-104480-3
SHORT POINT CONT 30 DPLX STMPD LF



TE Part #6979344003
HFT5000-30/15-0-SP



TE Part #2-34104-6
SOLIS R 22-16 COMM 22-18 MIL 4



TE Part #5052894108
RNF-100-1/16-BK-SP

Documents

Product Drawings

[FFC,RCPT CONTACT,ROUND WIRE,22](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2-86566-0_AN.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2-86566-0_AN.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-86566-0_AN.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Extraction Tool for Flexible Flat Cable (FFC)

English

Instruction Sheet (U.S.)

English

Extraction Tools

English