




Connectors > Power Connectors > Power Contacts > POWERBAND CONTACTS



Power Contact Type: **Contact**

Operating Voltage: **600 VDC**

Contact Mating Area Plating Material: **Gold**

Wire Size: **14 – 12 AWG**

[All POWERBAND CONTACTS \(20\)](#)

Features

Product Type Features

Power Contact Type	Contact
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
---------------------	---

Electrical Characteristics

Test Current	50 A
Operating Voltage	600 VDC

Contact Features

Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	50 A
Contact Type	Pin
Contact Retention Within Housing	With
Mating Pin Diameter	3.18 mm [.125 in]
Contact Base Material	Copper
Contact Mating Area Plating Material Thickness	.76 μm [30 μin]



Contact Mating Area Plating Material Finish	Semi-Bright
Wire Contact Termination Area Plating Thickness	.02 μm[1 μin]
Wire Contact Termination Area Plating Material	Gold Flash
Wire Contact Termination Area Plating Material Finish	Semi-Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]
Contact Size	8

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	2 – 3 mm ²
-----------	-----------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Method	Carton
Packaging Quantity	100

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AM71-C83998U
CPC SERIES 5



TE Part # CAT-AM71-C83998K
CPC SERIES 6



TE Part # 213906-1
CPC PLUG ASSY,SRS 6,SZ 17-10



TE Part # 69710-1
C-HEAD FRAME W/O DIES



TE Part # 318813-1
EXTRACTION TOOL ASSY




TE Part # 213899-1
CPC SEAL ASSY KIT,SRS 5,17-3




TE Part # 213900-1
CPC SEAL ASSY KIT,SRS 6,17-10



TE Part # 356304-1
TOOL HOLDER ASSY, STRHT ACTION



TE Part # 356612-1
DIES POWERBAND CONT 14-12
AWG DIE SET



TE Part # 197889-1
ANVIL HOLDER

Also in the Series | **AMP POWERBAND**



Insertion & Extraction Tools(1)



Power Contacts(20)


Customers Also Bought



TE Part #796207-1
SLD CPC RCPT ASSY,23-16,STD SX




TE Part #618529-000
55A0823-20-9/96CS2275




TE Part #262036-001
81044/6-14-9




TE Part #YDL64R-8-3PNC01200
RECP ASSY




TE Part #CW3210-000
2022Y1422-9X-CS3400




TE Part #5580574004
VPB-3/8-0SPCS5444




TE Part #341925M017
NTFR-1/4-0-SP-CS5445



TE Part #462571M014
NTFR-3/4-0-SP-CS5445



TE Part #304343M012
NTFR-7/8-0-SP-CS5445



TE Part #5580594010
VPB-3/4-0SPCS5444

Documents

Product Drawings

[PWRBAND PIN ASY 14-12 L.P.](#)

English

CAD Files

[3D PDF](#)

English

Customer View Model

[ENG_CVM_213845-4_B.3d_igs.zip](#)



English

Customer View Model

[ENG_CVM_213845-4_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_213845-4_B.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_213845-4_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_213845-4_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_213845-4_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

[Power Contacts](#)

English

[METRIMATE_PIN_SOCKET_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English

Agency Approvals

[Agency Approval Document](#)

English