

TE Internal #: 2267072-3

Push Button Switches, Double Pole - Double Throw Configuration (Pole-Throw), Switch, Dual Actuator, Extended Actuator Profile, Unthreaded, On [On]

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Double Pole - Double Throw

Push Button Switch Product Type: Switch

Number of Actuators: **Dual**Actuator Profile: **Extended**Bushing Style: **Unthreaded** 

## **Features**

## **Product Type Features**

Dust Proof	No
Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Round

## **Configuration Features**

ESD Grounding Terminal	Without
Ganged	No
Configuration (Pole-Throw)	Double Pole - Double Throw
Number of Actuators	Dual
Snap Action	Without
Support Bracket	Without
Tactile	No
Operating Function	On [On]

### **Electrical Characteristics**

Push Button Switch Voltage Rating	20 VDC	
-----------------------------------	--------	--

## **Body Features**

Case Material	Diallyl Phthalate (DAP)
Actuator Material	Thermoplastic Polyester
Actuator Profile	Extended



Bushing Style	Unthreaded
Actuator Color	Black
Contact Features	
Push Button Switch Contact Current Rating	.4 A
Switch Contact Plating Material	Gold
Termination Features	
Termination Type	Printed Circuit
Mechanical Attachment	
Mounting Angle	Right Angle
Push Button Switch Mounting Type	Through Hole
Housing Features	
Low Profile	No
Process Sealed	No
Dimensions	
Actuator Length	3.94 mm[.155 in]
Usage Conditions	
Temperature Rating	Standard
Packaging Features	
Packaging Method	Loose Piece
Other	

# **Product Compliance**

Comment

For compliance documentation, visit the product page on TE.com>

11/65/EU Compliant with Exemptions	
Compliant with Exemptions	
7/53/EC Not Yet Reviewed	
e MIIT Order No 32, 2016 Restricted Materials Above Threshol	d
Current ECHA Candidate List: JAN 2 (223)  Candidate List Declared Against: JU (191)  SVHC > Threshold:  Not Yet Reviewed	
SVHC > Threshold:	

(On) indicates momentary position.



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Wave solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**











































# Customers Also Bought







TE Part #1410968-3 MULTIGIG RT2 7RW RTM DC DF CT



TE Part #1410971-3
MULTIGIG RT T2 7RW H-LFT RTM











Machined



## **Documents**

Push Button Switches, Double Pole - Double Throw Configuration (Pole-Throw), Switch, Dual Actuator, Extended Actuator Profile, Unthreaded, On [On]



## **Product Drawings**

PMD9P1B10M6RE

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2267072-3\_A\_c-2267072-3-a.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2267072-3\_A\_c-2267072-3-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2267072-3\_A\_c-2267072-3-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

Subminiature Switches

English