



Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): **Single Pole - Single Throw**

Push Button Switch Product Type: **Switch**

Number of Actuators: **Single**

Actuator Profile: **Extended**

Bushing Style: **Unthreaded**

Features

Product Type Features

| | |
|---------------------------------|--------|
| Dust Proof | No |
| Push Button Switch Product Type | Switch |
| Illuminated | No |
| Actuator Style | Round |

Configuration Features

| | |
|----------------------------|----------------------------|
| ESD Grounding Terminal | Without |
| Ganged | No |
| Configuration (Pole-Throw) | Single Pole - Single Throw |
| Number of Actuators | Single |
| Snap Action | Without |
| Support Bracket | Without |
| Tactile | No |
| Operating Function | Off [On] |

Electrical Characteristics

| | |
|-----------------------------------|--------|
| Push Button Switch Voltage Rating | 20 VDC |
|-----------------------------------|--------|

Body Features

| | |
|-------------------|-------------------------|
| Case Material | Diallyl Phthalate (DAP) |
| Actuator Material | Thermoplastic Polyester |
| Actuator Profile | Extended |



| | |
|---------------|------------|
| Bushing Style | Unthreaded |
|---------------|------------|

| | |
|----------------|-------|
| Actuator Color | Black |
|----------------|-------|

Contact Features

| | |
|---|------|
| Push Button Switch Contact Current Rating | .4 A |
|---|------|

| | |
|---------------------------------|------|
| Switch Contact Plating Material | Gold |
|---------------------------------|------|

Termination Features

| | |
|------------------|-----------------|
| Termination Type | Printed Circuit |
|------------------|-----------------|

Mechanical Attachment

| | |
|----------------|-------------|
| Mounting Angle | Right Angle |
|----------------|-------------|

| | |
|--------------------------|--------|
| Screw & Hole Thread Size | 1/4-40 |
|--------------------------|--------|

| | |
|----------------------------------|--------------|
| Push Button Switch Mounting Type | Through Hole |
|----------------------------------|--------------|

Housing Features

| | |
|-------------|----|
| Low Profile | No |
|-------------|----|

| | |
|----------------|----|
| Process Sealed | No |
|----------------|----|

Dimensions

| | |
|-----------------|-------------------|
| Actuator Length | 3.94 mm [.155 in] |
|-----------------|-------------------|

Usage Conditions

| | |
|--------------------|----------|
| Temperature Rating | Standard |
|--------------------|----------|

Packaging Features

| | |
|------------------|-------------|
| Packaging Method | Loose Piece |
|------------------|-------------|

Other

| | |
|---------|------------------------------------|
| Comment | (On) indicates momentary position. |
|---------|------------------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|------------------------------|---------------------------|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|------------------------------|---------------------------|

| | |
|-----------------------------|------------------|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
|-----------------------------|------------------|

| | |
|---|--------------------------------------|
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
|---|--------------------------------------|

| | |
|--|---|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2018 (191) SVHC > Threshold: |
|--|---|



Pb (3.7% in Component Part)

Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

| | |
|-----------------|---|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
|-----------------|---|

| | |
|---------------------------|------------------------------|
| Solder Process Capability | Wave solder capable to 260°C |
|---------------------------|------------------------------|

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 2267074-1
PMS9P1B05M2RE



TE Part # 2267074-4
PMS9P1B05M2QE



TE Part # 2267076-3
PMS8P1B09M2RE



TE Part # 2267074-3
PMS9P1B05M2QE



TE Part # 2267072-3
PMD9P1B10M6RE

Customers Also Bought



Documents

Product Drawings

[PMS9P1B08M6RE](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Subminiature Switches](#)

English