# RPS-1K-1-400/2.0-9 V ACTIVE

### **RPS**

TE Internal #: 0229410001

RPS, Printable Tubing, Ladder, Commercial, 3:1 Shrink Ratio, White,

Markers per Sleeve 1, Length 50 mm [2 in], 8.5 mm [.333 in]

Recovered Inside

View on TE.com >



Identification & Labeling > Printable Tubing > RPS COMMERCIAL GRADE SLEEVES



Printable Tubing Type: Ladder

Printable Tubing Grade: Commercial
Printable Tubing Shrink Ratio: 3:1
Primary Product Color: White

Markers per Sleeve: 1

### All RPS COMMERCIAL GRADE SLEEVES (74)

## **Features**

## **Product Type Features**

Troddet Type reddies	
Printable Tubing Type	Ladder
Printable Tubing Grade	Commercial
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	White
Markers per Sleeve	1
Dimensions	
Product Length	50 mm[2 in]
Supplied Inner Diameter	25.4 mm[1 in]
Recovered Inside Diameter	8.5 mm[.333 in]
Compatible Cable Diameter Range	9.3 – 21.6 mm[.366 – .85 in]
Usage Conditions	
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]

See TE Document 411-121005 the Printer

Product Ribbon Matrix

Operation/Application

Recommended Ribbon



### Printer/Label Features

Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer
Packaging Features	
Packaging Quantity	1000

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

RPS, Printable Tubing, Ladder, Commercial, 3:1 Shrink Ratio, White, Markers per Sleeve 1, Length 50 mm [2 in], 8.5 mm [.333 in] Recovered Inside





TE Part # 1-2186502-1 T3224-PRINTER



TE Part # 1-2186503-1 T3224-SWARE-PRINTER



TE Part # CP8122-000 T6112DS-PRINTER





## Also in the Series | RPS



# Customers Also Bought









TE Part #6325250001 TMS-SCE-1/2-2.0-4



TE Part #E66448-000 HX-SCE-1K-6.4-50-4



TE Part #7278870001 RPS-1K-18-12/2.0-9











## **Documents**

**Product Drawings** 

RPS-1K-1-400/2.0-9

English

Datasheets & Catalog Pages

**IDENTIFICATION SELECTION GUIDE** 

English

**RPS Heat Shrinkable Sleeves** 

English

**Product Specifications** 

**RPS** 

English

**Instruction Sheets** 

Instruction Sheet (non U.S.)

English