# TT11DGRA1 - ACTIVE

#### Alcoswitch

TE Internal #: 3-1437561-8 Toggle Switches, Single Pole - Double Throw Configuration (Pole-Throw), Sealed, Gold, Gold over Nickel, Terminal Seal (Epoxy), Baton Short, On None On

View on TE.com >



Relays, Contactors & Switches > Switches > Toggle Switches



Configuration (Pole-Throw): Single Pole - Double Throw Sealed Toggle Switch: Yes Contact Base Material: Gold Switch Contact Plating Material: Gold over Nickel Process Sealed: No

### Features

## Product Type Features

Product Type	Switch
Sealed Toggle Switch	Yes
Toggle Style	Baton Short

Toggle Switch Type	Toggle
Toggle Actuation	Horizontal
Configuration Features	
Configuration (Pole-Throw)	Single Pole - Double Throw
Operating Function	On None On
Electrical Characteristics	
Dielectric Strength	1000 VAC
UL/CSA Current Rating (125V)	3 A
Insulation Resistance	1000 MΩ
Toggle Switch Voltage Rating	20 VAC
Body Features	
Actuator Finish	Gold
Toggle Switch Seal Type	Terminal Seal (Epoxy)
Bushing Style	Unthreaded
Contact Features	

**C** For support call+1 800 522 6752

### TT11DGRA1

Toggle Switches, Single Pole - Double Throw Configuration (Pole-Throw), Sealed, Gold, Gold over Nickel, Terminal Seal (Epoxy), Baton Short, On None On



Contact Base Material	Gold
Switch Contact Plating Material	Gold over Nickel
Toggle Switch Contact Current Rating	.4 A
Termination Features	
Termination Type	Right Angle
Mechanical Attachment	
Toggle Switch Mounting Type	Through Hole
Housing Features	
Process Sealed	No
Dimensions	
Toggle Length	5.61 mm[.221 in]
Industry Standards	
UL Flammability Rating	UL 94V-0
Other	
Comment	Each switch is provided with a disposable boot used only during cleaning operation.

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (2.5% in component) Aticle Safe Usage Statements! Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

### TT11DGRA1

Toggle Switches, Single Pole - Double Throw Configuration (Pole-Throw), Sealed, Gold, Gold over Nickel, Terminal Seal (Epoxy), Baton Short, On None On



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





TE Part # 9-1437562-5 TTE13D8T1/4=SW TOGGLE WATERTIG

# **Customers Also Bought**



### TT11DGRA1

Toggle Switches, Single Pole - Double Throw Configuration (Pole-Throw), Sealed, Gold, Gold over Nickel, Terminal Seal (Epoxy), Baton Short, On None On







TE Part #4-1571552-4 816-AG11D-ES-LF=800 DIP,AU/SN

## Documents

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-1437561-8\_A\_c-3-1437561-8-a.2d\_dxf.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_3-1437561-8\_A\_c-3-1437561-8-a.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_3-1437561-8\_A\_c-3-1437561-8-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages SWITCHES\_CORE\_PROGRAM\_CATALOG

English