164TL22 - ACTIVE

Alcoswitch | Alcoswitch Command

TE Internal #: 3-1437569-5 Alcoswitch Command, Push Button Switches, Switch, Single Actuator, Illuminated, Snap Action, Tactile, Momentary, 5 A, 250 VAC, 24 VDC / 20 VDC, .4

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches



Push Button Switch Product Type: Switch

Number of Actuators: Single

Illuminated: Yes

Process Sealed: No

Snap Action: With

Features

Product Type Features

Switch Type	Pushbutton
Dust Proof	No
Push Button Switch Product Type	Switch

Illuminated	Yes
Actuator Style	Rectangular
Configuration Features	
Ganged	No
Panel Cutout Size	16 (Diameter) mm
Number of Actuators	Single
Snap Action	With
Tactile	Yes
Operating Function	Momentary
Electrical Characteristics	
Push Button Switch Voltage Rating	20 VDC, 24 VDC
Push Button Switch Power Rating	.4
Body Features	
Seal Type	IP65
Contact Features	

Alcoswitch Command, Push Button Switches, Switch, Single Actuator, Illuminated, Snap Action, Tactile, Momentary, 5 A, 250 VAC, 24 VDC / 20 VDC, .4



Type of Contact	2 NO & 2 NC					
Push Button Switch Contact Current Rating	5 A					
Switch Contact Plating Material	Gold					
Mechanical Attachment						
Mounting Angle	Vertical					
Push Button Switch Mounting Type	Panel					
Housing Features						
Low Profile	No					
Process Sealed	No					
Dimensions						
Button Width	15 mm[.59 in]					
Usage Conditions						
Oil-Tight	No					
Operation/Application						
For Use With	Lens Model 64T(*) (where * equals (2) Red, (3) Orange, (4) Yellow, (5) Green, (6) Blue, or (9) White., T1 3/4 midget flanged base lamps.					

Other

Comment

Order Lamp Separately., Order Lens Set Separately.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed		
Halogen Content	Not Yet Reviewed for halogen content		
Solder Process Capability	Not applicable for solder process capability		

Alcoswitch Command, Push Button Switches, Switch, Single Actuator, Illuminated, Snap Action, Tactile, Momentary, 5 A, 250 VAC, 24 VDC / 20 VDC, .4



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



STERIE I	TE	EVE .	ETE
TE Part # 1-1437569-3 164J2B11=REC 2-POS KY PLL BOTH	TE Part # 3-1437569-9 164TL522=RECT PP ILL PB 2NO&2N	TE Part # 1-1437569-2 164J2A22=2-POS KEYLK MAINT KYP	TE Part # 2-1437569-0 164P2B11=RECT 2-POS SELECT INO
THE REAL PROPERTY OF THE REAL	O O O O O O O O O O O O O O O O O O O		00 00 00 TE
TE Part # 2-1437569-7 164SL33=ILL SQ MOM PB W/3 NO&N	TE Part # 7-1437569-2 64E2=COLOR PB CAP RED ROUND	TE Part # 7-1437569-3 64E3=COLOR PB CAP ORANGE ROUND	TE Part # 7-1437569-7 64E9=COLOR PB CAP WHITE ROUND

Alcoswitch Command, Push Button Switches, Switch, Single Actuator, Illuminated, Snap Action, Tactile, Momentary, 5 A, 250 VAC, 24 VDC / 20 VDC, .4





Also in the Series Alcoswitch Command







Rotary Switches(3)



Switch Seals & Accessories(18)

Keylock Switches(3)	Push Button Switches(13)	Rotary Switches(3)	Switch Seals & Accessories(18)

Customers Also Bought



Alcoswitch Command, Push Button Switches, Switch, Single Actuator, Illuminated, Snap Action, Tactile, Momentary, 5 A, 250 VAC, 24 VDC / 20 VDC, .4



Documents

Product Drawings 164TL22=RECT MOM ILLUM PB 2NO&

English

Datasheets & Catalog Pages SWITCHES_CORE_PROGRAM_CATALOG

English