



Identification & Labeling > Printable Tags



Printable Tag Grade: **Military**

Operating Temperature Range: **-55 – 135 °C [-67 – 275 °F]**

Primary Product Color: **White**

Features

Product Type Features

Printable Tag Grade	Military
---------------------	----------

Body Features

Primary Product Color	White
-----------------------	-------

Mechanical Attachment

Number of Tie-Wrap Holes	6
--------------------------	---

Dimensions

Tag Height	12.7 mm[.5 in]
Tag Length	50.8 mm[2 in]

Usage Conditions

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
-----------------------------	----------------------------

Operation/Application

Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix
--------------------	--

Printer/Label Features

Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Dot Matrix

Packaging Features

Packaging Quantity	250
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)














EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer








This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 1-2186502-1 T3224-PRINTER</p>	 <p>TE Part # 1-2186503-1 T3224-SWARE-PRINTER</p>	 <p>TE Part # 4-160968-1 CABLE TY 134X2.6 NAT</p>	 <p>TE Part # 2-160975-1 CABLE TY 200X4.8 NAT</p>
 <p>TE Part # 4-160968-2 CABLE TY 134X2.6 BLACK</p>	 <p>TE Part # 4-160971-2 CABLE TY 140X3.6 BLACK</p>	 <p>TE Part # 4-160975-2 CABLE TY 200X4.8 BLA</p>	 <p>TE Part # 2-100715-1 CABLE TY 150X3,6NAT</p>

 <p>TE Part # 2-100716-1 CABLE TY 200X4,8NAT</p>	 <p>TE Part # 2-160970-2 CABLE TY 200X2.6 BLA</p>	 <p>TE Part # 2-160978-1 CABLE TY 360X4,8NAT</p>	 <p>TE Part # 4-160970-2 CABLE TY 200X2.6 BLA</p>
 <p>TE Part # 4-160975-1 CABLE TY 200X4.8 NAT</p>	 <p>TE Part # 4-160974-1 CABLE TY 178X4,8NAT</p>	 <p>TE Part # 2-160977-2 CABLE TY 290X4.8 BLA</p>	 <p>TE Part # 2-160978-2 CABLE TY 360X4,8BLA</p>
 <p>TE Part # 2-160968-1 FOAC CABLE TY NATURAL 134X2.6</p>	 <p>TE Part # 1-2186500-1 T3212-PRINTER</p>	 <p>TE Part # 1-2186501-1 T3212-SWARE-PRINTER</p>	 <p>TE Part # 2-160968-2 CABLE TY 134X2.6 BLACK</p>

Customers Also Bought

 <p>TE Part #794616-8 FREE HANG DBL ROW HSG 8 POS</p>	 <p>TE Part #1586846-1 06P UMNL PLUG HSG NATL, GW</p>	 <p>TE Part #1586852-1 04P UMNL PLUG HSG, GW</p>	 <p>TE Part #1-2321921-1 2.5mm Sealed Connector: Terminals, Signal Double Lock Connectors</p>
 <p>TE Part #2321922-4 REAR WIRE SEAL 4PIN</p>	 <p>TE Part #8-1879221-2 CPF 0603 11R3 0.1% 25PPM 1K RL</p>	 <p>TE Part #1-1478008-0 SMB R/A Plg PS 50Ohm Gold Pltd RG174A/U,</p>	

Documents



Product Drawings

[CM-SCE-1/2-6H-9](#)

English

Datasheets & Catalog Pages

[CM-SCE Technical Datasheet](#)

English

Product Specifications

[Cable Markers CM-SCE, CM-SCE-TP and HL](#)

English

[CABLE MARKER INSTALLATION GUIDE](#)

English