

SOLISTRAND

TE Internal #: 330367

Splices, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, Sight Hole, .061 in [1.55 mm] Barrel Inside Diameter, 509 – 3260 CMA

Wire Size, Copper

View on TE.com >



Terminals & Splices > Splices



Wire Size: .3 – 1.42 mm²

Sealable: No

Splice Features: Sight Hole

Barrel Inside Diameter: 1.55 mm [.061 in]

Features

Product Type Features

Product Type Features	
Discrete Wire Type	Solid or Stranded
Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
	16
Configuration Features	16 Discrete Wire
Configuration Features Number of Serrations	

Tin

Sight Hole

Copper

Plating Material

Splice Features

Primary Product Material



Contact Features

Contact Plating Material	Tin
Contact Plating Thickness	2.54 μm[100 μin]
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Inside Diameter (Recovered)	1.55 mm[.061 in]
Outside Diameter	3.58 mm[.141 in]
Wire Size	509 – 3260 CMA
Barrel Inside Diameter	1.55 mm[.061 in]
Terminal Material Thickness	.84 mm[.033 in]
Overall Product Length	14.68 mm[.578 in]
Usage Conditions	
High Temperature Rating	170 °C[338 °F]
Insulation Requirement	Uninsulated
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Heavy Duty	No
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece
Other	
Comment	Marking: Commercial 22-16- Military 22-18 in accordance with MIL-T-7928.
Military Category	No

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts























Customers Also Bought













Documents

Product Drawings
SPLICE, SOLIS BUTT 22-16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_330367_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_330367_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_330367_C.3d_stp.zip

English

3D PDF



English

Customer View Model

ENG_CVM_330367_D.3d_igs.zip

English

Customer View Model

ENG_CVM_330367_D.3d_stp.zip

English

Customer View Model

ENG_CVM_330367_D.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Datasheet - Ev-Charging Electrical

English

Agency Approvals

UL Report

English