

# ES-CAP-NO.1-C1-0-35MM ✓ ACTIVE

Raychem | Raychem ES-CAP

TE Internal #: 3371890003

Raychem ES-CAP, Wire End Caps, Dual Wall, Anti-Flux, Adhesive

Precoat, -40 – 105 °C

[View on TE.com >](#)



Wire Protection & Management > Heat Shrink Molded Shapes > Wire End Caps



Wall Type: **Dual**

Sealant Type: **Anti-Flux**

Adhesive Requirement: **Adhesive Precoat**

Operating Temperature Range: **-40 – 105 °C**

## Features

### Product Type Features

Wall Type	Dual
-----------	------

### Configuration Features

Modification	C1
Adhesive Requirement	Adhesive Precoat

### Body Features

Color	Black
Lining Type	Adhesive
Material	Crosslinked Polyolefin
Shrink Ratio	4:1
Pliancy	Semi-Rigid
Sealant Type	Anti-Flux

### Dimensions

Length	35 mm[1.378 in]
Recovered Inside Diameter (Max)	1.3 mm[.051 in]
Cable Diameter Range	5.7 mm
Recovered Wall Thickness (Nominal)	1.2 mm[.047 in]
Expanded Inside Diameter (Min)	5.72 mm[.225 in]
Wall Thickness	Thin

### Usage Conditions

--	--



Fluid Resistance	Automatic Transmission Fluid, Brake Fluid, Diesel Fuel, Engine Cleaner, Engine Coolant, Lubricating Oil, Power Steering Fluid, Water
Flammability	Flame-Retardant
Heat Shrink Tubing Resistance	Abrasion, Fluids, Mechanical Damage, Strain Relief
Resistance Properties	Limited Immersion Protection, Moisture & Spray Protection, Splash Protection
Operating Temperature Range	-40 – 105 °C

### Operation/Application

Emission Free	No
---------------	----

### Identification Marking

Marked	No.1
--------	------

### Industry Standards

CSA Certified	No
Government Qualified	No
UL Rating	Recognized

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products


will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts





### Also in the Series | Raychem ES-CAP



### Customers Also Bought





## Documents

### Datasheets & Catalog Pages

[ES Caps Pages from 9-1773447-9](#)

English

[ES CAP Data Sheet](#)

English

[Semirigid Adhesive-Lined, Polyolefin Heat-Shrinkable Sealing Caps](#)

English

[Measuring\\_Single\\_Wall\\_Tubing](#)

English

[Selecting\\_Correct\\_Tubing](#)

English

---

### Product Specifications

[Quality Specification](#)

English

---

### Product Environmental Compliance

[Safety Datasheet](#)

English

[Safety Datasheet](#)

English

[Safety Datasheet](#)

[Safety Datasheet](#)

[Safety Datasheet](#)

English

[Safety Datasheet](#)

French

[Safety Datasheet](#)

German

[Safety Datasheet](#)

[Safety Datasheet](#)

[Safety Datasheet](#)

[Safety Datasheet](#)

[Safety Datasheet](#)

English

[Safety Datasheet](#)