

4-160996-1 ✓ ACTIVE

AMP-TY


TE Internal #: 4-160996-1

Cable Ties, Standard, Bag, 130 Newton Tensile Strength, 29.2 lbf Tensile Strength, Length 7.9 in [200 mm], Natural, Polyamide 6.6 GF, 1000

[View on TE.com >](#)



Wire & Cable > Wire & Cable Accessories > Cable Ties



Cable Tie Style: **Standard**

Cable Tie Packaging Method: **Bag**

Tensile Strength: **130 Newton**

Cable Tie Length: **200 mm [7.9 in]**

Features

Product Type Features

Product Type	Cable Tie
Cable Tie Style	Standard
Tensile Strength	130 Newton

Body Features

Cable Tie Color	Natural
Cable Tie Material	Polyamide 6.6 GF

Dimensions

Bundle Range Diameter	2 – 50 mm [.078 – 1.97 in]
Cable Tie Length	200 mm [7.9 in]
Cable Tie Width	3.6 mm [.141 in]
Cable Tie Thickness	1.2 mm [.047 in]

Packaging Features

Cable Tie Packaging Method	Bag
Cable Tie Packaging Quantity	1000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant











China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-T3437-H85999 HTCM-SCE-TP HIGH TEMPERATURE MARKERS</p>	 <p>TE Part # CAT-T3437-C6298 CM-SCE-TP MILITARY GRADE MARKERS</p>	 <p>TE Part # CAT-T3437-K1 K-TYPE TIE-ON MARKERS</p>	 <p>TE Part # EC6518-000 13611808</p>
 <p>TE Part # EC6496-000 13611442</p>	 <p>TE Part # EC6513-000 13611707</p>	 <p>TE Part # EC6409-000 13611202</p>	 <p>TE Part # EC6453-000 13611303</p>



TE Part # 7175170001
CM-SCE-1/2-4H-4



TE Part # EC6406-000
13611101



TE Part # 6622650001
CM-SCE-1/2-6H-4



TE Part # EC6405-000
13611000



TE Part # EC6497-000
13611443



TE Part # EC6504-000
13611505



TE Part # EC6505-000
13611606



TE Part # 0076930001
CM-SCE-1/2-4H-9



TE Part # 0325090001
CM-SCE-1/2-6H-9



TE Part # 9305490001
HTCM-SCE-1/2-4H-4



TE Part # 0479490001
HTCM-SCE-1/2-4H-9



TE Part # EJ0826-000
CM-SCE-TP-1/4-4H-6


Customers Also Bought



TE Part #2-1623732-4
BCHE 7 W 270R 5%



TE Part #2-1614884-9
CPF 0805 33R 0.1% 25PPM 1K RL



TE Part #2-160983-1
CABLE TY 365X7.8 NAT



TE Part #8726733005
FLT0111-0.75-9(S92)

Documents

Product Drawings

[CABLE TY 200X3.6 NAT](#)

English

Datasheets & Catalog Pages

[CABLE TIES](#)

English