

41969-2 ✓ ACTIVE

FASTON | FASTON 250


TE Internal #: 41969-2

FASTON 250, Quick Disconnects, Receptacle, 22 – 18 AWG Wire Size, .32 – .82 mm<sup>2</sup> Wire Size, Mating Tab Width .25 in [6.35 mm], Straight, Brass

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: .32 – .82 mm<sup>2</sup>

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

## Features

### Product Type Features

Terminates To	Wire & Cable
Wire/Cable Type	Regular Wire
Wire Stop	No
Insertion Force	Normal
Sealable	No

### Configuration Features

Connection Capacity	Single
---------------------	--------

### Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp



Barrel Type	Open
-------------	------

### Mechanical Attachment

Mating Retention Type	Dimple
Wire Insulation Support	With

### Dimensions

Accepts Wire Insulation Diameter Range	2.29 – 3.3 mm [.09 – .13 in]
Receptacle Terminal Stock Thickness	.41 mm [.016 in]
Overall Length	20.44 mm [.805 in]
Wire Size	.32 – .82 mm <sup>2</sup>

### Usage Conditions

Insulation Requirement	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

### Industry Standards

CSA Certified	Yes
UL Rating	Listed

### Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece/Carton

### Other

Line	Premier
Comment	Wire barrel pre-crimped.

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 42025-4  
250 FASTON REC 18-16 AWG TPBR



TE Part # 90166-1  
DAHT 250 FASTON REC 22-18 ASSY



TE Part # 575046-1  
DAHT 250 FASTON 22-14 ASSY



TE Part # 91514-1  
CCII FASTON 250 REC 22-18 ASSY



TE Part # 152422-1  
250 FASTON,TAB,ADAPTER,BR




TE Part # 539740-2  
DIE F6. 3FF REC.



TE Part # 61873-1  
250 FASTON REC 18-14 AWG TPBR



TE Part # 91514-3  
CCII FASTON 250 REC 22-18 HEAD



TE Part # 752856-1  
DIES 90166-1



TE Part # 169400  
CERTI-LOK

Also in the Series | **FASTON 250**



Compression Connectors(4)



Crimp Terminal Housings(143)



Insertion & Extraction Tools(6)



Magnet Wire Terminals(1)



PCB Terminals(144)



Quick Disconnects(456)



Splices(4)

## Customers Also Bought




TE Part #6-2176337-0  
CRGCQ 0402 820K 1%



TE Part #4-2176345-0  
CRGCQ 1210 18K 1%



TE Part #1969688-5  
PTL 1X5 PCB HEADER VERT STDTMP  
KEY A NAT



TE Part #9-160313-5  
250 PIDG FASTON REC



TE Part #323061  
TERMINAL,SOLIS R HR 12-10 8




TE Part #103648-4  
05 MTE RCPT HSG SR RIB .100CL



TE Part #154661-2  
FF 250 REC 22-18 AWG TPBR LP



TE Part #8B-0018-001-000  
940 METAL PROTECTION CAP



TE Part #1438122-1  
1 X 4 LOW PROFILE\_HARNESS ASSE

## Documents



### Product Drawings

#### 250 FASTON REC 22-18 AWG BR

English

---

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_41969-2\\_AA.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_41969-2\\_AA.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_41969-2\\_AA.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

#### Application Specification

English

#### Wire Preparation And Crimp Inspection Guide

English

---

### Product Environmental Compliance

#### MD\_41969-2\_09192017021\_dmtec

English

#### MD\_41969-2\_09192017021\_dmtec

English

---

### Instruction Sheets

#### Instruction Sheet (U.S.)

English

#### Crimping Head for FASTON Terminals

English

---

### Agency Approvals

#### Agency Approval Document

English