

42731-2 ✓ ACTIVE

FASTON | FASTON 250


TE Internal #: 42731-2

FASTON 250, Quick Disconnects, Receptacle, 22 – 18 AWG Wire Size, .32 – .82 mm² Wire Size, Mating Tab Width .25 in [6.35 mm], Straight, Brass

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: .32 – .82 mm²

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

Features

Product Type Features

| | |
|-----------------|--------------|
| Terminates To | Wire & Cable |
| Wire/Cable Type | Regular Wire |
| Wire Stop | No |
| Insertion Force | Low |
| Sealable | No |

Configuration Features

| | |
|---------------------|--------|
| Connection Capacity | Single |
|---------------------|--------|

Contact Features

| | |
|--------------------------------|------------------|
| Quick Disconnect Terminal Type | Receptacle |
| Mating Tab Width | 6.35 mm [.25 in] |
| Mating Tab Thickness | .81 mm [.032 in] |
| Terminal Orientation | Straight |
| Contact Base Material | Brass |
| Terminal Plating Material | Tin |
| Crimp Type | F-Crimp |



| | |
|-------------|------|
| Barrel Type | Open |
|-------------|------|

Mechanical Attachment

| | |
|-------------------------|--------|
| Mating Retention Type | Dimple |
| Wire Insulation Support | With |

Dimensions

| | |
|--|------------------------------|
| Accepts Wire Insulation Diameter Range | 1.52 – 2.54 mm [.06 – .1 in] |
| Receptacle Terminal Stock Thickness | .41 mm [.016 in] |
| Overall Length | 20.32 mm [.8 in] |
| Wire Size | .32 – .82 mm ² |

Usage Conditions

| | |
|-----------------------------|-----------------------------|
| Insulation Requirement | Uninsulated |
| Operating Temperature Range | -40 – 110 °C [-40 – 230 °F] |

Industry Standards

| | |
|---------------|--------|
| CSA Certified | Yes |
| UL Rating | Listed |

Packaging Features

| | |
|--------------------|--------------------|
| Packaging Quantity | 500 |
| Packaging Method | Loose Piece/Carton |

Other

| | |
|------|---------|
| Line | Premier |
|------|---------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 42025-4
250 FASTON REC 18-16 AWG TPBR



TE Part # 2-171706-1
FASTON 250 INS POD NYLON NAT



TE Part # 5-160563-2
250 FASTON REC 18-16 AWG TPBR




TE Part # 90166-1
DAHT 250 FASTON REC 22-18 ASSY



TE Part # 91514-1
CCII FASTON 250 REC 22-18 ASSY




TE Part # 91514-3
CCII FASTON 250 REC 22-18 HEAD




TE Part # 752856-1
DIES 90166-1


Also in the Series | FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(143)



Insertion & Extraction Tools(6)



Magnet Wire Terminals(1)



PCB Terminals(144)




Quick Disconnects(456)



Splices(4)

Customers Also Bought

TE Part #1-177648-5
D3100S DYNAMIC W-T-W TAB HSGTE Part #1939588-1
DYNAMIC D-1000 KEYING PLUGTE Part #1318095-1
DYNAMIC D-3500 REC HSG 6PTE Part #1-456403-6
CRIMPER WIRE .062 FTE Part #42470-1
110 FASTON REC 22-18 AWG TPBRTE Part #170892-4
187 FASTON HSG.,REC.,NATURALTE Part #3-1213077-9
CRIMPER, INSULATION "F" .074TE Part #172025-1
MIC PLUG HSG 7 POSTE Part #172026-1
MIC PLUG 5P

Documents

Product Drawings

[FASTON 250 REC TERMINAL 22-18 TPBR LP](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_42731-2_H.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_42731-2_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42731-2_H.3d_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_42731-2_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_42731-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_42731-2_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[.110,.187 & 250 Series FASTON Terminals](#)

English

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

[Crimping Head for FASTON Terminals](#)

English

Agency Approvals

[UL Report](#)

English