554953-1 ✓ ACTIVE

CHAMP | CHAMP Docking Connectors

TE Internal #: 554953-1

IDC D-Sub Connectors, Plug, 26 – 24 AWG Solid Wire Size, .13 – .32

mm² Solid Wire Size, 24 AWG Stranded Wire, CHAMP Docking

Connectors

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > IDC D-Sub Connectors > IDC D-Sub: Connector Kit, Plug, 2.16 mm



Connector & Housing Type: Plug

Solid Wire Size: .13 – .32 mm²

Stranded Wire Size: .1 mm², .14 mm², .33 mm²

All IDC D-Sub: Connector Kit, Plug, 2.16 mm (17)

Features

Product Type Features

Connector Classification	IDC
Profile	Standard
Slot Type Letter Code	E
Product Category	Connectors
Protective Cover	Without
Connector & Housing Type	Plug
Connector System	Cable-to-Cable
Connector Product Type	Connector Kit
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	50
Number of Rows	2
Compatible With Wire & Cable Type	Discrete Wire, Round Jacketed Cable
Body Features	

Carbon Steel

Bright

Black

Shield Material

Color

Shield Plating Finish



Cable Exit Angle	180°
Shield Plating Material	Nickel
Contact Features	
	30 μin
Contact Mating Area Plating Material	Gold, Gold Flash, Gold Flash over Palladium Nickel
Contact Underplating Material	Palladium Nickel
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	3.5 A
Mechanical Attachment	
Mating Connector Lock	With
Mating Connector Lock Type	Bail Lock
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Polyphenylene Oxide
Housing Color Dot Designation	Yellow
Housing Color	Black
Centerline (Pitch)	2.16 mm[.085 in]
Dimensions	
Insulation Diameter (Max)	1.14 mm
Cable Outside Diameter	8.89 – 15.88 mm[.35 – .625 in]
Cable Insulation Diameter Range	1.14 mm
Accepts Cable Diameter (Max)	15.88 mm
Accepts Wire Insulation Diameter Range	1.14 mm
Solid Wire Size	.13 – .32 mm²
Stranded Wire Size	.1 mm ² , .14 mm ² , .33 mm ²
Wire Size	27 AWG, 28 AWG
Usage Conditions	
Operating Temperature Range	-40 – 75 °C[-40 – 167 °F]
Operation/Application	
Shielded	Yes



|--|

Packaging Features

Packaging Method	Bag
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | CHAMP Docking Connectors



D-Sub Covers(28)



D-Sub Locking & Mounting(30)



Docking Connector Guide Hardware(5)



Docking Connectors(31)



IDC D-Sub Connectors(80)



PCB D-Sub Connectors(1)

Customers Also Bought



TE Part #5552567-1 HDWARE ASSY KIT BL PM SHORT



TE Part #YDTS20W13-08SAV001 RECP ASSY



TE Part #YDTS20W23-21ABV001 D38999: Square Flange, 23-21 insert



TE Part #1-1410279-1 MULTIGIG RT PWR .8" R/A HDR 2P PBFR



TE Part #1-2170704-2 CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part #439220-000 ST18-3-55-22-9

TE Part #2828412-1 MT FERRULE KIT, MM, 12-F, W/ PINS, PLUG

TE Part #MC307E2-C-23-8PN
JAMNUT REC.ASSY.PIN MC3/2





Documents

Product Drawings

PLUG KIT,50 POSN,BAIL LK, SHLD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_554953-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_554953-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_554953-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

English

AMP* SHIELDED CHAMP* 180 DEG CONNECTOR KITS AND COVER KITS

English

Agency Approvals

CSA Certificate

English