RPS-1K-22-18/2.0-S1-4 ACTIVE

RPS

TE Internal #: 5902770001

RPS, Printable Tubing, Ladder, Commercial, 3:1 Shrink Ratio, Yellow, 1 Prescore, Markers per Sleeve 2, Length 25 mm [1 in]

View on TE.com >



Identification & Labeling > Printable Tubing > RPS COMMERCIAL GRADE SLEEVES



Printable Tubing Type: Ladder

Printable Tubing Grade: Commercial
Printable Tubing Shrink Ratio: 3:1
Primary Product Color: Yellow

Number of Prescores: 1

All RPS COMMERCIAL GRADE SLEEVES (74)

Features

Product Type Features

rioduct Type reatures	
Printable Tubing Type	Ladder
Printable Tubing Grade	Commercial
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	Yellow
Markers per Sleeve	2
Dimensions	
Product Length	25 mm[1 in]
Supplied Inner Diameter	3.2 mm[.125 in]
Recovered Inside Diameter	1.1 mm[.042 in]
Compatible Cable Diameter Range	1.2 – 2.7 mm[.046 – .105 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	

See TE Document 411-121005 the Printer

Product Ribbon Matrix

Recommended Ribbon



Printer/Label Features

Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer
Number of Prescores	1
Packaging Features	
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

RPS, Printable Tubing, Ladder, Commercial, 3:1 Shrink Ratio, Yellow, 1 Prescore, Markers per Sleeve 2, Length 25 mm [1 in]





TE Part # 1-2186502-1 T3224-PRINTER




TE Part # CP8122-000

TE Part # CP8122-000 T6112DS-PRINTER





Also in the Series | RPS



Customers Also Bought








RPS-1K-22-18/2.0-S1-9











RPS, Printable Tubing, Ladder, Commercial, 3:1 Shrink Ratio, Yellow, 1 Prescore, Markers per Sleeve 2, Length 25 mm [1 in]



Documents

Product Drawings

RPS-1K-22-18/2.0-S1-4

English

Datasheets & Catalog Pages

IDENTIFICATION SELECTION GUIDE

English

RPS Heat Shrinkable Sleeves

English

Product Specifications

RPS

English

Instruction Sheets

Instruction Sheet (non U.S.)

English