
KEMET Part Number: A72MF06802600J

(72MF06802600J)



A72, Film, Film/Foil Polypropylene, General Purpose, 680 pF, 5%, 160 VAC, 400 VDC, 85°C



SIDE VIEW



Dimensions		
D	5mm MAX	
L	11mm MAX	
H0	18.5mm +/-0.5mm	
F	0.5mm +/-0.05mm	

Packaging Specifications		
Packaging:	T&R	
Packaging Quantity:	3000	

General Information	
Series:	A72
Dielectric:	Film/Foil Polypropylene
Style:	Axial
RoHS:	No
Prop 65:	WARNING: Cancer and reproductive harm - www.p65warnings.ca.gov. 9e4e6835-cc7d-4906-b899-
SCIP Number:	eb756f795e06
Lead:	Wire Leads
AEC-Q200:	No
Component Weight:	0.4 g
Miscellaneous:	Above 85C DC And AC Voltage Derating Is 1.25%/C. maxK0 = 10000000.

Specifications		
Capacitance:	680 pF	
Capacitance Tolerance:	5%	
Voltage AC:	160 VAC	
Voltage DC:	400 VDC, 300 VDC (105C)	
Temperature Range:	-55/+105°C	
Rated Temperature:	85°C	
Dissipation Factor:	0.05% 10kHz, 0.1% 100kHz	
Insulation Resistance:	100 GOhms	
Max dV/dt:	13000 V/us	
Inductance:	11 nH	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

