

Sencity Rail Antenna 87010008

Description

Railway rooftop antenna for 380-430 MHz.
Rugged design, meets EN 50155 railway standard.
Fire retardant acc. to EN 45545-2.
Works also on non-metallic surfaces.



Product Configuration

Technical Data

Electrical Data

	Band 1
Frequency (MHz)	380 - 430
VSWR	1.5
Impedance (Ohm)	50
Gain (dBi)	4
Ambient temperature (°C)	25

Ports

	Port 1
Connector	N, jack (female)
Polarization	vertical
DC grounded	Yes

Connections

	Band 1
Port 1	X

General Data

Indicated VSWR values are valid for a metallic ground plane of 1M x 1M or larger.

Mechanical Data

Dimensions (mm) 150 x 145 x 85 (Height x Width x Depth)
Weight (kg) 0.5

Radiator: Copper and brass.
Flange: Aluminum.
Radome: Fiberglass.
All screws and nuts: Stainless steel.
Colour: Grey.
Sealing: Neoprene and silicon.

This antenna, tested by an independent institute, is DC grounded to protect against lightning and short circuit with high voltage lines.

Packaging size (outside): 150 x 90 x 190 mm

Environmental Data

Environmental conditions outdoor

Sencity Rail Antenna 87010008

Operation temperature (°C)	-40 to 85
Storage temperature (°C)	-40 to 85
IP rating	IP66
Flammability rating 2011/65/EU (RoHS - including 2015/863 and 2017/2102)	EN 45545-2 compliant
Lead-free soldered WEEE 2012/19/EU REACH 1907/2006/EC	yes no special marking needed compliant

Environmental tests: EN 50155:2018-05

Flammability rating: EN 45545-2.

Material Data

Radome colour	grey
Back plate/base plate colour	black
Back plate/base plate material	Aluminium

Related Documents

Mounting instruction	DOC-0000864319
Painting instruction	DOC-0000256180
Security instruction	DOC-0000278984
Outline drawing	DOU-00389183
3D-model	DOC-0000864321