

**Industrial Ethernet  
IE-XM-RJ45/RJ45-IP67**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 1429-0  
Fax: +49 5231 14292083  
www.weidmueller.com



SnapIn plug-in connectors according to IEC 61076-3-106  
ver.6 in plastic, with RJ45 insert

**General ordering data**

Type	IE-XM-RJ45/RJ45-IP67
Order No.	<a href="#">8808450000</a>
Version	Mounting flange, Coupling flange, straight, Cat.5 (ISO/IEC 11801), IP67
GTIN (EAN)	4032248506033
Qty.	1 pc(s).

## Industrial Ethernet IE-XM-RJ45/RJ45-IP67

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 1429-0  
 Fax: +49 5231 14292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight 42 g

### Temperatures

Operating temperature -40 °C...70 °C      Storage temperature  
 Installation temperature

### General data

Connection 1	RJ45	Connection 2	RJ45
Description of article		Configuration	Installation flange with mounting frame and RJ45 module, socket-socket captive lid
	Coupling flange, straight		
Colour	Light Grey	Housing main material	PA 66, UL 94: V-0
Category	Cat.5 (ISO/IEC 11801)	Contact surface	Gold over nickel
Type of mounting	Cabinet, Distribution box	Shielding	360° shield contact
Protection degree	IP67	Plugging cycles	750

### Standards

Connector standard IEC 61076-3-106 Var. 6, IEC 60603-7-5      Certificate No. (GERMLLOYD) 33451-06

### Downloads

GL Approval Guidelines GL\_Certificate.pdf      GOST Approval POCC DE.ME25.B01411.pdf

### Classifications

ETIM 3.0	EC001264	ETIM 4.0	EC001264
ETIM 5.0	EC001264	ETIM 6.0	EC001121
UNSPSC	43-17-27-10	eClass 5.1	27-25-05-04
eClass 6.2	27-25-05-04	eClass 7.1	27-25-05-04
eClass 8.1	19-17-01-25	eClass 9.0	19-17-01-25
eClass 9.1	27-44-09-90		

### Approvals

Approvals



ROHS Conform

**Data sheet****Industrial Ethernet  
IE-XM-RJ45/RJ45-IP67**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 1429-0  
Fax: +49 5231 14292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings****Dimensioned drawing**