

**Industrial Ethernet
IE-XM-6D-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com



SnapIn plug-in connectors according to IEC 61076-3-106
ver.6 in plastic, with RJ45 insert

General ordering data

Type	IE-XM-6D-RJ45/RJ45-IP67
Order No.	8829450000
Version	Mounting flange, Coupling flange, 90° down, Cat.6 (ISO/IEC 11801), IP67
GTIN (EAN)	4032248532476
Qty.	1 pc(s).

**Industrial Ethernet
IE-XM-6D-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Technical data**Dimensions and weights**

Net weight	55 g
------------	------

Temperatures

Operating temperature	-40 °C...70 °C	Storage temperature	
Installation temperature			

General data

Connection 1	RJ45	Connection 2	RJ45 90°
Description of article		Configuration	Installation flange with mounting frame and RJ45 module, socket-socket 90°, downwards captive lid
	Coupling flange, 90° down		
Colour	Light Grey	Housing main material	PA 66, UL 94: V-0
Category	Cat.6 (ISO/IEC 11801)	Contact surface	Gold over nickel
Type of mounting	Cabinet, Distribution box	Shielding	360° shield contact
Protection degree	IP67	Plugging cycles	750

Standards

Connector standard	IEC 61076-3-106 Var. 6, IEC 60603-7-5	Certificate No. (GERMLLOYD)	33451-06
--------------------	--	-----------------------------	----------

Downloads

GL Approval Guidelines	GL_Certificate.pdf	GOST Approval	POCC DE.ME25.B01411.pdf
------------------------	--------------------	---------------	----------------------------

Classifications

ETIM 3.0	EC001264	ETIM 4.0	EC001264
ETIM 5.0	EC001264	ETIM 6.0	EC001121
UNSPSC	43-17-27-10	eClass 5.1	27-25-05-04
eClass 6.2	27-25-05-04	eClass 7.1	27-25-05-04
eClass 8.1	19-17-01-25	eClass 9.0	19-17-01-25
eClass 9.1	27-44-09-90		

Approvals

Approvals



ROHS	Conform
------	---------

Data sheet**Industrial Ethernet
IE-XM-6D-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Drawings**Dimensioned drawing**