



Data sheet | Item number: 890-503

Strain relief housing; 3-pole; with locking clip; for 1 cable; 4.5 ... 10.0 mm; 37 mm



www.wago.com/890-503



Data

Connection data

No. of poles	3
Connectable sheathed cable diameter	4.5 ... 10 mm
Strip length	40 mm

Geometrical Data

Width	17.9 mm / 0.705 inch
Height	14 mm / 0.551 inch
Depth	46.8 mm / 1.843 inch

Mechanical data

Degree of protection	IP20
----------------------	------

Material Data

Color	black
Insulating material	Polyamide 66 (PA 66)
Flammability class per UL94	V0

Fire load	0.104 MJ
Weight	3.48 g

Environmental Requirements

Surrounding air (operating) temperature	-35 ... 85 °C
---	---------------

Commercial data

Country of origin	DE
GTIN	4045454233327
Product Group	20 (WINSTA)

Approvals / Certificates

UL-Approvals

Logo	Approval	Certificate name
	UL UL International Germany GmbH	E45171

Compatible products

shield connection

	Item no.: 890-523 Shield connecting plate; for 3-pole plugs and sockets	www.wago.com/890-523
--	--	--

Downloads

Documentation

Bid Text

890-503 WINSTA MINI 3-polig	19-Sep-2016	DOC 24.1 kB	Download
--------------------------------	-------------	----------------	----------

smartDATA

CAD data

3D Download 890-503	URL	Download
---------------------	-----	----------



Subject to changes.

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +91-120-4388700.