



FASTIN-FASTON | FASTIN-FASTON 110

TE Internal #: 928794-2

FASTIN-FASTON 110, Quick Disconnects, Tab, 17 – 13 AWG Wire Size, 1 – 2.8 mm² Wire Size, 2048 – 5180 CMA Wire Size, Mating Tab Width .11 in [2.8 mm]

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **2048 – 5180 CMA**

Mating Tab Width: **2.8 mm [.11 in]**

Features

Product Type Features

| | |
|-----------------|--------------|
| Terminates To | Wire & Cable |
| Wire/Cable Type | Regular Wire |
| Insertion Force | Normal |
| Sealable | No |

Configuration Features

| | |
|---------------------|--------|
| Connection Capacity | Single |
|---------------------|--------|

Contact Features

| | |
|--------------------------------|-------------------|
| Quick Disconnect Terminal Type | Tab |
| Mating Tab Width | 2.8 mm[.11 in] |
| Mating Tab Thickness | .79 mm[.031 in] |
| Terminal Orientation | Straight |
| Contact Base Material | Copper Zinc Alloy |
| Terminal Plating Material | Tin |
| Crimp Type | F-Crimp |
| Barrel Type | Open |



Mechanical Attachment

| | |
|-----------------------|-----------------|
| Mating Retention Type | Locking Lance |
| Locking Lance Height | 1.2 mm[.047 in] |

Dimensions

| | |
|--|------------------------------|
| Accepts Wire Insulation Diameter Range | 1.8 – 2.9 mm[.071 – .114 in] |
| Overall Length | 22.5 mm[.886 in] |
| Wire Size | 2048 – 5180 CMA |

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Insulation Requirement | Uninsulated |
| Operating Temperature Range | -40 – 130 °C[-40 – 266 °F] |

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 1000 |
| Packaging Method | Box |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1-1579007-4
EXTRACTION TOOL



TE Part # 4-1579007-3
EXTRACTION TOOL KIT




TE Part # 169400
CERTI-LOK




TE Part # 6-1579016-3
ERGOCRIMP DIE SET FASTIN-FASTON 2.8


Also in the Series | FASTIN-FASTON 110




Automotive Housings(1)




Automotive Terminals(4)



Crimp Terminal Housings(34)



Insertion & Extraction Tools(3)



Quick Disconnects(84)

Customers Also Bought



TE Part #929505-7
TIMER, CONNECTOR HOUSING



TE Part #929938-3
JPT REC 2.8 Contact SWS Sn (LP)



TE Part #925596-2
JUNIOR TIMER RECEPTACLE



TE Part #927777-3
JUNIOR POWER TIMER CONTACT

Documents

[Product Drawings](#)
FF 110 TAB PTP CUZN30



English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_928794-2_R.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_928794-2_R.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_928794-2_R.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.