

# Data Sheet

## FUJITSU Accessories Port Replicators, Cradles and Keyboards for LIFEBOOK and STYLISTIC

Connect to your peripherals. Adapt to the task on demand

---

Flexibility, expandability, desktop replacement and investment protection are among the benefits of FUJITSU accessories. The port replicators and cradles are designed specifically for your LIFEBOOK, STYLISTIC and mobile CELSIUS, empowering you to connect to your display, keyboard and mouse with one click in the office. Enjoy the versatility of the keyboard options and Active Pen to adapt your tablet to the task on demand while on the move.

### Reliability

- High quality and stability
- Everything you need from one source

### Ease of Use

- Connect your notebook or tablet instantly to all your peripherals
- One-hand release mechanism (mechanical port replicator)
- Leave your peripherals plugged into the Port Replicator
- Wide range of interfaces
- Hot docking
- Family port replicator supporting products across notebooks, 2 in 1 tablets and mobile workstation over several generations (depending on model)
- Optional power-on button on selected notebooks for extra convenience in the office

### Port Replicator for LIFEBOOK S938

#### Technical details

|                                   |  |
|-----------------------------------|--|
| DC-in                             | 1 (19V)  |
| Power on switch                   | 1  |
| USB 3.1 Gen1 (USB 3.0) total      | 4  |
| DisplayPort                       | 1 (up to 2560 x 1600)  |
| VGA                               | 1 (up to 1920 x 1200)  |
| DVI                               | 1 (up to 1920 x 1200)  |
| Kensington Lock support           | 1 (Port Rep only)  |
| LAN / Ethernet (RJ45)             | 1  |
| Dimensions (W x D x H)            | 343 x 150 x 30 mm  |
| Weight                            | 0.650 kg   |
| Order code                        | S26391-F1557-L100  |
| Order code Port Replicator Bundle | S26391-F1557-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU Cable |



### Port Replicator + 3pin AC 90W w/o Cable for LIFEBOOK T9 Series

#### Technical details

|                                   |  |                       |
|-----------------------------------|--|-----------------------|
| DC-in                             | 1 (19V)  |                       |
| Power on switch                   | 1  |                       |
| USB 3.1 Gen1 (USB 3.0) total      | 3  |                       |
| USB Type-C (to Devices)           | 1  |                       |
| DisplayPort                       | 1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority | 1 (up to 2560 x 1600) |
| VGA                               | 1  |                       |
| DVI                               | 1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)  |                       |
| Kensington Lock support           | 2  |                       |
| LAN / Ethernet (RJ45)             | 1  |                       |
| Dimensions (W x D x H)            | 346 x 130 x 30   |                       |
| Weight                            | 0.517 kg   |                       |
| Order code                        | S26391-F1657-L110  |                       |
| Order code Port Replicator Bundle | S26391-F1657-E110 Portreplicator + 3pin AC 90W w/o Cable   |                       |



### Port Replicator for LIFEBOOK U7 and E5 family

#### Technical details

|                                   |                         |
|-----------------------------------|-------------------------|
| DC-in                             | 1 (19V)                 |
| Power on switch                   | 1                       |
| Audio: line-in / microphone       | 1                       |
| Audio: line-out / headphone       | 1                       |
| USB 3.1 Gen1 (USB 3.0) total      | 4 x Type-A<br>2x Type-C |
| USB Type-A                        | 4                       |
| USB Type-C (to Devices)           | 2                       |
| DisplayPort                       | 2                       |
| VGA                               | 1                       |
| DVI                               | 1                       |
| Kensington Lock support           | 1 (Portrep only)        |
| Order code                        | S26391-F1607-L109       |
| Order code Port Replicator Bundle | S26391-F1607-L119       |



**Port Replicator for LIFEBOOK U7 and E5 family with key lock**

**Technical details**

|                              |   |
|------------------------------|---|
| DC-in                        | 1 (19V)                                 |
| Power on switch              | 1                                       |
| Audio: line-in / microphone  | 1                                       |
| Audio: line-out / headphone  | 1                                       |
| USB 3.1 Gen1 (USB 3.0) total | 4x Type-A<br>2x Type-C                  |
| USB Type-A                   | 4                                       |
| USB Type-C (to Devices)      | 2                                       |
| DisplayPort                  | 2                                       |
| VGA                          | 1                                       |
| DVI                          | 1                                       |
| Kensington Lock support      | 1 (key lock to secure Portrep & System) |
| Order code                   | S26391-F1607-L209<br>S26391-F1607-L209  |



**CELSIUS® H780 Port Replicator Kit**

**Technical details**

|                                   |   |
|-----------------------------------|---|
| DC-in                             | 1 x   |
| Power on switch                   | 1   |
| Power on switch                   | x   |
| Audio: line-in / microphone       | 1 x   |
| Audio: line-out / headphone       | 1 x   |
| USB 3.1 Gen1 (USB 3.0) total      | Type-C (Gen1) 2 x; Type-A (Gen1) 4 x;   |
| DisplayPort                       | 1x DP1.2 (next to Analog RGB connector; 1x DP1.4 (next to USB3.1 connector); DP++support; x1 through DP on dGPU, x1 via DP-Splitter; DP#1 on Portrep and HDMI on main unit are alternative. |
| VGA                               | 1x (up to 1920x1200 via Portrep internal DP-Splitter)   |
| DVI                               | 1x (up to 1920x1200 via Portrep internal DP-Splitter)   |
| Kensington Lock support           | 1 x   |
| Dimensions (W x D x H)            | 404 x 94 x 28 mm  |
| Weight                            | 540 g   |
| Order code Port Replicator Bundle | S26391-F2249-L300 (Port Replicator and 330W power supply w/o cable)   |



**STYLISTIC Q738/Q739/Q509 Cradle**

|                         |                   |
|-------------------------|-------------------|
| DC-in                   | 1                 |
| USB 3.1 Gen2 total      | 3                 |
| DisplayPort             | 1                 |
| VGA                     | 1                 |
| Kensington Lock support | 1                 |
| Order code              | S26391-F3147-L100 |



**Back-lit Keyboard Dock for STYLISTIC Q738/Q739**

**Technical details**

|                       |  |
|-----------------------|--|
| DC-in                 | 1  |
| LAN / Ethernet (RJ45) | 1  |
| Weight                | 572 g  |
| Order code            | S26391-F3149-L22* (* country specific version) |



### STYLISTIC Q509 Keyboard Dock

#### Technical details

|            |                   |
|------------|-------------------|
| DC-in      | 1                 |
| Weight     | 385 g             |
| Order code | S26391-F3159-L2** |



### Back-lit Keyboard Dock for STYLISTIC Q7310

#### Technical details

|                       |                   |
|-----------------------|-------------------|
| DC-in                 | 1                 |
| LAN / Ethernet (RJ45) | 1                 |
| Order code            | S26391-F3399-L221 |



### USB Type-C Port Replicator 2

#### Technical details

|                           |  |
|---------------------------|--|
| Button                    | 1 x button resume from S3 (S4/S5/G3 depending on FUJITSU client, consult manual)   |
| Audio                     | 1 x combo jack for headsets  |
| Network settings          | PXE boot<br>MAC address setting (WIN OS)   |
| USB 3.1 Gen2 total        | 5  |
| USB Type-A                | 3 x USB 3.1 Gen1, up to 5V/0,9A power output   |
| USB Type-C (to Devices)   | 1 x USB 3.1 Gen1, up to 5V/3A power output   |
| USB Type-C (to PC/Tablet) | 1 x USB 3.1 Gen1, up to 60 W power output (5V, 9V, 12V, 15V, 20V) / 3A<br>Power input 5V/0.9A                            |
| DisplayPort               | 1 x ver. 1.2 resolution up to 4096 x 2160 @24Hz / 3840 x 2160@30Hz<br>depending on system and only one connected display |
| VGA                       | 1 x resolution up to 1920 x 1200 @60Hz depending on system and connected display   |
| HDMI                      | 1  |
| HDMI text                 | resolution up to 4096 x 2160 @24Hz / 3840 x 2160@30Hz depending on system and only one connected display                 |
| Dimensions (W x D x H)    | 219 x 75 x 26 mm   |
| Order code                | S26391-F3327-L100  |



### Thunderbolt™ 3 Port Replicator

#### Technical details

|                               |   |
|-------------------------------|---|
| DC-in                         | 1 (19V)   |
| Power on switch               | 1   |
| Audio                         | Combo jack for headset usage  |
| USB 3.1 Gen2 total            | 1x USB3.1 Gen.2 Type A - 5V, 2,4A, 4,5W charging port<br>2x USB3.1 Gen.2 Type A - 5V, 09A, 4,5W charging ports<br>2x USB3.1 Gen.2 Type C - 5V, 1,5A, 15W charging port<br>1x USB3.1 Gen.2 Type C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC)<br>1x USB3.1 Gen.2 Type C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream<br>4.5W power output to client |
| USB 3.2 Gen 1 (5 Gbps) total  | 2x Type-A - 4,5W<br>1x Type-A - 12W   |
| USB 3.2 Gen 2 (10 Gbps) total | 1x Type-C - 15W<br>1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input  |
| USB Type-A                    | 1x USB3.1 Gen.2 Type A - 5V, 2,4A, 4,5W charging port<br>2x USB3.1 Gen.2 Type A - 5V, 09A, 4,5W charging ports  |
| USB Type-C (to Devices)       | 2x USB3.1 Gen.2 Type C - 5V, 1,5A, 15W charging port<br>1x USB3.1 Gen.2 Type C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC)<br>1x USB3.1 Gen.2 Type C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream<br>4.5W power output to client   |
| DisplayPort                   | 2 (up to 2560 x 1600)   |
| HDMI                          | 1   |
| Kensington Lock support       | 1   |
| LAN / Ethernet (RJ45)         | 1   |
| Dimensions (W x D x H)        | 239 x 80 x 26 mm  |
| Order code                    | S26391-F3357-L100   |



### Thunderbolt™ 3 Port-Replicator for CELSIUS Workstations

#### Technical details

|                              |   |
|------------------------------|---|
| DC-in                        | 1 19V/65W   |
| Audio: line-in / microphone  | 1   |
| Audio: line-out / headphone  | 1   |
| USB 2.0 total                | 2   |
| USB 3.1 Gen1 (USB 3.0) total | 2   |
| USB Type-C (to PC/Tablet)    | 1 Data connection; NO power supply to mobile Workstation  |
| DisplayPort                  | 2x DP 1.2 (1x through from Portrep TypeC, 1x via Portrep internal DP-Splitter; No DP++ support), resolution up to 3840 x 2160 |
| VGA                          | 1x (via Portrep internal DP-splitter) resolution up to 1920 x 1200, 16M colors, 60Hz  |
| DVI                          | 1x (via Portrep internal DP-splitter) resolution up to 1920 x 1200, 16M colors, 60Hz  |
| Dimensions (W x D x H)       | 370 x 46 x 22.7 mm  |
| Weight                       | 0.260 kg  |
| Order code                   | S26391-F2249-L100(incl. powersupply for portreplikator only/separate AC-adapter for mobile Workstation mandatory)             |



### USB Port Replicator PR8.1

#### Technical details

|                              |   |
|------------------------------|---|
| DC-in                        | 5V, 4A  |
| Audio: line-in / microphone  | 1   |
| Audio: line-out / headphone  | 1   |
| USB 3.1 Gen1 (USB 3.0) total | 3 (one BC1.2 charging)                                  |
| USB charger                  | 1   |
| USB upstream                 | 1   |
| DisplayPort                  | 1   |
| VGA                          | supported with adapter S26391-F6055-L260 (not included) |
| DVI                          | 1 (DVI-I, Single-Link)                                  |
| HDMI                         | 1   |
| Kensington Lock support      | no  |
| LED                          | Power (blue)  |
| Dimensions (W x D x H)       | 189 x 75 x 26 mm  |
| Weight                       | 195 gr  |
| Order code                   | S26391-F6007-L410                                       |



### USB Port Replicator PR09

#### Technical details

|                           |  |
|---------------------------|--|
| DC-in                     | 20V  |
| Power on switch           | 1 default: ON (PR09 from Rev.:02)  |
| Audio                     | 1 SPDIF (2.0)  |
| USB Type-C cable          | 1 (5A Gen2) (package content)  |
| USB downstream            | 7 (4xUSB-A & 3xUSB-C)  |
| USB upstream              | via USB Type-C cable (1m)  |
| DisplayPort               | 2 (DP1.2a as Dualmode DP++)  |
| USB power delivery        | ver 3.0  |
| USB Type-A 3.1 Gen1 (DFP) | 4  |
| USB Type-C (UFP)          | 1 w/ USB PD (60W)  |
| USB Type-C 3.1 Gen2 (DFP) | 3 thereof 1x BC1.2 w/ 10.5W  |
| Kensington Lock support   | yes  |
| LED                       | On/Off switch (blue), USB Power Delivery (amber),<br>USB connection (green), LAN traffic, rear side (green/<br>yellow) |
| Compatibility             | With all DisplayLink based USB Port Replicators  |
| Dimensions (W x D x H)    | 200 x 97.6 x 29 mm   |
| Weight                    | 340 g (device only w/o AC-Adapter)   |
| Order code                | S26391-F6007-L500  |



### USB 3.0 Hub 4 Ports

#### Technical details

|                              |                    |
|------------------------------|--------------------|
| USB 3.1 Gen1 (USB 3.0) total | 4                  |
| USB downstream               | 4                  |
| USB upstream                 | 1                  |
| LED                          | 4                  |
| Dimensions (W x D x H)       | 100 x 62,5 x 23 mm |
| Weight                       | 70 gr              |
| Order code                   | S26391-F6099-L304  |



# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Accessory , Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Accessory , please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. [www.fujitsu.com/emeia/products/computing/peripheral/accessories](http://www.fujitsu.com/emeia/products/computing/peripheral/accessories)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>

Copyright 2020 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2020-09-02 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2020 Fujitsu Technology Solutions GmbH