

**Crimping tool  
HTN 21**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Crimping tools for non-insulated connectors**

Rolled cable lugs, tubular cable lugs, terminal pins,  
parallel and serial connectors

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Type	HTN 21
Order No.	<a href="#">9014610000</a>
Version	Crimping tool, Crimping tool for contacts, 0.5mm <sup>2</sup> , 6mm <sup>2</sup> , Indent crimping
GTIN (EAN)	4008190152734
Qty.	1 pc(s).

**Datenblatt**

**Crimping tool  
HTN 21**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technische Daten**

**Dimensions and weights**

Length	200 mm	Weight	427 g
Net weight	412.08 g		

**Technical data**

Version	Mechanical, without interchangeable inserts
---------	---

**Contact description**

Type of contact	Uninsulated connection	Crimping range, min.	0.5 mm <sup>2</sup>
Crimping range, max.	6 mm <sup>2</sup>		

**Tool data - crimping**

Crimping profile 1, min.	0.5 mm <sup>2</sup>	Crimping typerofile	Indent crimping
Wire end ferrules cross-section, min.	0.5 mm <sup>2</sup>	Crimping profile 1, max.	1.5 mm <sup>2</sup>
Wire end ferrules cross-section, max.	6 mm <sup>2</sup>	Crimping profile 2, min.	1.1 mm <sup>2</sup>
Crimping profile 2, max.	2.5 mm <sup>2</sup>	Crimping profile 3, min.	2.6 mm <sup>2</sup>
Crimping profile 3, max.	6 mm <sup>2</sup>		

**Classifications**

ETIM 3.0	EC001282	UNSPSC	23-17-16-04
eClass 5.1	21-04-91-14	eClass 6.2	21-04-38-90
eClass 7.1	21-04-91-14		

**Product information**

Descriptive text technical data	Without locator
---------------------------------	-----------------

**Approvals**

Approvals	
ROHS	Conform

**Datenblatt**

**Crimping tool  
HTN 21**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Zeichnungen**

