


High Precision Cutting Tweezers

Ideal-tek cutting tweezers have been designed to meet requirements for different applications.

High precision cut, narrow working areas, angled blades, hard metal blades, rounded tips, miniature size, parallel blades, predominantly angled blades, angled blades. Perfect for cutting soft wires, copper, gold, silver, magnetic wires and hard hairsprings.


Use our tool-finder to choose the right Cutting Tweezers for your application.




14A.C High Precision Cutting Tweezers

4 3/4" 120 mm

Cutting tweezers, fine tips




Predominantly angled blades




14AGW.C High Precision Cutting Tweezers

4 3/4" 120 mm

Cutting tweezers, fine tips, max visibility




Predominantly angled blades



152.S High Precision Cutting Tweezers

3 3/4" 100 mm

Miniature cutting tweezers




Predominantly angled blades




15A.C High Precision Cutting Tweezers

4 3/4" 120 mm

Cutting tweezers for soft copper, gold, silver, magnetic wires





Angled blades



15APC High Precision Cutting Tweezers

4 3/4" 120 mm



Cutting tweezers for soft copper, gold, silver, magnetic wires



15AFW.C High Precision Cutting Tweezers

4 3/4" 120 mm


Cutting tweezers for soft copper, gold, silver, magnetic wires



15AGW.C High Precision Cutting Tweezers

4 3/4" 120 mm



Cutting tweezers for soft copper, gold, silver, magnetic wires



15AGWHM (Barracuda) Cutting Tweezers

4 1/2" 115 mm


Carbide inserts (75 HRC) on antimagnetic stainless steel handle, for very precise cutting of hairsprings. Extended lifetime and high cutting capacity











15ARW.C High Precision Cutting Tweezers

4 1/2" 115 mm

High Precision Rounded tip Cutting tweezers for soft copper, gold, silver, magnetic wires



<p>14A</p> 	<p>14AGW</p> 	
<p>152</p> 		
<p>15A</p> 	<p>15AP</p> 	<p>15AFW</p> 
<p>15AGW</p> 	<p>15AGWHM</p> 	<p>15ARW</p> 