


DETAIL "A"
CHAMFER
SCALE=8:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	43 Ω	104 Ω	260 Ω
Minimum	- Ω	83 Ω	- Ω



FREQUENCY (MHz)
AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture, REF # 2960

FERRITE CORE DIMENSIONS (SPEC):

A	11.5	[.453]	+ 0.25	[.010]
B	8.00	[.315]	+ 0.20	[.008]
C	12.00	[.472]	+ 0.25	[.010]
D	3.00	[.118]	+ 0.20	[.008]
E	0.70	[.028]	+ 0.15	[.006]

WEIGHT/1000 1.66 kgs [3.67 Lbs]

NOTES: UNLESS OTHERWISE SPECIFIED
1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

SCALE DRAWING 1:1

28R0453-200



DIMENSIONS ARE IN mm (INCHES).				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird		
F	UPDATE THE LOGO	05/25/15	QIU	PROJECT/PART NUMBER:		REV	PART TYPE:	DRAWN BY:
E	UPDATE COMPANY LOGO	04/11/11	Jcai	28R0453-200		F	FERRITE RIBBON CORE	JRK
D	UPDATE Z SPEC AND COMPANY LOGO	07/25/07	JRK	DATE:	10/15/02	SCALE:	5 : 1	SHEET:
C	UPDATE Z SPEC (MIN@100Mhz) ADD REF#	01/20/04	JRK	CAD #	28R0453-200-F	TOOL #	R0453	FERRITE
B	UPDATE PRINT FORMAT, CURVE AND IMPEDANCE VALUES	05/02/03	JRK					
A	ORIGINAL DRAFT	10/15/02	JRK					
REV	DESCRIPTION	DATE	INT					