

DIN rail, unperforated - NS 15 UNPERF 2000MM - 1401695

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



DIN rail, material: Steel, unperforated, height 5.5 mm, width 15 mm, length: 2 m

Why buy this product

- All DIN rails are also available cut to length
- If you require greater quantities, the same article is available in a unit pack of 25 pcs. (50 m)
- Particular attention has been paid to high dimensional accuracy and surface tempering
- The design of the DIN rails corresponds to European standard EN 60715

Key Commercial Data

Packing unit	5 STK
GTIN	
GTIN	4017918020507
Weight per Piece (excluding packing)	330.000 g
Weight per piece (including packing)	330.000 g
Custom tariff number	72166190
Country of origin	Germany
Sales Key	B1 - Marking Assembly

Technical data

Dimensions

Height	5 mm
Length	2000 mm
Width	15 mm

General

Material	Steel
Coating	Galvanized, passivated with a thick layer
Color	silver

DIN rail, unperforated - NS 15 UNPERF 2000MM - 1401695

Technical data

General



Test standard	In acc. with EN 60715: 2001
Nominal current I_N	1200 A

Standards and Regulations

Test standard	In acc. with EN 60715: 2001
Connection in acc. with standard	IEC / EN

Drawings

Dimensional drawing



DIN rail, unperforated - NS 15 UNPERF 2000MM - 1401695

Classifications

eCl@ss

eCl@ss 4.0	27110804
eCl@ss 4.1	27110804
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27400602
eCl@ss 7.0	27400602
eCl@ss 8.0	27400602
eCl@ss 9.0	27400602

ETIM

ETIM 2.0	EC001285
ETIM 3.0	EC001285
ETIM 4.0	EC000212
ETIM 5.0	EC000212
ETIM 6.0	EC001285

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708