

Product information
 Manuf. part number QL800ZG1
 Manufacturer Brother



Brother QL-800 - Label printer

Product information	
Manufacturer	Brother
Manuf. part number	QL800ZG1
Main specifications	
Product Description	Brother QL-800 - label printer - two-colour (monochrome) - direct thermal
Printer Type	Label printer - direct thermal - two-colour (monochrome)
Weight	1.15 kg
Localisation	Germany
Max Media Size	Roll (6.2 cm)
Max Media Size (Custom)	62 mm
Print Speed	Up to 93 labels/min Up to 148 mm/sec
Max Resolution (B&W)	300 x 600 dpi
Interface	USB 2.0, USB host
Barcodes	Code 39, GS1 DataBar, QR code, MaxiCode, Aztec code, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, Micro QR code, GS1 DataBar Composites, EAN-8, EAN-13, ISBN-2, ISBN-5
Media Type	Die cut labels, label continuous paper
Compatible Tapes	DK tape
Styles & Effects	Vertical, Mirror
Power	AC 120/230 V
Battery	Required 1 Lithium Ion Included Qty 0
System Requirements	Linux, Microsoft Windows Vista (32/64 bits), Microsoft Windows 7 (32/64 bits), Windows 8 (32/64 bits), Windows 8.1 (32/64 bits), Apple MacOS X 10.10.x, Windows 10 (32/64 bits), Apple MacOS X 10.11.x, Apple MacOS 10.12.x
Dimensions (WxDxH)	12.53 cm x 21.3 cm x 14.2 cm
General	
Printer Type	Label printer - direct thermal - two-colour (monochrome)
Localisation	Germany
Printer	
Print Speed	Up to 93 labels/min Up to 148 mm/sec
Built-in Devices	Status LCD
Connectivity Technology	Wired
Interface	USB 2.0, USB host
Max Resolution (B&W)	300 x 600 dpi
Styles & Effects	Vertical, Mirror
Auto Cutter	Yes

data sheet

Product information
 Manuf. part number QL800ZG1
 Manufacturer Brother



Continued

Brother QL-800 - Label printer

Barcodes	Code 39, GS1 DataBar, QR code, MaxiCode, Aztec code, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, Micro QR code, GS1 DataBar Composites, EAN-8, EAN-13, ISBN-2, ISBN-5
Media Handling	
Media Type	Die cut labels, label continuous paper
Compatible Tapes	DK tape
Max Media Size	Roll (6.2 cm)
Max Media Size (Custom)	62 mm
Media Sizes	Roll (2.9 cm), Roll (5.4 cm), Roll (2.4 cm), Roll (1.2 cm), Roll (3.8 cm), Roll (5.8 cm), Roll (6.2 cm), Roll (5 cm), 17 x 87 mm, 17 x 54 mm, 29 x 90 mm, 38 x 90 mm, 62 x 100 mm, 62 x 29 mm
Max Printing Width	58 mm
Max Printing Length	1 m
Media Feeders	1 x manual - 1 roll - Roll (6.2 cm)
Expansion / Connectivity	
Connections	1 x USB 2.0 - 4 pin mini-USB Type B 1 x USB host
Miscellaneous	
Cables Included	1 x USB cable
Media Included	62 mm x 5 m black/red paper tape, 29 x 90 mm labels (100 labels)
Power	
Power Device	Power adapter - external
Voltage Required	AC 120/230 V
Frequency Required	50/60 Hz
Battery	
Type	Lithium Ion
Required Qty	1
Included	0
Software / System Requirements	
OS Required	Linux, Microsoft Windows Vista (32/64 bits), Microsoft Windows 7 (32/64 bits), Windows 8 (32/64 bits), Windows 8.1 (32/64 bits), Apple MacOS X 10.10.x, Windows 10 (32/64 bits), Apple MacOS X 10.11.x, Apple MacOS 10.12.x
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Dimensions & Weight	
Width	12.53 cm
Depth	21.3 cm

data sheet

Product information
Manuf. part number QL800ZG1
Manufacturer Brother



Continued

Brother QL-800 - Label printer

Height	14.2 cm
Weight	1.15 kg

data sheet