

Product information  
 Manuf. part number QL810WZG1  
 Manufacturer Brother



## Brother QL-810W - Label printer

Product information	
Manufacturer	Brother
Manuf. part number	QL810WZG1
Main specifications	
Product Description	Brother QL-810W - label printer - two-colour (monochrome) - direct thermal
Printer Type	Label printer - direct thermal - two-colour (monochrome)
Weight	1.12 kg
Localisation	Germany
Max Media Size	Roll (6.2 cm)
Max Media Size (Custom)	62 mm
Print Speed	Up to 110 labels/min Up to 176 mm/sec
Max Resolution (B&W)	300 x 600 dpi
Interface	USB 2.0, Wi-Fi(n)
AirPrint Enabled	Yes
Language Simulation	EPSON ESC/P
Barcodes	Code 39, GS1 DataBar, QR code, MaxiCode, Aztec code, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, Micro QR code, GS1 DataBar Composites, EAN-8, EAN-13, GS1-128, ISBN-2, ISBN-5
Media Type	Die cut labels, label continuous paper
Compatible Tapes	DK tape
Styles & Effects	Vertical, Mirror
Keyboard	6 keys
Printer Features	Auto Power Off
Power	AC 120/230 V
Battery	Required 1 Lithium Ion Included Qty 0
System Requirements	Linux, Microsoft Windows Server 2008 R2, Microsoft Windows Vista (32/64 bits), Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Microsoft Windows Server 2012, Windows 8 (32/64 bits), Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2, Apple MacOS X 10.10.x, Windows 10 (32/64 bits), Apple MacOS X 10.11.x, Apple MacOS 10.12.x
Dimensions (WxDxH)	12.53 cm x 23.4 cm x 14.5 cm
General	
Printer Type	Label printer - direct thermal - two-colour (monochrome)
Localisation	Germany
Printer	
Print Speed	Up to 110 labels/min Up to 176 mm/sec
Connectivity Technology	Wireless
Interface	USB 2.0, Wi-Fi(n)

data sheet

Product information  
 Manuf. part number QL810WZG1  
 Manufacturer Brother



Continued

## Brother QL-810W - Label printer

AirPrint Enabled	Yes
Max Resolution (B&W)	300 x 600 dpi
Language Simulation	EPSON ESC/P
Styles & Effects	Vertical, Mirror
Auto Cutter	Yes
Keyboard	6 keys
Barcodes	Code 39, GS1 DataBar, QR code, MaxiCode, Aztec code, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, Micro QR code, GS1 DataBar Composites, EAN-8, EAN-13, GS1-128, ISBN-2, ISBN-5
Printer Features	Auto Power Off
<b>Media Handling</b>	
Media Type	Die cut labels, label continuous paper
Compatible Tapes	DK tape
Max Media Size	Roll (6.2 cm)
Max Media Size (Custom)	62 mm
Media Sizes	Roll (2.9 cm), Roll (5.4 cm), Roll (1.2 cm), Roll (3.8 cm), Roll (6.2 cm), Roll (5 cm)
Max Printing Width	58 mm
Media Feeders	1 x manual - 1 roll - Roll (6.2 cm)
<b>Expansion / Connectivity</b>	
Connections	1 x USB 2.0
<b>Miscellaneous</b>	
Cables Included	1 x USB cable
Media Included	62 mm x 5 m black/red paper tape, 29 x 90 mm labels (100 labels)
<b>Power</b>	
Power Device	Power adapter - external
Voltage Required	AC 120/230 V
Frequency Required	50/60 Hz
<b>Battery</b>	
Type	Lithium Ion
Required Qty	1
Included	0
<b>Software / System Requirements</b>	
OS Required	Linux, Microsoft Windows Server 2008 R2, Microsoft Windows Vista (32/64 bits), Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Microsoft Windows Server 2012, Windows 8 (32/64 bits), Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2, Apple MacOS X 10.10.x, Windows 10 (32/64 bits), Apple MacOS X 10.11.x, Apple MacOS 10.12.x
<b>Environmental Parameters</b>	

data sheet

Product information  
Manuf. part number QL810WZG1  
Manufacturer Brother



Continued

## Brother QL-810W - Label printer

Min Operating Temperature	10 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
<b>Dimensions &amp; Weight</b>	
Width	12.53 cm
Depth	23.4 cm
Height	14.5 cm
Weight	1.12 kg

data sheet