

Juniper SFP-1FE-FX Compatible SFP Module - 100BASE-FX - 100MbE Multimode Fiber MMF Optic Transceiver - 100Mb Ethernet SFP - LC 2km - 1310nm - DDM

Product ID: SFP1FEFXST



The SFP1FEFXST is a Juniper SFP-1G-ZC compatible fiber transceiver module that has been designed, programmed and tested to work with Juniper brand switches and routers. It delivers dependable 100 Mbps connectivity over fiber cable, for 100Base-FX compliant networks, with a maximum distance of up to 80 km (49.7 mi).

Technical Specifications:

• Wavelength: 1310nm

• Maximum Data Transfer Rate: 100 Mbps

• Type: Multi Mode Fiber

• Connection Type: LC Connector

• Maximum Transfer Distance: 2 km (1.2 mi)

• MTBF: 1,472,572 hours

• Power Consumption: Low power consumption

• Digital Diagnostics Monitoring (DDM): Yes

This SFP fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.



Certifications, Reports and Compatibility

Applications

Features

- 100% JUNIPER SFP-1FE-FX COMPATIBLE SFP TRANSCEIVER: Designed, programmed and tested to work with compatible Juniper switches and routers to deliver dependable 100MbE connectivity
- TECHNICAL SPECS: 100BASE-FX 100 Mbps Multi Mode (MMF) LC Connector 1310nm Digital Diagnostic Monitoring (DDM) Distances up to 2km (1.2mi)
- TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Juniper routers and switches; DDM support reports the transceiver's status to most SNMP network management tools
- LIFETIME WARRANTY: Backed by a lifetime warranty on the life of the module itself not the life of your switch. Our modules won't void your OEM warranty and supported by our Tech Advisors 5/24.
- WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules

| Hardware | | |
|-------------|-------------------------------|-----------------------|
| | Warranty | 3 Years |
| | Compatible Brand | Juniper |
| | Industry Standards | IEEE 802.3 100BASE-FX |
| Performance | | |
| | Maximum Data Transfer Rate | 100 Mbps |
| | Max Transfer Distance | 2 km (1.2 mi) |
| | Туре | Multi Mode |
| | Wavelength | 1310nm |
| | Fiber Operating Mode | Full-Duplex |
| | DDM | Yes |
| | Compatible Networks | 100 Mbps |
| | MTBF | 1,472,572 hours |
| | | |



| Connector(s) | | |
|-----------------------------|------------------------------|-----------------------|
| | Connector A | SFP Slot |
| | Connector B | Fiber Optic LC Duplex |
| Physical Characteristics | | |
| | Product Length | 2.6 in [65.0 mm] |
| | Product Width | 0.6 in [14.0 mm] |
| | Product Height | 0.5 in [12.0 mm] |
| | Weight of Product | 2.5 oz [72.0 g] |
| Packaging Information | | |
| | Package Length | 9.1 in [23.0 cm] |
| | Package Width | 8.1 in [20.7 cm] |
| | Package Height | 0.6 in [15.0 mm] |
| | Shipping (Package) Weight | 2.8 oz [80.0 g] |
| What's in the Box | | |
| | Included in Package | SFP Transceiver |

^{*}Product appearance and specifications are subject to change without notice.