



Offices Worldwide

Taiwan

7F, No.106, Zhouzi St., Neihu District, Taipei City 114, Taiwan
Tel: +886-2-8797-8833
E-mail: service@silicon-power.com

Japan

Japan Subsidiary 日本本社

7F Ueno SK Bld., 1-4-10 Shitaya, Taito-ku, Tokyo 110-0004 Japan
110-0004東京都台東区下谷1丁目4番10号 上野SKビル7階
Tel: +81-3-5830-2051(Support)+81-3-5830-2061
E-mail: japan_service@silicon-power.com

Osaka Office 西日本営業所

5F Shin-nakajima Bld., 1-9-20 Nishinakajima, Yodogawa-ku, Osaka, 532-0011 Japan
532-0011大阪府大阪市淀川区西中島1丁目9番20号 新中島ビル5階
Tel: +81-6-6886-3232
E-mail: japan_service@silicon-power.com

The Netherlands

Antennestraat 16, 1322AB, Almere, The Netherlands
Tel: +31(0)85-5600010
E-mail: service@eu.silicon-power.com

China

Room V20, South D Building, NO.787, Xiehuo Road, Changning District, Shanghai(200050)
Tel: +86-021-32206273
E-mail: service@silicon-power.com

USA

4590 Enterprise Street, Fremont CA 94538
Tel: +1-510-490-1885
E-mail: UStech@silicon-power.com



Consumer Products



Portable SSDs



Solid State Drives



Memory Modules



External Storage



Apple Solutions



Flash Cards



USB Flash Drives



Power Banks



Batteries



3M000279

www.silicon-power.com

Information might be changed or updated without notice.

All trademarks, brands and names are the property of their respective owners.
© 2018 SILICON POWER Computer & Communications, Inc., All Rights Reserved.



We Are

SP Silicon Power

Welcome to Our Universe of Storage Solutions

We are all individuals who differ in taste, lifestyle, and habits, but we also have a lot in common. As our lives have increasingly moved online – whether we work, play, learn, or socialize – we all rely on creating, consuming, and storing impressive amounts of data every day. Efficient data storage plays an essential role in keeping our fast-paced, digitalized worlds spinning. Whether we watch videos on our daily commute, capture precious moments on camera and share them with our loved ones, need an affordable upgrade for our increasingly slow laptop, or desperately want to enhance our gaming performance - at Silicon Power we create the perfect storage solution for all requirements of modern life online and on the go. Our comprehensive portfolio of storage devices not only offers technical sophistication and excellent material quality for highest performance, reliability and safety. We also believe in the power of outstanding design and variety beyond compare to create the perfect match for every taste, personality, and lifestyle. Because your life-adventures are too unique for boring products. Just make great memories – we take care of the rest.

- 03 Portable SSDs
- 04 Solid State Drives
- 09 Memory Modules
- 14 External Storage
- 18 Apple Solutions
- 21 Flash Cards
- 26 USB Flash Drives
- 37 Power Banks
- 40 Batteries



Portable SSDs



Solid State Drives

Bolt B80




Dimension	75.0 x 75.0 x 11.9mm
Weight	53g
Interface	USB3.1 Gen 2
Cable	Type-C (B80) to Type-A (PC/NB)
Drop test	MIL-STD-810G 516.7 procedure IV
Water/dust proof	IP68
Warranty	3 years



Bolt B10

Dimension	80.0 x 49.5 x 9.4mm
Weight	25g
Interface	USB3.1 Gen 1 (USB 3.0)
Cable	Micro-B (B10) to Type-A (PC/NB)
Warranty	3 years



120GB SP120GBPSDB80SCS 480GB SP480GBPSDB80SCS
240GB SP240GBPSDB80SCS

- Unique shape and sophisticated design
- Robust aluminum casing for high durability
- Extremely compact and lightweight for easy transport and storage
- Uses the new USB Type-C connector
- Superfast with USB 3.1 Gen 2 interface
- LED indicator shows connection and transfer status
- Premium nylon braided cable with SR-enforced (strain relief) connections melded to tough aluminum casings

128GB SP128GBPSDB10SBK 512GB SP512GBPSDB10SBK
256GB SP256GBPSDB10SBK

- Ultra-compact and lightweight for great portability
- Clean and smooth exterior design
- Large storage capacity of up to 512GB
- Supports LDPC error correction and Wear Leveling

**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.

2.5" SATA III Solid State Drives Slim Series

Slim S85



Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/540MB/s (ATTO)
Warranty	5 years



480GB SP480GBSS3S85S25
960GB SP960GBSS3S85S25

- 7mm slim design suitable for ultrabooks and ultra-slim laptops
- SATA III 6Gbps backwards compatible with SATA II 3GB/s
- Supports TRIM command and Garbage Collection technology
- NCQ and RAID ready
- ECC technology to guarantee data transmission reliability
- Built-in with SMART monitoring system
- Low power consumption, shock- and vibration-proof, noiseless and low latency

**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.

Slim S70



Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/500MB/s (ATTO)
Warranty	5 years



120GB SP120GBSS3S70S25 480GB SP480GBSS3S70S25
240GB SP240GBSS3S70S25

2.5" SATA III Solid State Drives Slim Series

Slim S80

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 550/540MB/s (ATTO)
Warranty	3 years



240GB	SP240GBSS3S80S25	960GB	SP960GBSS3S80S25
480GB	SP480GBSS3S80S25		

Slim S60

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/500MB/s (ATTO)
Warranty	3 years



32GB	SP032GBSS3S60S25	240GB	SP240GBSS3S60S25
60GB	SP060GBSS3S60S25	480GB	SP480GBSS3S60S25
120GB	SP120GBSS3S60S25		

Solid State Drive Upgrade Kit Slim S55/S60 plus Shockproof Enclosure

Content	S55/S60 solid state drive	Slim S55 Upgrade Kit	120GB SP120GBSS3S55S27	Slim S60 Upgrade Kit	120GB SP120GBSS3S60S27
	Shockproof HDD enclosure		240GB SP240GBSS3S55S27		240GB SP240GBSS3S60S27
	"NTI Echo 3" clone software		480GB SP480GBSS3S55S27		480GB SP480GBSS3S60S27
			960GB SP960GBSS3S55S27		

- System upgrade solution for small budgets
- Turns a left over hard drive into a shockproof portable hard drive
- Free cloning software "NTI Echo 3" included for data and system backups
- Only for 7mm HDD



**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.

2.5" SATA III Solid State Drives Slim Series / Ace Series

Slim S55

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/530MB/s (ATTO)
Warranty	3 years



60GB	SP060GBSS3S55S25	480GB	SP480GBSS3S55S25
120GB	SP120GBSS3S55S25	960GB	SP960GBSS3S55S25
240GB	SP240GBSS3S55S25		

Ace A55

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/530MB/s (ATTO)
Warranty	3 years



64GB	SP064GBSS3A55S25	512GB	SP512GBSS3A55S25
128GB	SP128GBSS3A55S25	1TB	SP001TBSS3A55S25
256GB	SP256GBSS3A55S25		

Slim S56

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Controller	Phison
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/530MB/s (ATTO)
Warranty	3 years



120GB	SP120GBSS3S56B25	480GB	SP480GBSS3S56A25
240GB	SP240GBSS3S56B25	960GB	SP960GBSS3S56A25

Ace A56

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Controller	Phison
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/530MB/s (ATTO)
Warranty	3 years



64GB	SP064GBSS3A56B25	512GB	SP512GBSS3A56A25
128GB	SP128GBSS3A56B25	1TB	SP001TBSS3A56A25
256GB	SP256GBSS3A56B25		

Slim S57

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 535/410MB/s (ATTO)
Warranty	3 years



120GB	SP120GBSS3S57A25
240GB	SP240GBSS3S57A25

**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.

2.5" SATA III Solid State Drives Velox Series

Velox V85



Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/540MB/S (ATTO)
Warranty	5 years



480GB SP480GBSS3V85S25
960GB SP960GBSS3V85S25

Velox V60

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/500MB/S (ATTO)
Warranty	3 years



32GB SP032GBSS3V60S25 240GB SP240GBSS3V60S25
60GB SP060GBSS3V60S25 480GB SP480GBSS3V60S25
120GB SP120GBSS3V60S25

Velox V80

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 550/500MB/S (ATTO)
Warranty	3 years



240GB SP240GBSS3V80S25 960GB SP960GBSS3V80S25
480GB SP480GBSS3V80S25

Velox V55

Dimension	100.0 x 69.9 x 7.0mm
Weight (max.)	63g
Flash type	TLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/530MB/S (ATTO)
Warranty	3 years



60GB SP060GBSS3V55S25 480GB SP480GBSS3V55S25
120GB SP120GBSS3V55S25 960GB SP960GBSS3V55S25
240GB SP240GBSS3V55S25

Velox V70



Dimension	100.0 x 69.9 x 7.0 mm
Weight (max.)	63g
Flash type	MLC
Vibration	20G
Shock	1500G Max
Power requirement	5V
Transfer speed	Up to R/W 560/500MB/S (ATTO)
Warranty	5 years



120GB SP120GBSS3V70S25 480GB SP480GBSS3V70S25
240GB SP240GBSS3V70S25

Features

- Come with mounting brackets for 3.5" drive bays to be installed in desktops
- Support TRIM command and Garbage Collection technology
- NCQ and RAID ready
- Equipped with Wear Leveling to extend endurance
- ECC technology to guarantee data transmission reliability
- Built with SMART monitoring system
- Low power consumption
- Noiseless, no latency delay



**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.

PCIe Gen 3.0 Solid State Drives

P32A80

PCIe Gen3x2 & NVMe 1.2

Capacity	128GB, 256GB, 512GB
Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Performance read (max.)	up to 1600MB/s
Performance write (max.)	up to 1000MB/s
Interface	PCIe Gen3 x 2
Warranty	3 years



128GB SP128GBP32A80M28 512GB SP512GBP32A80M28
256GB SP256GBP32A80M28

P32A85

PCIe Gen3x2 & NVMe 1.2

Capacity	128GB, 256GB, 512GB
Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Performance read (max.)	up to 1600MB/s
Performance write (max.)	up to 1000MB/s
Interface	PCIe Gen3 x 2
Warranty	5 years



128GB SP128GBP32A85M28 512GB SP512GBP32A85M28
256GB SP256GBP32A85M28

M.2 SATA III Solid State Drives

M.2 2280 M57

Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Flash Type	TLC
Form Factor	M.2 2280-D5-B-M
MTBF	1,500,000 hours
Transfer speed	Up to R/W 535/410MB/s
Warranty	3 years



120GB SP120GBSS3M57M28
240GB SP240GBSS3M57M28

M.2 2280 M55

Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Flash Type	TLC
Form Factor	M.2 2280-D5-B-M
MTBF	1,500,000 hours
Transfer speed	Up to R/W 560/530MB/s
Warranty	3 years



120GB SP120GBSS3M55M28
240GB SP240GBSS3M55M28
480GB SP480GBSS3M55M28

M.2 2280 M56

Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Flash Type	TLC
Form Factor	M.2 2280-D5-B-M
MTBF	1,500,000 hours
Transfer speed	Up to R/W 560/530MB/s
Warranty	3 years



120GB SP120GBSS3M56M28
240GB SP240GBSS3M56M28
480GB SP480GBSS3M56M28


M.2 2280 M10

Dimension	22.0 x 80.0 x 3.5mm
Weight	8g
Flash Type	MLC
Form Factor	M.2 2280-D5-B-M
MTBF	1,200,000 hours
Transfer speed	Up to R/W 520/460MB/s (ATTO) Random 4K write speed up to 75,000 IOPS
Warranty	3 years



120GB SP120GBSS3M10M28
240GB SP240GBSS3M10M28
480GB SP480GBSS3M10M28

**Note: Performance result may vary, depending on system platform, software, interface and capacity. Please go to our website for more detailed information.



Memory Modules

For Desktop-PCs

DDR4

288-PIN UDIMM with Heatsink

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GB	SP004GBLFU240NS2	4GBx2	SP008GBLFU240ND2	
8GB	SP008GBLFU240BS2	8GBx2	SP016GBLFU240BD2	
16GB	SP016GBLFU240BS2	16GBx2	SP032GBLFU240BD2	
DDR4-2400 CL17 1.2V		DDR4-2400 CL17 1.2V		

288-PIN UDIMM

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GB	SP004GBLFU240N02	4GBx2	SP008GBLFU240N22	
8GB	SP008GBLFU240N02	8GBx2	SP016GBLFU240N22	
8GB	SP008GBLFU240B02	8GBx2	SP016GBLFU240B22	
16GB	SP016GBLFU240B02	16GBx2	SP032GBLFU240B22	
DDR4-2400 CL17 1.2V		DDR4-2400 CL17 1.2V		

DDR4-2133

4GB	SP004GBLFU213N02	4GBx2	SP008GBLFU213N22
8GB	SP008GBLFU213N02	8GBx2	SP016GBLFU213N22
8GB	SP008GBLFU213B02	8GBx2	SP016GBLFU213B22
16GB	SP016GBLFU213B02	16GBx2	SP032GBLFU213B22
DDR4-2133 CL15 1.2V		DDR4-2133 CL15 1.2V	

288-PIN UDIMM

Capacity		Part Number	Quad Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GBx4	SP016GBLFU240N42	4GBx4	SP016GBLFU213N42	
8GBx4	SP032GBLFU240N42	8GBx4	SP032GBLFU213N42	
8GBx4	SP032GBLFU240B42	8GBx4	SP032GBLFU213B42	
16GBx4	SP064GBLFU240B42	16GBx4	SP064GBLFU213B42	
DDR4-2400 CL17 1.2V		DDR4-2133 CL15 1.2V		

Xpower Overclocking Series

240-PIN Overclocking DIMM

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GBx2	SP008GXLYU24ANDA	4GBx2	SP008GXLYU18ANDA	
8GBx2	SP016GXLYU24ANDA	8GBx2	SP016GXLYU18ANDA	
DDR3-2400 11-13-13 1.65V		DDR3-1866 9-11-9 1.5V		
4GBx2	SP008GXLYU21ANDA	4GBx2	SP008GXLYU16ANDA	
8GBx2	SP016GXLYU21ANDA	8GBx2	SP016GXLYU16ANDA	
DDR3-2133 11-12-11 1.6V		DDR3-1600 9-9-9 1.5V		

For Desktop-PCs

DDR3

240-PIN UDIMM with Heatsink

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GB	SP004GBLTU169NS2	4GBx2	SP008GBLTU169ND2	
8GB	SP008GBLTU169NS2	8GBx2	SP016GBLTU169ND2	
DDR3-1600 CL9 1.5V		DDR3-1600 CL9 1.5V		
4GB	SP004GBLTU186NS2	4GBx2	SP008GBLTU186ND2	
8GB	SP008GBLTU186NS2	8GBx2	SP016GBLTU186ND2	
DDR3-1866 CL13 1.5V		DDR3-1866 CL13 1.5V		

DDR3L

240-PIN UDIMM with Heatsink

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
4GB	SP004GLLTU169NS2	4GBx2	SP008GLLTU169ND2	
8GB	SP008GLLTU169NS2	8GBx2	SP016GLLTU169ND2	
DDR3L-1600 CL9 1.35V		DDR3L-1600 CL9 1.35V		

DDR3

240-PIN UDIMM

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
2GB	SP002GBLTU160V02	2GBx2	SP004GBLTU160V22	
4GB	SP004GBLTU160V02	4GBx2	SP008GBLTU160V22	
2GB	SP002GBLTU160W02	2GBx2	SP004GBLTU160W22	
4GB	SP004GBLTU160W02	4GBx2	SP008GBLTU160W22	
4GB	SP004GBLTU160N02	4GBx2	SP008GBLTU160N22	
8GB	SP008GBLTU160N02	8GBx2	SP016GBLTU160N22	
DDR3-1600 CL11 1.5V		DDR3-1600 CL11 1.5V		
2GB	SP002GBLTU133V02	2GBx2	SP004GBLTU133V22	
4GB	SP004GBLTU133V02	4GBx2	SP008GBLTU133V22	
2GB	SP002GBLTU133W02	2GBx2	SP004GBLTU133W22	
4GB	SP004GBLTU133W02	4GBx2	SP008GBLTU133W22	
4GB	SP004GBLTU133N02	4GBx2	SP008GBLTU133N22	
8GB	SP008GBLTU133N02	8GBx2	SP016GBLTU133N22	
DDR3-1333 CL9 1.5V		DDR3-1333 CL9 1.5V		

240-PIN Very Low Profile UDIMM

Capacity		Part Number	Module Density & Configuration	
Capacity	Part Number	Capacity	Part Number	
2GB	SP002GBVTU160V02	256Mx8	8 chips	
4GB	SP004GBVTU160V02	256Mx8	16 chips	
4GB	SP004GBVTU160N02	512Mx8	8 chips	
8GB	SP008GBVTU160N02	512Mx8	16 chips	
DDR3-1600 CL11 1.5V		DDR3-1600 CL11 1.5V		
2GB	SP002GBVTU133V02	256Mx8	8 chips	
4GB	SP004GBVTU133V02	256Mx8	16 chips	
4GB	SP004GBVTU133N02	512Mx8	8 chips	
8GB	SP008GBVTU133N02	512Mx8	16 chips	
DDR3-1333 CL9 1.5V		DDR3-1333 CL9 1.5V		

240-PIN UDIMM

Capacity		Part Number	Dual Channel Kit	
Capacity	Part Number	Capacity	Part Number	
2GBx2	SP004GBVTU160V22	256Mx8	8 chips, x2pcs	
4GBx2	SP008GBVTU160V22	256Mx8	16 chips, x2pcs	
4GBx2	SP008GBVTU160N22	512Mx8	8 chips, x2pcs	
8GBx2	SP016GBVTU160N22	512Mx8	16 chips, x2pcs	
DDR3-1600 CL11 1.5V		DDR3-1600 CL11 1.5V		
2GBx2	SP004GBVTU133V22	256Mx8	8 chips, x2pcs	
4GBx2	SP008GBVTU133V22	256Mx8	16 chips, x2pcs	
4GBx2	SP008GBVTU133N22	512Mx8	8 chips, x2pcs	
8GBx2	SP016GBVTU133N22	512Mx8	16 chips, x2pcs	
DDR3-1333 CL9 1.5V		DDR3-1333 CL9 1.5V		

For Desktop-PCs

DDR3L

240-PIN Low Voltage UDIMM

			Dual Channel Kit		
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration
2GB	SP002GLLTU160V02	256Mx8 8 chips	2GBx2	SP004GLLTU160V22	256Mx8 8 chips, x2pcs
4GB	SP004GLLTU160V02	256Mx8 16 chips	4GBx2	SP008GLLTU160V22	256Mx8 16 chip, x2pcs
DDR3L-1600 CL11 1.35V	2GB	SP002GLLTU160W02	2GBx2	SP004GLLTU160W22	256Mx16 4 chips, x2pcs
	4GB	SP004GLLTU160W02	4GBx2	SP008GLLTU160W22	256Mx16 8 chips, x2pcs
	4GB	SP004GLLTU160N02	4GBx2	SP008GLLTU160N22	512Mx8 8 chips, x2pcs
	8GB	SP008GLLTU160N02	8GBx2	SP016GLLTU160N22	512Mx8 16 chips, x2pcs
DDR3L-1333 CL9 1.35V	2GB	SP002GLLTU133V02	2GBx2	SP004GLLTU133V22	256Mx8 8 chips, x2pcs
	4GB	SP004GLLTU133V02	4GBx2	SP008GLLTU133V22	256Mx8 16 chip, x2pcs
	2GB	SP002GLLTU133W02	2GBx2	SP004GLLTU133W22	256Mx16 4 chips, x2pcs
	4GB	SP004GLLTU133W02	4GBx2	SP008GLLTU133W22	256Mx16 8 chips, x2pcs
DDR3L-1333 CL9 1.35V	4GB	SP004GLLTU133N02	4GBx2	SP008GLLTU133N22	512Mx8 8 chips, x2pcs
	8GB	SP008GLLTU133N02	8GBx2	SP016GLLTU133N22	512Mx8 16 chips, x2pcs

DDR2

240-PIN UDIMM

			Dual Channel Kit		
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration
DDR2-800 CL5 1.8V	1GB	SP001GBLRU800S02	1GBx2	SP002GBLRU800S22	128Mx8 8 chips, x2pcs
	2GB	SP002GBLRU800S02	2GBx2	SP004GBLRU800S22	128Mx8 16 chips, x2pcs
DDR2-667 CL5 1.8V	1GB	SP001GBLRU667S02	1GBx2	SP002GBLRU667S22	128Mx8 8 chips, x2pcs
	2GB	SP002GBLRU667S02	2GBx2	SP004GBLRU667S22	128Mx8 16 chips, x2pcs
DDR2-533 CL4 1.8V	1GB	SP001GBLRU533S02	1GBx2	SP002GBLRU533S02	128Mx8 8 chips, x2pcs
	2GB	SP002GBLRU533S02	2GBx2	SP004GBLRU533S02	128Mx8 16 chips, x2pcs

DDR

184-PIN UDIMM

Capacity	Part Number	Module Density & Configuration
DDR-400 CL3 2.5V	512MB	SP512MBLDU400O02
	1GB	SP001GBLDU400O02
DDR-333 CL2.5 2.5V	512MB	SP512MBLDU333O02
	1GB	SP001GBLDU333O02
DDR-266 CL2.5 2.5V	512MB	SP512MBLDU266O02
	1GB	SP001GBLDU266O02

For Laptops

DDR4

260-PIN SODIMM

			Dual Channel Kit		
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration
DDR4-2400 CL17 1.2V	4GB	SP004GBSFU240N02	4GBx2	SP008GBSFU240N22	256Mx8 8 chips, x2pcs
	8GB	SP008GBSFU240N02	8GBx2	SP016GBSFU240N22	256Mx8 16 chip, x2pcs
	8GB	SP008GBSFU240B02	8GBx2	SP016GBSFU240B22	256Mx16 4 chips, x2pcs
	16GB	SP016GBSFU240B02	16GBx2	SP032GBSFU240B22	256Mx16 8 chips, x2pcs

For Laptops

DDR4

260-PIN SODIMM

			Dual Channel Kit		
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration
DDR4-2133 CL15 1.2V	4GB	SP004GBSFU213N02	4GBx2	SP008GBSFU213N22	256Mx8 8 chips, x2pcs
	8GB	SP008GBSFU213N02	8GBx2	SP016GBSFU213N22	256Mx8 16 chip, x2pcs
	8GB	SP008GBSFU213B02	8GBx2	SP016GBSFU213B22	256Mx16 4 chips, x2pcs
DDR4-2133 CL15 1.2V	16GB	SP016GBSFU213B02	16GBx2	SP032GBSFU213B22	256Mx16 8 chips, x2pcs

DDR3

204-PIN SODIMM

			Dual Channel Kit			
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration	
DDR3-1600 CL11 1.5V	2GB	SP002GBSTU160V02	2GBx2	SP004GBSTU160V22	256Mx8 8 chips, x2pcs	
	4GB	SP004GBSTU160V02	4GBx2	SP008GBSTU160V22	256Mx8 16 chips, x2pcs	
	2GB	SP002GBSTU160W02	2GBx2	SP004GBSTU160W22	256Mx16 4 chips, x2pcs	
	4GB	SP004GBSTU160W02	4GBx2	SP008GBSTU160W22	256Mx16 8 chips, x2pcs	
	4GB	SP004GBSTU160N02	4GBx2	SP008GBSTU160N22	512Mx8 8 chips, x2pcs	
DDR3-1600 CL11 1.5V	8GB	SP008GBSTU160N02	8GBx2	SP016GBSTU160N22	512Mx8 16 chips, x2pcs	
	DDR3-1333 CL9 1.5V	2GB	SP002GBSTU133V02	2GBx2	SP004GBSTU133V22	256Mx8 8 chips, x2pcs
		4GB	SP004GBSTU133V02	4GBx2	SP008GBSTU133V22	256Mx8 16 chips, x2pcs
DDR3-1333 CL9 1.5V	2GB	SP002GBSTU133W02	2GBx2	SP004GBSTU133W22	256Mx16 4 chips, x2pcs	
	4GB	SP004GBSTU133W02	4GBx2	SP008GBSTU133W22	256Mx16 8 chips, x2pcs	
	4GB	SP004GBSTU133N02	4GBx2	SP008GBSTU133N22	512Mx8 8 chips, x2pcs	
	8GB	SP008GBSTU133N02	8GBx2	SP016GBSTU133N22	512Mx8 16 chips, x2pcs	

DDR3L

204-PIN Low Voltage SODIMM

			Dual Channel Kit			
Capacity	Part Number	Module Density & Configuration	Capacity	Part Number	Module Density & Configuration	
DDR3L-1600 CL11 1.35V	2GB	SP002GLSTU160V02	2GBx2	SP004GLSTU160V22	256Mx8 8 chips, x2pcs	
	4GB	SP004GLSTU160V02	4GBx2	SP008GLSTU160V22	256Mx8 16 chips, x2pcs	
	2GB	SP002GLSTU160W02	2GBx2	SP004GLSTU160W22	256Mx16 4 chips, x2pcs	
	4GB	SP004GLSTU160W02	4GBx2	SP008GLSTU160W22	256Mx16 8 chips, x2pcs	
	4GB	SP004GLSTU160N02	4GBx2	SP008GLSTU160N22	512Mx8 8 chips, x2pcs	
DDR3L-1600 CL11 1.35V	8GB	SP008GLSTU160N02	8GBx2	SP016GLSTU160N22	512Mx8 16 chips, x2pcs	
	DDR3L-1333 CL9 1.35V	2GB	SP002GLSTU133V02	2GBx2	SP004GLSTU133V22	256Mx8 8 chips, x2pcs
		4GB	SP004GLSTU133V02	4GBx2	SP008GLSTU133V22	256Mx8 16 chips, x2pcs
DDR3L-1333 CL9 1.35V	2GB	SP002GLSTU133W02	2GBx2	SP004GLSTU133W22	256Mx16 4 chips, x2pcs	
	4GB	SP004GLSTU133W02	4GBx2	SP008GLSTU133W22	256Mx16 8 chips, x2pcs	
	4GB	SP004GLSTU133N02	4GBx2	SP008GLSTU133N22	512Mx8 8 chips, x2pcs	
	8GB	SP008GLSTU133N02	8GBx2	SP016GLSTU133N22	512Mx8 16 chips, x2pcs	

DDR2

200-PIN SODIMM

Capacity	Part Number	Module Density & Configuration
DDR2-800 CL5 1.8V	1GB	SP001GBSRU800S02
	2GB	SP002GBSRU800S02
DDR2-667 CL5 1.8V	1GB	SP001GBSRU667S02
	2GB	SP002GBSRU667S02
DDR2-533 CL4 1.8V	1GB	SP001GBSRU533S02
	2GB	SP002GBSRU533S02

DDR

200-PIN SODIMM

Capacity	Part Number	Module Density & Configuration
DDR-400 CL3 2.5V	512MB	SP512MBSDU400O02
	1GB	SP001GBSDU400O02
DDR-333 CL2.5 2.5V	512MB	SP512MBSDU333O02
	1GB	SP001GBSDU333O02
DDR-266 CL2.5 2.5V	512MB	SP512MBSDU266O02
	1GB	SP001GBSDU266O02

For Servers & Workstations

DDR4

288-PIN ECC DIMM

	Capacity	Part Number	Module Density & Configuration
DDR4-2400 CL17 1.2V	4GB	SP004GBLFE240N01	512Mx8 9 chips
	8GB	SP008GBLFE240N01	512Mx8 18 chips
DDR4-2133 CL15 1.2V	4GB	SP004GBLFE213N01	512Mx8 9 chips
	8GB	SP008GBLFE213N01	512Mx8 18 chips

DDR3

240-PIN ECC DIMM

	Capacity	Part Number	Module Density & Configuration
DDR3-1600 CL11 1.5V	2GB	SP002GBLTE160V01	256Mx8 9 chips
	4GB	SP004GBLTE160V01	256Mx8 18 chips
	4GB	SP004GBLTE160N01	512Mx8 9 chips
	8GB	SP008GBLTE160N01	512Mx8 18 chips

DDR3-1333 CL9 1.5V	2GB	SP002GBLTE133V01	256Mx8 9 chips
	4GB	SP004GBLTE133V01	256Mx8 18 chips
	4GB	SP004GBLTE133N01	512Mx8 9 chips
	8GB	SP008GBLTE133N01	512Mx8 18 chips

DDR3L

240-PIN Low Voltage ECC DIMM

	Capacity	Part Number	Module Density & Configuration
DDR3L-1600 CL11 1.35V	2GB	SP002GLLTE160V01	256Mx8 9 chips
	4GB	SP004GLLTE160V01	256Mx8 18 chips
	4GB	SP004GLLTE160N01	512Mx8 9 chips
	8GB	SP008GLLTE160N01	512Mx8 18 chips

DDR3L-1333 CL9 1.35V	2GB	SP002GLLTE133V01	256Mx8 9 chips
	4GB	SP004GLLTE133V01	256Mx8 18 chips
	4GB	SP004GLLTE133N01	512Mx8 9 chips
	8GB	SP008GLLTE133N01	512Mx8 18 chips

240-PIN Registered DIMM

	Capacity	Part Number	Module Density & Configuration
DDR4-2400 CL17 1.2V	4GB	SP004GBRFE240N01	512Mx8 9 chips
	8GB	SP008GBRFE240N01	512Mx8 18 chips
	16GB	SP016GBRFE240N01	512Mx8 36 chips

DDR4-2133 CL15 1.2V	4GB	SP004GBRFE213N01	512Mx8 9 chips
	8GB	SP008GBRFE213N01	512Mx8 18 chips
	16GB	SP016GBRFE213N01	512Mx8 36 chips

240-PIN Registered DIMM

	Capacity	Part Number	Module Density & Configuration
DDR3-1600 CL11 1.5V	2GB	SP002GBRTE160V01	256Mx8 9 chips
	4GB	SP004GBRTE160V01	256Mx8 18 chips
	4GB	SP004GBRTE160N01	512Mx8 9 chips
	8GB	SP008GBRTE160N01	512Mx8 18 chips
	16GB	SP016GBRTE160N01	512Mx8 36 chips

DDR3-1333 CL9 1.5V	2GB	SP002GBRTE133V01	256Mx8 9 chips
	4GB	SP004GBRTE133V01	256Mx8 18 chips
	4GB	SP004GBRTE133N01	512Mx8 9 chips
	8GB	SP008GBRTE133N01	512Mx8 18 chips
	16GB	SP016GBRTE133N01	512Mx8 36 chips

240-PIN Low Voltage Registered DIMM

	Capacity	Part Number	Module Density & Configuration
DDR3L-1600 CL11 1.35V	2GB	SP002GLRTE160V01	256Mx8 9 chips
	4GB	SP004GLRTE160V01	256Mx8 18 chips
	4GB	SP004GLRTE160N01	512Mx8 9 chips
	8GB	SP008GLRTE160N01	512Mx8 18 chips
	16GB	SP016GLRTE160N01	512Mx8 36 chips


DDR3L-1333 CL9 1.35V	2GB	SP002GLRTE133V01	256Mx8 9 chips
	4GB	SP004GLRTE133V01	256Mx8 18 chips
	4GB	SP004GLRTE133N01	512Mx8 9 chips
	8GB	SP008GLRTE133N01	512Mx8 18 chips
	16GB	SP016GLRTE133N01	512Mx8 36 chips

Guaranteed Quality & Lifetime Warranty

All SP DRAM modules adopt selected original memory modules and are 100% factory-tested to guarantee high stability, durability and compatibility. Furthermore, all modules are backed by a lifetime warranty to promise complete service and technical support.



2.5" USB 3.1 Gen 1 / USB 3.0 Portable Hard Drives



Armor A75

Dimension	124.4 x 82.0 x 12.2mm
Weight	169g
Interface	USB 3.1 Gen 1 (USB 3.0)
Cable	Type-C (A75) to Type-A (PC/NB)
Drop test	MIL-STD 810G 516.7 Procedure IV
Warranty	3 years

- Stylish metal casing
- Ultra-slim and compact
- Scratch-proof design
- Premium nylon braided cable with SR-enforced (strain relief) connections melded to tough aluminum casings

- 1TB SP010TBPBDA75S3S
- 2TB SP020TBPBDA75S3S



122cm Freefall Test Shockproof Scratch-proof



2.5" USB 3.1 Gen 1 / USB 3.0 Portable Hard Drives

Armor A85



Dimension	132.5 x 92.3 x 25.9mm
Weight	298-364g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810G 516.6 procedure IV 3-Meter freefall test
Water/dust proof	IP68
Pressure resistant	500kg
Warranty	3 years

- Shockproof, waterproof, dustproof, and pressure-resistant
- SP HDD Lock Utility free software download for full disk encryption
- Sturdy metal casing and cable-carry design



1TB	SP010TBPHDA85S3S	4TB	SP040TBPHDA85S3S
2TB	SP020TBPHDA85S3S	5TB	SP050TBPHDA85S3S
3TB	SP030TBPHDA85S3S		

Armor A62



Dimension	(62S) 131.7 x 86.5 x 14.9mm (62L) 131.7 x 86.5 x 22.8mm
Weight	180-282g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810G 516.7 procedure IV
Warranty	3 years

- Rugged protection with elegance and style
- Unique cable-carry function with flexible rubber stripes
- Special surface treatment to avoid scratches and fingerprints
- IPX4 water resistant



1TB	SP010TBPHD62SS3K	3TB	SP030TBPHD62LS3K
2TB	SP020TBPHD62SS3K	4TB	SP040TBPHD62LS3K
	SP020TBPHD62LS3K	5TB	SP050TBPHD62LS3K

Armor A80



Dimension	139.5 x 94.0 x 18.1mm
Weight	270-293g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810F 516.5 procedure IV 3-Meter freefall test
Water resistant	IPX7
Press resistant	300kg
Warranty	3 years

- Shockproof, waterproof, and pressure-resistant
- Sturdy metal casing
- Cable-carry design
- Power saving sleep mode
- LED indicator



500GB	SP500GBPHDA80S3B	1TB	SP010TBPHDA80S3B
	SP500GBPHDA80S3K		SP010TBPHDA80S3K
		2TB	SP020TBPHDA80S3B
			SP020TBPHDA80S3K

Armor A60



Dimension	138.5 x 85.9 x 23.2mm
Weight	228-280g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810G 516.6 procedure IV 3-Meter freefall test
Water resistant	IPX4
Warranty	3 years

- Shockproof and water-resistant
- Cable-carry design
- Power saving sleep mode
- LED indicator



500GB	SP500GBPHDA60S3K	3TB	SP030TBPHDA60S3K
1TB	SP010TBPHDA60S3K	4TB	SP040TBPHDA60S3K
2TB	SP020TBPHDA60S3K	5TB	SP050TBPHDA60S3K

Armor A65



Dimension	143.4 x 86.7 x 20.7mm
Weight	242-277g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810G 516.6 procedure IV 3-Meter freefall test
Water/dust proof	IP67
Warranty	3 years

- Shockproof, waterproof, and dustproof
- SP HDD Lock Utility free software for full disk encryption
- Durable rubber casing
- Cable-carry design
- Power saving sleep mode
- LED indicator



1TB	SP010TBPHDA65S3K
2TB	SP020TBPHDA65S3K

Armor A30



Dimension	134.0 x 87.5 x 18.6mm
Weight	181-205g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810G 516.6 procedure IV 3-Meter freefall test
Warranty	3 years

- Shockproof
- Honeycomb structure surface to avoid scratches and fractures
- Cable-carry design
- Power saving sleep mode
- LED indicator



500GB	SP500GBPHDA30S3K	1TB	SP010TBPHDA30S3W
			SP010TBPHDA30S3K
		2TB	SP020TBPHDA30S3K
			SP020TBPHDA30S3W

2.5" USB 3.1 Gen 1 / USB 3.0 Portable Hard Drives

Armor A15



Dimension	136.0 x 82.5 x 19.8 mm
Weight	200-223g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Drop test	MIL-STD-810F 516.5 procedure IV 3-Meter freefall test
Warranty	3 years

- Shockproof with durable rubber casing
- One-touch auto-backup
- Power saving sleep mode
- LED indicator



1TB	SP010TBPHDA15S3L	2TB	SP020TBPHDA15S3L
	SP010TBPHDA15S3K		SP020TBPHDA15S3K

Diamond D06



Dimension	116.0 x 78.0 x 13.0 mm
Weight	138-174g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Matte surface finish to avoid scratches and fingerprints
- Power saving sleep mode
- LED indicator



500GB	SP500GBPHDD06S3K	2TB	SP020TBPHDD06S3K
1TB	SP010TBPHDD06S3K		

Diamond D30



Dimension	(D3S) 167.0 x 81.2 x 10.4mm (D3L) 167.0 x 81.2 x 21.1mm
Weight	136.5g-242g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Two sizes (D3S, D3L) to cater for different storage capacity needs
- Classy notebook design with bookmark as sliding protector for port
- Scratch resistant through rhombus surface pattern
- IPX4 waterproof



1TB	SP010TBPHDD3SS3K	3TB	SP030TBPHDD3LS3K
2TB	SP020TBPHDD3SS3K	4TB	SP040TBPHDD3LS3K
	SP020TBPHDD3LS3K	5TB	SP050TBPHDD3LS3K

Diamond D05



Dimension	124.8 x 75.8 x 13.6mm
Weight	155-205g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Solid structure and scratch-resistant surface
- Protection through internal shock sensor
- Power saving sleep mode
- LED indicator

1TB	SP010TBPHDD05S3T
2TB	SP020TBPHDD05S3T

Diamond D20



Dimension	116.5 x 78.0 x 10.5mm
Weight	135g
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Slim and lightweight
- Special surface treatment to avoid scratches, fingerprint
- Power saving sleep mode
- LED indicator



1TB	SP010TBPHDD20S3W
2TB	SP020TBPHDD20S3W

2.5" USB 3.1 Gen 1 / USB 3.0 Portable Hard Drives

Stream S03

Dimension	122.5 x 77.5 x 13.3mm
Weight	145-168g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Matte surface finish to avoid scratches and fingerprints
- Power saving sleep mode
- LED indicator

500GB	SP500GBPHDS03S3K	■
	SP500GBPHDS03S3W	□
1TB	SP010TBPBPHDS03S3K	■
	SP010TBPBPHDS03S3W	□
2TB	SP020TBPBPHDS03S3K	■
	SP020TBPBPHDS03S3W	□



2.5" Wi-Fi Hard Drives

Wi-Fi H10

Dimension	133.0 x 86.0 x 23.5mm
Weight	255g-282g (by capacity)
WiFi Interface	IEEE 802.11b/g/n Standard Built-in 2T2R Antenna, up to 300MB/s Built-in USB 3.0 (compatible with USB 2.0)
Warranty	2 years (Battery: 6 months, AC power adapter: 1 year, USB cable: 3 months)

- Built-in 2T2R Antenna, up to 300MB/s
- Big screen display via Airplay Apple TV
- Media streaming and sharing
- Wireless network drive
- Supports Google Drive and Dropbox
- Wireless mobile hub
- Easy to carry
- Built-in 2,600mA/h Lithium battery for up to 5 hours multimedia streaming (single device)
- Free iPhone/iPad App, Android smart phone App, and Web UI support for iPod, iPhone, iPad, Android smart phone, Android Tablet, Notebook, PC, Mac
- Personal cloud with 500GB/1TB
- Supports network connection mode (WiFi bridge mode)
- Internet access during multimedia streaming

US/JP/TW	500GB	SP500GBWHDH10A3J
	1TB	SP010TBWHDH10A3J
RU/non-EU	500GB	SP500GBWHDH10C3J
	1TB	SP010TBWHDH10C3J
UK	500GB	SP500GBWHDH10G3J
	1TB	SP010TBWHDH10G3J
AU/NZ	500GB	SP500GBWHDH10I3J
	1TB	SP010TBWHDH10I3J



3.5" USB 3.0 External Hard Drives

Stream S06

Dimension	199.0 x 117.7 x 36.3mm
Weight	770-876g (by capacity)
Interface	USB 3.1 Gen 1 (USB 3.0)
Warranty	3 years

- Handle for easy transport and use
- Ventilation holes for an incredible cooling effect
- Power saving sleep mode
- LED indicator

US/JP/TW	2TB	SP020TBEHDS06A3K
	3TB	SP030TBEHDS06A3K
	4TB	SP040TBEHDS06A3K
EU	2TB	SP020TBEHDS06C3K
	3TB	SP030TBEHDS06C3K
	4TB	SP040TBEHDS06C3K
UK	2TB	SP020TBEHDS06G3K
	3TB	SP030TBEHDS06G3K
	4TB	SP040TBEHDS06G3K



Apple Solutions



Made for
iPod iPhone iPad


Dual USB Flash Drive SP xDrive Z50

Dimension	41.7 x 14.3 x 6.6mm
Weight	6g
Connector	Lightning / USB 3.1 Gen 1 (USB 3.0) Type-A
Warranty	2 years

32GB	SP032GBLU3Z50V1S
64GB	SP064GBLU3Z50V1S
128GB	SP128GBLU3Z50V1S



- Dual interface with Lightning connector and USB 3.1 Gen 1 (USB 3.0) connector to enable data transmission between PCs and Apple devices
- Durable cap, firmly attached to the drive
- Extended connector for plugging the drive without taking off the phone case
- Metal casing and sandblasting surface treatment to avoid scratches and fingerprints
- Apple MFi certified



Apple Solutions

SP xDrive Z30 Dual USB Flash Drive

Dimension 62.7 x 23.5 x 9.8mm
Weight 13g
Connector Lightning / USB 3.1 Gen 1 (USB 3.0) Type-A
Warranty 2 years

- Dual interface with Lightning connector and USB 3.0 connector to enable data transmission between PCs and Apple devices
- Instant storage expansion for iOS devices
- Exclusive xDrive Explorer App for easy backup and file management
- Apple MFi certified

32GB SP032GBLU3Z30V1W
 64GB SP064GBLU3Z30V1W
 128GB SP128GBLU3Z30V1W



SP xDrive L03 Adapter

Dimension Adapter-23.0 x 24.0 x 2.1mm / microSDXC-15.0 x 11.0 x 1.0mm
Weight Adapter-1.2g / microSDXC-0.6g
Compatibility MacBook Air 13", Pro 13", Pro 15 and Pro 15" Retina (Before 2013)
Warranty Adapter: 1 year / microSDXC: lifetime warranty

- Instant expansion of 64GB storage for MacBooks
- UHS-I specification with speed up to Read/Write 90/45MB/s*
- Easy-to-move slot design

Adapter only SP000GBSDX000V10AP
Adapter + Superior microSDXC 64GB SP064GBSTXDU1V10AP



**Note: Performance results may vary depending on capacity, different host hardware, software and usage.
 microSDXC Logo is trademark of SD-3C, LLC.

Apple Solutions

Armor A85M External Storage

Dimension 132.5 x 92.3 x 25.9mm
Weight 298-364g (by capacity)
Interface USB 3.1 Gen 1 (USB 3.0)
Drop test MIL-STD-810G 516.6 procedure IV
 3-Meter freefall test
Warranty 3 years

- Easy plug-and-play for Mac, supporting HFS+ and Time Machine®
- Military-grade shockproof
- IP68 dust-/waterproof
- Pressure-resistant up to 500kg
- Sturdy metal casing
- Cable-carry design

1TB SP010TBPHD85MS3S 4TB SP040TBPHD85MS3S
 2TB SP020TBPHD85MS3S 5TB SP050TBPHD85MS3S
 3TB SP030TBPHD85MS3S



Armor A65M External Storage

Dimension 143.4 x 86.7 x 20.7mm
Weight 242-277g (by capacity)
Interface USB 3.1 Gen 1 (USB 3.0)
Drop test MIL-STD-810G 516.6 procedure IV
 3-Meter freefall test
Warranty 3 years

- Easy plug-and-play for Mac, supporting HFS+ and Time Machine®
- Military-grade shockproof
- IP67 dust-/waterproof
- Durable rubber casing
- Cable-carry design

1TB SP010TBPHD65MS3G
 2TB SP020TBPHD65MS3G



Thunder T11 Thunderbolt™ Solid State Drive

Dimension 74.0 x 62.0 x 15.0mm
Weight 65g
Interface Thunderbolt™
Warranty 3 years

- Small and lightweight Thunderbolt™ SSD
- Ultra-fast I/O speed up to 10GB/s
- Aluminum casing with incredible cooling system
- Bus-powered design - no additional power supply required
- Intel® and Apple® certified"

120GB SP120GBTSDT11013 ■
 240GB SP240GBTSDT11014 ■



Flash Cards

micro Secure Digital Cards



High Endurance microSDHC/microSDXC



- Indispensable reliability and endurance for dash cams and surveillance systems
- Up to 12,000 hours of Full HD video recording (64GB) and up to 6,000 hours of Full HD video (32GB)
- Built with high-quality MLC NAND flash chip
- IPX7 waterproof
- Shock resistant, static proof, and extreme temperature proof from -25°C to 85°C
- X-ray proof
- Supports UHS-I (U3) read/write speeds

32GB SP032GBSTHIU3V10SP
64GB SP064GBSTXIU3V10SP



Shockproof



Waterproof



-25°C~85°C



Staticproof

Secure Digital Cards



Camera



Notebook



Lifetime Warranty

Superior Pro 4K SDXC/SDHC UHS-I U3



HI-SPEED
Read up to 90 MB/sec Write up to 80 MB/sec

- Compatible with any SD UHS-I (U3) enabled DSLR, camera, HD camcorder and 3D camera
- Read/Write speed up to 90/80MB/s
- Class 10 video recording performance

SDHC	16GB	SP016GBSDHCU3V10
	32GB	SP032GBSDHCU3V10
SDXC	64GB	SP064GBSDXCU3V10
	128GB	SP128GBSDXCU3V10
	256GB	SP256GBSDXCU3V10

SDHC Class 10



- Supports Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSDH010V10
8GB	SP008GBSDH010V10
16GB	SP016GBSDH010V10
32GB	SP032GBSDH010V10

Superior SDXC/SDHC UHS-I U1



HI-SPEED
Read up to 90 MB/sec Write up to 45 MB/sec

- Compatible with any SD UHS-I (U1) enabled DSLR, camera, HD camcorder and 3D camera
- Read/Write speed up to 90/45MB/s
- Class 10 video recording performance

SDHC	16GB	SP016GBSDHCU1V10
	32GB	SP032GBSDHCU1V10
SDXC	64GB	SP064GBSDXCU1V10

SDHC Class 6



- Supports Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSDH006V10
8GB	SP008GBSDH006V10
16GB	SP016GBSDH006V10
32GB	SP032GBSDH006V10

Elite SDXC/SDHC UHS-I U1



HI-SPEED
Read up to 85 MB/sec

- Compatible with any SD UHS-I (U1) enabled DSLR, camera, HD camcorder and 3D camera
- Read speed up to 85MB/s
- Class 10 video recording performance

SDHC	8GB	SP008GBSDHAU1V10
	16GB	SP016GBSDHAU1V10
	32GB	SP032GBSDHAU1V10
SDXC	64GB	SP064GBSDXAU1V10
	128GB	SP128GBSDXAU1V10

SDHC Class 4



- Supports Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSDH004V10
8GB	SP008GBSDH004V10
16GB	SP016GBSDH004V10
32GB	SP032GBSDH004V10

**Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.

**Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.

micro Secure Digital Cards



Superior Pro 4K

microSDXC/microSDHC UHS-I U3

HI-SPEED
Read up to 90 MB/sec
Write up to 80 MB/sec



- Compatible with any microSD UHS-I (U3) enabled Android and other smartphones and tablets
- Read/Write speed up to 90/80MB/s
- Class 10 video recording performance

micro SDHC	16GB	SP016GBSTHDU3V10SP / SP016GBSTHDU3V20SP
	32GB	SP032GBSTHDU3V10SP / SP032GBSTHDU3V20SP
micro SDXC	64GB	SP064GBSTXDU3V10SP / SP064GBSTXDU3V20SP

Superior

microSDXC/microSDHC UHS-I U1

HI-SPEED
Read up to 90 MB/sec
Write up to 45 MB/sec



- Compatible with any microSD UHS-I (U1) enabled Android and other smartphones and tablets
- Read/Write speed up to 90/45MB/s
- Class 10 video recording performance

micro SDHC	16GB	SP016GBSTHDU1V10SP / SP016GBSTHDU1V20SP
	32GB	SP032GBSTHDU1V10SP / SP032GBSTHDU1V20SP
micro SDXC	64GB	SP064GBSTXDU1V10SP / SP064GBSTXDU1V20SP

Elite

microSDXC/microSDHC UHS-I U1

HI-SPEED
Read up to 85 MB/sec



- Compatible with any microSD UHS-I (U1) enabled Android and other smartphones and tablets
- Read speed up to 85MB/s
- Class 10 video recording performance

micro SDHC	8GB	SP008GBSTHBU1V10 / SP008GBSTHBU1V10SP / SP008GBSTHBU1V20SP SP008GBSTHBU1V21 / SP008GBSTHBU1V21SP
	16GB	SP016GBSTHBU1V10 / SP016GBSTHBU1V10SP / SP016GBSTHBU1V20SP SP016GBSTHBU1V21 / SP016GBSTHBU1V21SP
	32GB	SP032GBSTHBU1V10 / SP032GBSTHBU1V10SP / SP032GBSTHBU1V20SP SP032GBSTHBU1V21 / SP032GBSTHBU1V21SP
micro SDXC	64GB	SP064GBSTXBU1V10 / SP064GBSTXBU1V10SP / SP064GBSTXBU1V20SP SP064GBSTXBU1V21 / SP064GBSTXBU1V21SP
	128GB	SP128GBSTXBU1V10 / SP128GBSTXBU1V10SP / SP128GBSTXBU1V20SP SP128GBSTXBU1V21 / SP128GBSTXBU1V21SP
	256GB	SP256GBSTXBU1V10 / SP256GBSTXBU1V10SP / SP256GBSTXBU1V20SP SP256GBSTXBU1V21 / SP256GBSTXBU1V21SP

**Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.

microSDHC Class 10



- Supports microSDHC devices and card readers
- Support Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSTH010V10 / SP004GBSTH010V10SP
8GB	SP008GBSTH010V10 / SP008GBSTH010V10SP
16GB	SP016GBSTH010V10 / SP016GBSTH010V10SP
32GB	SP032GBSTH010V10 / SP032GBSTH010V10SP

microSDHC Class 6



- Supports microSDHC devices and card readers
- Support Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSTH006V10 / SP004GBSTH006V10SP
8GB	SP008GBSTH006V10 / SP008GBSTH006V10SP
16GB	SP016GBSTH006V10 / SP016GBSTH006V10SP
32GB	SP032GBSTH006V10 / SP032GBSTH006V10SP

microSDHC Class 4



- Supports microSDHC devices and card readers
- Support Content Protection for Recordable Media (CPRM)
- Security level complies with Secure Digital Music Initiative (SDMI)

4GB	SP004GBSTH004V10 / SP004GBSTH004V10SP
8GB	SP008GBSTH004V10 / SP008GBSTH004V10SP
16GB	SP016GBSTH004V10 / SP016GBSTH004V10SP
32GB	SP032GBSTH004V10 / SP032GBSTH004V10SP

Compact Flash Cards



Superior SLC

CF 1100X

HI-SPEED Up to 165 MB/SEC




- High speed performance with Read/Write up to 165/151MB/s (supports UDMA 7)
- Multi-platform compatibility with advanced DSLR cameras and other devices with a CF slot
- Built-in SLC NAND Flash and supports up to 100K erase/ write cycles
- Compliant with VPG-65 standard
- Optimized for 3D, 4K and Full HD videos and images

32GB	SP032GBCFC1K1V10
64GB	SP064GBCFC1K1V10

Superior

CF 1000X

HI-SPEED Up to 150 MB/SEC




- High speed performance with Read/Write up to 150/80MB/s (supports UDMA7)
- Multi-platform compatibility with advanced DSLR cameras and other devices with a CF slot
- Compliant with VPG-20 standard

16GB	SP016GBCFC1K0V10	64GB	SP064GBCFC1K0V10
32GB	SP032GBCFC1K0V10	128GB	SP128GBCFC1K0V10

CF 600X


HI-SPEED Up to 90 MB/SEC



- High speed performance with Read up to 90MB/s (supports UDMA6)
- Multi-platform compatibility with advanced DSLR cameras and other devices with a CF slot

16GB	SP016GBCFC600V10
32GB	SP032GBCFC600V10
64GB	SP064GBCFC600V10


CF 400X



- High speed performance with Read up to 60MB/s (supports UDMA)
- Multi-platform compatibility with advanced DSLR cameras and other devices with a CF slot

8GB	SP008GBCFC400V10	32GB	SP032GBCFC400V10
16GB	SP016GBCFC400V10	64GB	SP064GBCFC400V10

CF 200X



- Speed performance with Read up to 30MB/s
- Multi-platform compatibility with advanced DSLR cameras and other devices with a CF slot

4GB	SP004GBCFC200V10	16GB	SP016GBCFC200V10
8GB	SP008GBCFC200V10	32GB	SP032GBCFC200V10

**Note: CompactFlash, CF 4.1, CF 5.0 and VPG logo are trademarks of CompactFlash Association.

Card Readers

All in One USB 3.0 Card Reader

Dimension 73.0 x 50.0 x 13.0mm
Weight 55g
Interface USB 3.0
Warranty 2 years

- Compatible with USB 3.0 and USB 2.0 devices
- Five card slots that can read and write simultaneously
- Supports new spec card & capacity (SDXC, UDMA 7)
- LED indicator

SPC39V1W



All in One USB 2.0 Card Reader

Dimension 74.5 x 60.5 x 22.5mm
Weight 50g
Interface USB 2.0
Warranty 2 years

- Compatible with USB 2.0 and USB 1.1 devices
- Five card slots that can read and write simultaneously
- Supports multiple flash memory card types

SPC33V2W



Stylish USB 2.0 USB Reader + Mobile Card Combo Pack

Dimension 35.6 x 16.6 x 7.6mm
Weight 2.6g
Interface USB 2.0
Warranty 2 years

- Card reader with microSD/microSDHC card complies with USB 1.1/2.0 interface and supports plug-and-play
- microSD/microSDHC card is compatible with mobile phones, MP3 players, PDAs and PCs for all storage needs

2GB SP002GBSDT000V81 8GB SP008GBSTH004V81
 4GB SP004GBSTH004V81 16GB SP016GBSTH004V81



**Note: microSDHC and microSDXC Logos are trademarks of SD-3C, LLC.




USB Flash Drives

3-in-1 Interface USB Flash Drive

Mobile C50

Dimension 41.7x 15.0 x 7.0mm
Weight 5.2g
Connector USB Type-A (USB 3.1 Gen 1),
 Micro-B (USB 2.0),
 Type-C (USB 3.1 Gen 1)
Warranty 5 years



- Three connectors: USB Type-A, Micro-B, Type C
- Instant storage expansion of up to 128GB for various mobile devices
- Robust TPU cap, firmly attached to the drive
- Cleverly housed micro-B within the USB connector
- Good, ergonomic grip for easy handling
- Compact and easy to carry with strap hole

32GB SP032GBUC3C50V1K
 64GB SP064GBUC3C50V1K
 128GB SP128GBUC3C50V1K

Dual-Interface USB Flash Drives

Type-C

Mobile C80

Dimension 49.4 x 18.0 x 6.6mm
Weight 8.0g
Connector USB 3.1 Gen 1 (USB 3.0) Type-A / Type-C
Warranty Lifetime warranty



- Dual interface Type-C and USB Type-A connector for easy data transfer between USB 3.0- and USB 2.0-supported desktops/laptops and Type-C devices
- Intelligent 360° swivel-cap design, no cap loss
- Stylish and sturdy zinc alloy exterior

16GB SP016GBUC3C80V1S
 32GB SP032GBUC3C80V1S
 64GB SP064GBUC3C80V1S
 128GB SP128GBUC3C80V1S



Mobile X21

Dimension 33.0 x 12.3 x 8.1mm
Weight 3.3g
Connector USB 2.0 Type-A / Micro-B
Warranty Lifetime warranty



- Supports instant memory expansion and data transmission between Android™ devices and PCs
- Intelligent 360° swivel-cap design, no cap loss
- Extremely small and lightweight

8GB SP008GBUF2X21V1K
 16GB SP016GBUF2X21V1K
 32GB SP032GBUF2X21V1K



Mobile C31

Dimension 33.2 x 12.3 x 8.5mm
Weight 3.3g
Connector USB 3.1 Gen 1 (USB 3.0) Type-A / Type-C
Warranty Lifetime warranty



- Dual interface : USB 3.1 Gen 1 (USB 3.0) Type-A / Type-C flash drive for easy data transmission between Type-A and Type-C port devices
- 360° swivel cap for flexible protection and no cap loss

16GB SP016GBUC3C31V1K
 32GB SP032GBUC3C31V1K
 64GB SP064GBUC3C31V1K
 128GB SP128GBUC3C31V1K

Mobile X20

Dimension 28.6 x 12.4 x 4.6mm
Weight 2.8g
Connector USB 2.0 Type-A / Micro-B
Warranty Lifetime warranty



- Supports instant memory expansion and data transmission between Android™ devices and PCs
- Strap hole for easy transport
- Cap attached to the drive

8GB SP008GBUF2X20V1K
 16GB SP016GBUF2X20V1K
 32GB SP032GBUF2X20V1K



Mobile X31

Dimension 33.0 x 12.3 x 8.1mm
Weight 3.3g
Connector USB 3.1 Gen 1 (USB 3.0) Type-A / Micro-B
Warranty Lifetime warranty



- USB 3.0 interface
- Supports instant memory expansion and data transmission between Android™ devices and PCs
- Intelligent 360° swivel-cap design, no cap loss



8GB SP008GBUF3X31V1K
 16GB SP016GBUF3X31V1K
 32GB SP032GBUF3X31V1K
 64GB SP064GBUF3X31V1K
 128GB SP128GBUF3X31V1K

Mobile X10

Dimension 30.7 x 12.1 x 4.6mm
Weight 3.5g
Connector USB 2.0 Type-A / Micro-B
Warranty Lifetime warranty



- Supports instant memory expansion and data transmission between Android™ devices and PCs
- Strap hole for easy transport
- Robust zinc alloy casing

8GB SP008GBUF2X10V1C
 16GB SP016GBUF2X10V1C
 32GB SP032GBUF2X10V1C

USB 3.1 Gen 1 (USB 3.0) Series

Jewel J35

Dimension 20.0 x 14.0 x 5.4mm
Weight 2.2g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Sturdy metal casing
- Extremely compact - can stay plugged where needed
- Classy and elegant like a luxurious fashion item
- Capless so no cap-loss
- COB technology with protection against water, dust, and vibration
- Strap hole for easy transport

8GB SP008GBUF3J35V1E / 64GB SP064GBUF3J35V1E
 16GB SP016GBUF3J35V1E / 128GB SP128GBUF3J35V1E
 32GB SP032GBUF3J35V1E

Jewel J30

Dimension 27.8 x 21.4 x 10.0mm
Weight 5.3g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Lid-holder strap design to prevent cap loss problem
- COB technology with protection against water, dust, and vibration



8GB SP008GBUF3J30V1R / SP008GBUF3J30V1U
 16GB SP016GBUF3J30V1R / SP016GBUF3J30V1U
 32GB SP032GBUF3J30V1R / SP032GBUF3J30V1U
 64GB SP064GBUF3J30V1R / SP064GBUF3J30V1U

Jewel J20

Dimension 22.7 x 12.2 x 4.6mm
Weight 1.5g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Sturdy metal casing
- Strap-hole for easy transport
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF3J20V1P / SP008GBUF3J20V1B
 16GB SP016GBUF3J20V1P / SP016GBUF3J20V1B
 32GB SP032GBUF3J20V1P / SP032GBUF3J20V1B
 64GB SP064GBUF3J20V1P / SP064GBUF3J20V1B

Blaze B25

Dimension 58.9 x 20.0 x 12.5mm
Weight 8.2g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Streamlined sports car design
- Retractable USB connector - protection without cap loss
- Strap hole for easy transport

8GB SP008GBUF3B25V1K / SP008GBUF3B25V1W
 16GB SP016GBUF3B25V1K / SP016GBUF3B25V1W
 32GB SP032GBUF3B25V1K / SP032GBUF3B25V1W
 64GB SP064GBUF3B25V1K / SP064GBUF3B25V1W
 128GB SP128GBUF3B25V1K / SP128GBUF3B25V1W
 256GB SP256GBUF3B25V1K / SP256GBUF3B25V1W

Blaze B21

Dimension 58.0 x 19.5 x 9.6mm
Weight 8.9g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Retractable USB connector, no cap loss
- Strap hole for easy transport

8GB SP008GBUF3B21V1K / SP008GBUF3B21V1W
 16GB SP016GBUF3B21V1K / SP016GBUF3B21V1W
 32GB SP032GBUF3B21V1K / SP032GBUF3B21V1W
 64GB SP064GBUF3B21V1K / SP064GBUF3B21V1W
 128GB SP128GBUF3B21V1K / SP128GBUF3B21V1W
 256GB SP256GBUF3B21V1K / SP256GBUF3B21V1W

Blaze B02

Dimension 60.6 x 18.0 x 8.1mm
Weight 8.0g
Interface USB 3.1 Gen 1 (USB 3.0)
Warranty Lifetime warranty



- Strap-hole for easy transport
- Modern hairline finish

8GB SP008GBUF3B02V1K / SP008GBUF3B02V1W
 16GB SP016GBUF3B02V1K / SP016GBUF3B02V1W
 32GB SP032GBUF3B02V1K / SP032GBUF3B02V1W
 64GB SP064GBUF3B02V1K / SP064GBUF3B02V1W
 128GB SP128GBUF3B02V1K / SP128GBUF3B02V1W

USB 3.1 Gen 1 (USB 3.0) Series

HI-SPEED

Marvel M70

Dimension	56.6 x 20.0 x 12.4mm
Weight	16.8g
Interface	USB 3.0
Transfer speed	Up to R/W 240/80MB/s
Warranty	Lifetime warranty

- Luxurious zinc alloy casing
- Retractable USB connector, no cap loss

32GB	SP032GBUF3M70V1S
64GB	SP064GBUF3M70V1S
128GB	SP128GBUF3M70V1S



Blaze B31

Dimension	54.2 x 20.0 x 12.1mm
Weight	8.8g
Interface	USB 3.0
Warranty	Lifetime warranty

- Ergonomically shaped with anti-slip treatment
- 360° swivel-cap with 4-point positioning patent
- LED indicator

8GB	SP008GBUF3B31V1U
16GB	SP016GBUF3B31V1U
32GB	SP032GBUF3B31V1U



64GB	SP064GBUF3B31V1U
128GB	SP128GBUF3B31V1U

Marvel M50

Dimension	54.6 x 16.8 x 7.2mm
Weight	10.0g
Interface	USB 3.0
Warranty	Lifetime warranty

- Delicate aluminum casing
- Modern design in two colors - champagne gold and aqua blue

8GB	SP008GBUF3M50V1C	■	/	SP008GBUF3M50V1B	■
16GB	SP016GBUF3M50V1C	■	/	SP016GBUF3M50V1B	■
32GB	SP032GBUF3M50V1C	■	/	SP032GBUF3M50V1B	■
64GB	SP064GBUF3M50V1C	■	/	SP064GBUF3M50V1B	■
128GB	SP128GBUF3M50V1C	■	/	SP128GBUF3M50V1B	■



Blaze B30

Dimension	53.7 x 18.0 x 10.3mm
Weight	14.8g
Interface	USB 3.0
Warranty	Lifetime warranty

- Classic diamond-cut pattern
- 360° swivel-cap with 4-point positioning patent

8GB	SP008GBUF3B30V1K
16GB	SP016GBUF3B30V1K
32GB	SP032GBUF3B30V1K
64GB	SP064GBUF3B30V1K
128GB	SP128GBUF3B30V1K
256GB	SP256GBUF3B30V1K



Blaze B50

Dimension	51.4 x 20.0 x 12.0mm
Weight	8.3g
Interface	USB 3.0
Warranty	Lifetime warranty

- Sportscar-design with streamlined curves and carbon fiber surface treatment
- Retractable USB connector, no cap loss

8GB	SP008GBUF3B50V1K	■	/	SP008GBUF3B50V1R	■
16GB	SP016GBUF3B50V1K	■	/	SP016GBUF3B50V1R	■
32GB	SP032GBUF3B50V1K	■	/	SP032GBUF3B50V1R	■
64GB	SP064GBUF3B50V1K	■	/	SP064GBUF3B50V1R	■



Blaze B10

Dimension	72.4 x 17.4 x 10.0mm
Weight	9.5g
Interface	USB 3.0
Warranty	Lifetime warranty

- Trendy pattern with heat-sensitive ink that adapts its color with temperature changes
- Special surface treatment to avoid scratches and fingerprints

8GB	SP008GBUF3B10V1B
16GB	SP016GBUF3B10V1B
32GB	SP032GBUF3B10V1B
64GB	SP064GBUF3B10V1B
128GB	SP128GBUF3B10V1B



USB 3.1 Gen 1 (USB 3.0) Series

Jewel J80

Dimension	44.0 x 18.0 x 4.5mm
Weight	5.9g
Interface	USB 3.0
Warranty	Lifetime warranty

- Sturdy zinc alloy casing
- Ergonomic design, easy to use and grip
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J80V1T
16GB	SP016GBUF3J80V1T
32GB	SP032GBUF3J80V1T
64GB	SP064GBUF3J80V1T
128GB	SP128GBUF3J80V1T



Jewel J50

Dimension	24.3 x 12.2 x 4.6mm
Weight	2.6g
Interface	USB 3.0
Warranty	Lifetime warranty

- Sturdy zinc alloy casing
- Trendy accessory
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J50V1T
16GB	SP016GBUF3J50V1T
32GB	SP032GBUF3J50V1T
64GB	SP064GBUF3J50V1T



Jewel J08

Dimension	24.2 x 15.8 x 7.8mm
Weight	3.6g
Interface	USB 3.0
Warranty	Lifetime warranty

- Special shape for easy plug and use
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J08V1K	■	/	SP008GBUF3J08V1R	■
16GB	SP016GBUF3J08V1K	■	/	SP016GBUF3J08V1R	■
32GB	SP032GBUF3J08V1K	■	/	SP032GBUF3J08V1R	■
64GB	SP064GBUF3J08V1K	■	/	SP064GBUF3J08V1R	■



Jewel J07

Dimension	25.7 x 17.1 x 9.7mm
Weight	5.6g
Interface	USB 3.0
Warranty	Lifetime warranty

- Compact rubber casing, easy to store and carry
- Lid-holder strap to avoid cap loss
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J07V1B	■	/	SP008GBUF3J07V1T	■
16GB	SP016GBUF3J07V1B	■	/	SP016GBUF3J07V1T	■
32GB	SP032GBUF3J07V1B	■	/	SP032GBUF3J07V1T	■
64GB	SP064GBUF3J07V1B	■	/	SP064GBUF3J07V1T	■



Jewel J10

Dimension	31.5 x 12.2 x 4.6mm
Weight	3.1g
Interface	USB 3.0
Warranty	Lifetime warranty

- Sleek stainless steel casing
- Delicate logo sculpture
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J10V1K
16GB	SP016GBUF3J10V1K
32GB	SP032GBUF3J10V1K
64GB	SP064GBUF3J10V1K



Jewel J06

Dimension	24.0 x 16.0 x 8.5mm
Weight	3.6g
Interface	USB 3.0
Warranty	Lifetime warranty

- Tiny and trendy
- Ergonomic shape for easy handling
- COB technology with protection against water, dust, and vibration

8GB	SP008GBUF3J06V1D
16GB	SP016GBUF3J06V1D
32GB	SP032GBUF3J06V1D
64GB	SP064GBUF3J06V1D



USB 3.1 Gen 1 (USB 3.0) Series

Jewel J01

Dimension 24.7 x 13.8 x 4.6mm
Weight 2.6g
Interface USB 3.0
Warranty Lifetime warranty



- Sturdy metal casing with matte finish
- Tiny and lightweight
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF3J01V1R 32GB SP032GBUF3J01V1R
 16GB SP016GBUF3J01V1R 64GB SP064GBUF3J01V1R

Blaze B20

Dimension 55.0 x 20.0 x 8.6mm
Weight 13.0g
Interface USB 3.0
Warranty Lifetime warranty



- Luxurious diamond cut pattern
- Retractable USB connector, no cap loss
- Matte sandblasting surface to avoid fingerprints and scratches

8GB SP008GBUF3B20V1K 64GB SP064GBUF3B20V1K
 16GB SP016GBUF3B20V1K 128GB SP128GBUF3B20V1K
 32GB SP032GBUF3B20V1K

Marvel M01

Dimension 60.6 x 18.0 x 8.1mm
Weight 10.0g
Interface USB 3.0
Warranty Lifetime warranty



- Durable and scratch-resistant aluminum casing
- LED indicator

8GB SP008GBUF3M01V1B 64GB SP064GBUF3M01V1B
 16GB SP016GBUF3M01V1B 128GB SP128GBUF3M01V1B
 32GB SP032GBUF3M01V1B

Blaze B06

Dimension 59.7 x 19.4 x 10.0mm
Weight 9.0g
Interface USB 3.0
Warranty Lifetime warranty



- Edgy design
- Snap-on cap to avoid cap loss

8GB SP008GBUF3B06V1W 64GB SP064GBUF3B06V1W
 16GB SP016GBUF3B06V1W 128GB SP128GBUF3B06V1W
 32GB SP032GBUF3B06V1W



AES 256

Secure G50

Dimension 53.9 x 20.0 x 10.0mm
Weight 9.2g
Interface USB 3.0
Warranty 5 years



- AES 256-bit hardware-based full disk encryption in XTS mode
- Pre-loaded program, no need to install a driver

8GB SP008GBUF3G50V1K 32GB SP032GBUF3G50V1K
 16GB SP016GBUF3G50V1K 64GB SP064GBUF3G50V1K

Blaze B05

Dimension 53.9 x 20.0 x 10.0mm
Weight 9.2g
Interface USB 3.0
Warranty Lifetime warranty



- Retractable USB connector, no cap loss
- Matte sandblasting surface to avoid scratches and fingerprints

8GB SP008GBUF3B05V1H / SP008GBUF3B05V1D / SP008GBUF3B05V1K ■
 16GB SP016GBUF3B05V1H / SP016GBUF3B05V1D / SP016GBUF3B05V1K ■
 32GB SP032GBUF3B05V1H / SP032GBUF3B05V1D / SP032GBUF3B05V1K ■
 64GB SP064GBUF3B05V1H / SP064GBUF3B05V1D / SP064GBUF3B05V1K ■
 128GB SP128GBUF3B05V1H / SP128GBUF3B05V1D / SP128GBUF3B05V1K ■

USB 2.0 Series

Touch T35

Dimension 20.0 x 14.0 x 5.4mm
Weight 2.0g
Interface USB 2.0
Warranty Lifetime warranty



- Sturdy metal casing
- Extremely compact - can stay plugged where needed
- Classy and elegant like a luxurious fashion item
- Capless with no cap-loss
- COB technology with protection against water, dust, and vibration
- Strap hole for easy transport

8GB SP008GBUF2T35V1K 32GB SP032GBUF2T35V1K
 16GB SP016GBUF2T35V1K 64GB SP064GBUF2T35V1K

Touch T50

Dimension 24.3 x 12.2 x 4.6mm
Weight 2.6g
Interface USB 2.0
Warranty Lifetime warranty



- Stylish and sturdy zinc alloy casing
- Trendy accessory
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF2T50V1C 32GB SP032GBUF2T50V1C
 16GB SP016GBUF2T50V1C 64GB SP064GBUF2T50V1C

Touch T30

Dimension 27.8 x 21.4 x 10.0mm
Weight 5.3g
Interface USB 2.0
Warranty Lifetime warranty



- Lid-holder strap to prevent cap loss
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF2T30V1E / SP008GBUF2T30V1B ■
 16GB SP016GBUF2T30V1E / SP016GBUF2T30V1B ■
 32GB SP032GBUF2T30V1E / SP032GBUF2T30V1B ■
 64GB SP064GBUF2T30V1E / SP064GBUF2T30V1B ■

Touch T09

Dimension 28.0 x 18.0 x 8.9mm
Weight 3.9g
Interface USB 2.0
Warranty Lifetime warranty



- Tiny and trendy
- Strap hole for easy transport
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF2T09V1W □
 16GB SP016GBUF2T09V1W □
 32GB SP032GBUF2T09V1W □

Touch T20

Dimension 22.7 x 12.2 x 4.6mm
Weight 1.5g
Interface USB 2.0
Warranty Lifetime warranty



- Sturdy metallic casing with sophisticated curves
- Strap hole for easy transport
- COB technology with protections against water, dust and vibration

8GB SP008GBUF2T20V1C 32GB SP032GBUF2T20V1C
 16GB SP016GBUF2T20V1C 64GB SP064GBUF2T20V1C

Touch T08

Dimension 24.2 x 15.8 x 7.8mm
Weight 3.6g
Interface USB 2.0
Warranty Lifetime warranty



- Special shape for easy plug and use
- COB technology with protection against water, dust, and vibration

4GB SP004GBUF2T08V1W □ / SP004GBUF2T08V1H ■
 8GB SP008GBUF2T08V1W □ / SP008GBUF2T08V1H ■
 16GB SP016GBUF2T08V1W □ / SP016GBUF2T08V1H ■
 32GB SP032GBUF2T08V1W □ / SP032GBUF2T08V1H ■
 64GB SP064GBUF2T08V1W □ / SP064GBUF2T08V1H ■

USB 2.0 Series

Touch T07

Dimension 25.7 x 17.1 x 9.7mm
Weight 5.6g
Interface USB 2.0
Warranty Lifetime warranty



- Compact rubber casing, easy to store and carry
- Lid-holder strap to prevent cap loss
- COB technology with protection against water, dust, and vibration



4GB SP004GBUF2T07V1P / SP004GBUF2T07V1B
 8GB SP008GBUF2T07V1P / SP008GBUF2T07V1B
 16GB SP016GBUF2T07V1P / SP016GBUF2T07V1B
 32GB SP032GBUF2T07V1P / SP032GBUF2T07V1B
 64GB SP064GBUF2T07V1P / SP064GBUF2T07V1B

Touch T06

Dimension 24.0 x 16.0 x 8.5mm
Weight 3.6g
Interface USB 2.0
Warranty Lifetime warranty



- Tiny and trendy
- Ergonomic shape for easy handling
- COB technology with protection against water, dust, and vibration



4GB SP004GBUF2T06V1K / SP004GBUF2T06V1W
 8GB SP008GBUF2T06V1K / SP008GBUF2T06V1W
 16GB SP016GBUF2T06V1K / SP016GBUF2T06V1W
 32GB SP032GBUF2T06V1K / SP032GBUF2T06V1W
 64GB SP064GBUF2T06V1K / SP064GBUF2T06V1W

Touch T03

Dimension 31.5 x 12.2 x 4.6mm
Weight 3.3g
Interface USB 2.0
Warranty Lifetime warranty



- Sleek stainless steel casing
- Delicate logo sculpture
- COB technology with protection against water, dust, and vibration

4GB SP004GBUF2T03V1F / 32GB SP032GBUF2T03V1F
 8GB SP008GBUF2T03V1F / 64GB SP064GBUF2T03V1F
 16GB SP016GBUF2T03V1F

Touch T01

Dimension 24.7 x 13.8 x 4.6mm
Weight 2.6g
Interface USB 2.0
Warranty Lifetime warranty



- Sturdy metal casing in matte finish
- Tiny and lightweight
- COB technology with protection against water, dust, and vibration



4GB SP004GBUF2T01V1K / 32GB SP032GBUF2T01V1K
 8GB SP008GBUF2T01V1K / 64GB SP064GBUF2T01V1K
 16GB SP016GBUF2T01V1K

Touch 835

Dimension 35.5 x 12.3 x 4.5mm
Weight 4.5g
Interface USB 2.0
Warranty Lifetime warranty



- Metal sandblasted coating
- Modern colors: starlight blue and iron gray
- COB technology with protection against water, dust, and vibration

4GB SP004GBUF2835V1T / SP004GBUF2835V1B
 8GB SP008GBUF2835V1T / SP008GBUF2835V1B
 16GB SP016GBUF2835V1T / SP016GBUF2835V1B
 32GB SP032GBUF2835V1T / SP032GBUF2835V1B
 64GB SP064GBUF2835V1T / SP064GBUF2835V1B

Touch 830

Dimension 35.0 x 12.3 x 3.5mm
Weight 4.0g
Interface USB 2.0
Warranty Lifetime warranty



- Stainless steel casing
- COB technology with protection against water, dust, and vibration



4GB SP004GBUF2830V1S / 32GB SP032GBUF2830V1S
 8GB SP008GBUF2830V1S / 64GB SP064GBUF2830V1S
 16GB SP016GBUF2830V1S

USB 2.0 Series

Firma F80

Dimension 44.0 x 18.0 x 4.5mm
Weight 5.9g
Interface USB 2.0
Warranty Lifetime warranty



- Exquisite and sturdy zinc alloy exterior
- Ergonomic design
- COB technology with protection against water, dust, and vibration



8GB SP008GBUF2F80V1S / 32GB SP032GBUF2F80V1S
 16GB SP016GBUF2F80V1S / 64GB SP064GBUF2F80V1S

Ultima U31

Dimension 54.2 x 20.0 x 12.1mm
Weight 8.8g
Interface USB 2.0
Warranty Lifetime warranty



- Ergonomic shape and anti-slip treatment
- 360° swivel-cap design with 4-position rotating patent



4GB SP004GBUF2U31V1R / SP004GBUF2U31V1Y
 8GB SP008GBUF2U31V1R / SP008GBUF2U31V1Y
 16GB SP016GBUF2U31V1R / SP016GBUF2U31V1Y
 32GB SP032GBUF2U31V1R / SP032GBUF2U31V1Y
 64GB SP064GBUF2U31V1R / SP064GBUF2U31V1Y

Ultima U06

Dimension 59.7 x 19.4 x 10.0mm
Weight 9.0g
Interface USB 2.0
Warranty Lifetime warranty



- Delicate beveled-shaped look
- Snap-on cap design to prevent cap loss



4GB SP004GBUF2U06V1B / SP004GBUF2U06V1P
 8GB SP008GBUF2U06V1B / SP008GBUF2U06V1P
 16GB SP016GBUF2U06V1B / SP016GBUF2U06V1P
 32GB SP032GBUF2U06V1B / SP032GBUF2U06V1P
 64GB SP064GBUF2U06V1B / SP064GBUF2U06V1P

Ultima U05

Dimension 53.9 x 20.0 x 10.0mm
Weight 9.2g
Interface USB 2.0
Warranty Lifetime warranty



- Retractable USB connector, no cap loss
- Matte sandblasting surface to avoid scratches and fingerprints

4GB SP004GBUF2U05V1H / SP004GBUF2U05V1D / SP004GBUF2U05V1K
 8GB SP008GBUF2U05V1H / SP008GBUF2U05V1D / SP008GBUF2U05V1K
 16GB SP016GBUF2U05V1H / SP016GBUF2U05V1D / SP016GBUF2U05V1K
 32GB SP032GBUF2U05V1H / SP032GBUF2U05V1D / SP032GBUF2U05V1K
 64GB SP064GBUF2U05V1H / SP064GBUF2U05V1D / SP064GBUF2U05V1K

Ultima U03

Dimension 55.0 x 20.0 x 8.6mm
Weight 13.0g
Interface USB 2.0
Warranty Lifetime warranty



- Luxurious diamond cut pattern
- Retractable USB connector, no cap loss



4GB SP004GBUF2U03V1K / SP004GBUF2U03V1W
 8GB SP008GBUF2U03V1K / SP008GBUF2U03V1W
 16GB SP016GBUF2U03V1K / SP016GBUF2U03V1W
 32GB SP032GBUF2U03V1K / SP032GBUF2U03V1W
 64GB SP064GBUF2U03V1K / SP064GBUF2U03V1W

Ultima U02

Dimension 60.6 x 18.0 x 8.1mm
Weight 8.0g
Interface USB 2.0
Warranty Lifetime warranty



- Strap hole for easy transport
- Modern hairline finish

4GB SP004GBUF2U02V1K / 32GB SP032GBUF2U02V1K
 8GB SP008GBUF2U02V1K / 64GB SP064GBUF2U02V1K
 16GB SP016GBUF2U02V1K

USB 2.0 Series

LuxMini 720

Dimension 54.6 x 16.8 x 7.2mm
Weight 10.0g
Interface USB 2.0
Warranty Lifetime warranty



- Exquisite aluminum casing
- Elegant, polished shine

4GB SP004GBUF2720V1Z ■ / SP004GBUF2720V1H ■ / SP004GBUF2720V1D ■
 8GB SP008GBUF2720V1Z ■ / SP008GBUF2720V1H ■ / SP008GBUF2720V1D ■
 16GB SP016GBUF2720V1Z ■ / SP016GBUF2720V1H ■ / SP016GBUF2720V1D ■
 32GB SP032GBUF2720V1Z ■ / SP032GBUF2720V1H ■ / SP032GBUF2720V1D ■
 64GB SP064GBUF2720V1Z ■ / SP064GBUF2720V1H ■ / SP064GBUF2720V1D ■

LuxMini 710

Dimension 49.7 x 15.5 x 7.1mm
Weight 10.0g
Interface USB 2.0
Warranty Lifetime warranty



- Sophisticated metal body
- Polished and fingerprint-resistant

4GB SP004GBUF2710V1K ■ / SP004GBUF2710V1S ■
 8GB SP008GBUF2710V1K ■ / SP008GBUF2710V1S ■
 16GB SP016GBUF2710V1K ■ / SP016GBUF2710V1S ■
 32GB SP032GBUF2710V1K ■ / SP032GBUF2710V1S ■
 64GB SP064GBUF2710V1K ■ / SP064GBUF2710V1S ■

Helios 101

Dimension 55.5 x 19.3 x 7.1mm
Weight 10.0g
Interface USB 2.0
Warranty Lifetime warranty



- Aluminum matte finish to avoid scratches and fingerprints
- Two vibrant colors

4GB SP004GBUF2101V1N ■ / SP004GBUF2101V1B ■
 8GB SP008GBUF2101V1N ■ / SP008GBUF2101V1B ■
 16GB SP016GBUF2101V1N ■ / SP016GBUF2101V1B ■
 32GB SP032GBUF2101V1N ■ / SP032GBUF2101V1B ■
 64GB SP064GBUF2101V1N ■ / SP064GBUF2101V1B ■

LuxMini 322

Dimension 65.3 x 18.3 x 8.4mm
Weight 9.0g
Interface USB 2.0
Warranty Lifetime warranty



- Elegant piano lacquer finish
- Electroplating treatment

4GB SP004GBUF2322V1K ■ / SP004GBUF2322V1S ■
 8GB SP008GBUF2322V1K ■ / SP008GBUF2322V1S ■
 16GB SP016GBUF2322V1K ■ / SP016GBUF2322V1S ■
 32GB SP032GBUF2322V1K ■ / SP032GBUF2322V1S ■
 64GB SP064GBUF2322V1K ■ / SP064GBUF2322V1S ■

LuxMini 320

Dimension 65.3 x 18.3 x 8.4mm
Weight 9.0g
Interface USB 2.0
Warranty Lifetime warranty



- Elegant piano lacquer finish
- Electroplating treatment

4GB SP004GBUF2320V1W ■ / SP004GBUF2320V1S ■
 8GB SP008GBUF2320V1W ■ / SP008GBUF2320V1S ■
 16GB SP016GBUF2320V1W ■ / SP016GBUF2320V1S ■
 32GB SP032GBUF2320V1W ■ / SP032GBUF2320V1S ■
 64GB SP064GBUF2320V1W ■ / SP064GBUF2320V1S ■

Ultima II I-Series

Dimension 60.6 x 18.0 x 8.1mm
Weight 10.0g
Interface USB 2.0
Warranty Lifetime warranty



- Aluminum matte finish to avoid scratches and fingerprints
- Strap hole for easy transport

4GB SP004GBUF2M01V1K ■ / SP004GBUF2M01V1S ■
 8GB SP008GBUF2M01V1K ■ / SP008GBUF2M01V1S ■
 16GB SP016GBUF2M01V1K ■ / SP016GBUF2M01V1S ■
 32GB SP032GBUF2M01V1K ■ / SP032GBUF2M01V1S ■
 64GB SP064GBUF2M01V1K ■ / SP064GBUF2M01V1S ■

Multi-Pack
 24GB SP024GBUF2M01VCM ■ / SP024GBUF2M01V1S ■
 48GB SP048GBUF2M01VCM ■ / SP048GBUF2M01V1S ■

USB 2.0 Series

Touch 850

Dimension 31.6 x 16.4 x 6.0mm
Weight 6.3g
Interface USB 2.0
Warranty Lifetime warranty



- Rugged zinc alloy construction
- COB technology with protection against water, dust, and vibration

4GB SP004GBUF2850V1A ■ / SP004GBUF2850V1T ■
 8GB SP008GBUF2850V1A ■ / SP008GBUF2850V1T ■
 16GB SP016GBUF2850V1A ■ / SP016GBUF2850V1T ■
 32GB SP032GBUF2850V1A ■ / SP032GBUF2850V1T ■
 64GB SP064GBUF2850V1A ■ / SP064GBUF2850V1T ■



Touch 810

Dimension 34.5 x 15.0 x 5.2mm
Weight 5.0g
Interface USB 2.0
Warranty Lifetime warranty



- Jewelry-fashion with embedded Swarovski crystal
- COB technology with protection against water, dust, and vibration

4GB SP004GBUF2810V1B ■ / SP004GBUF2810V1R ■
 8GB SP008GBUF2810V1B ■ / SP008GBUF2810V1R ■
 16GB SP016GBUF2810V1B ■ / SP016GBUF2810V1R ■
 32GB SP032GBUF2810V1B ■ / SP032GBUF2810V1R ■
 64GB SP064GBUF2810V1B ■ / SP064GBUF2810V1R ■



Unique 550

Dimension 40.8 x 41.1 x 24.5mm
Weight 19.4g
Interface USB 2.0
Warranty Lifetime warranty



- Sturdy rubber exterior for easy grip and transport
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF2550V1K ■ / SP008GBUF2550V1S ■
 16GB SP016GBUF2550V1K ■ / SP016GBUF2550V1S ■

Unique 510

Dimension 41.0 x 20.6 x 8.6mm
Weight 5.1g
Interface USB 2.0
Warranty Lifetime warranty



- Compact rubber casing
- COB technology with protection against water, dust, and vibration

8GB SP008GBUF2510V1P ■ / SP008GBUF2510V1B ■
 16GB SP016GBUF2510V1P ■ / SP016GBUF2510V1B ■
 32GB SP032GBUF2510V1P ■ / SP032GBUF2510V1B ■
 64GB SP064GBUF2510V1P ■ / SP064GBUF2510V1B ■



Power Banks



Power S105

Capacity	10,000mAh
Dimension	134.0 x 70.0 x 14.8mm
Weight	230g
Input Lightning	5V/1A
Input Micro	5V/2A
Output USB	5V/2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Ultra-slim
- Stylish metal casing
- Charges 3.5 smartphones in one charging cycle
- High quality Li-polymer battery

SP10KMAPBK105P0K <input checked="" type="checkbox"/>	SP10KMAPBK105P0B <input checked="" type="checkbox"/>
SP10KMAPBK105P0C <input checked="" type="checkbox"/>	SP10KMAPBK105P0P <input checked="" type="checkbox"/>

Power S55

Capacity	5,000mAh
Dimension	124.0 x 68.0 x 9.2mm
Weight	140g
Input Lightning	5V/1A
Input Micro	5V/2A
Output USB	5V/2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Ultra-slim
- Stylish metal casing
- Charges 1.5 smartphones in one charging cycle
- High quality Li-polymer battery

SP5K0MAPBKS55P0K <input checked="" type="checkbox"/>	SP5K0MAPBKS55P0B <input checked="" type="checkbox"/>
SP5K0MAPBKS55P0C <input checked="" type="checkbox"/>	SP5K0MAPBKS55P0P <input checked="" type="checkbox"/>



Power for Everyone!

This power bank series caters for every need and budget with four capacities and two color choices. For flexibility and safe, high-quality charging.

- Dual output for simultaneous charging of two devices
- LED light charging indicator
- High quality Li-polymer battery

Power S100

Capacity	10,000mAh
Dimension	123.0 x 71.0 x 19.0mm
Weight	220g
Input	DC 5V/2A
Output	USB1: DC 5V/2.1A
	USB 2: DC 5V/1A
	USB 1 + USB 2: DC5V/2.1A (max)
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Fully charges 3.5 smartphones in one charging cycle

SP10KMAPBK100P0K <input checked="" type="checkbox"/>
SP10KMAPBK100P0W <input type="checkbox"/>



Power S200

Capacity	20,000mAh
Dimension	160.0 x 80.0 x 20.0mm
Weight	430g
Input	DC 5V/2A
Output	USB 1: DC 5V/2.1A
	USB 2: DC 5V/1A
	USB 1 + USB 2: DC5V/2.1A (max)
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Fully charges 6.5 smartphones in one charging cycle

SP20KMAPBK200P0K <input checked="" type="checkbox"/>
SP20KMAPBK200P0W <input type="checkbox"/>



Power S50

Capacity	5,000mAh
Dimension	119.0 x 66.0 x 12.0mm
Weight	125g
Input	DC 5V/2A
Output	USB1: DC 5V/2.1A
	USB 2: DC 5V/1A
	USB 1 + USB 2: DC5V/2.1A (max)
Protections	OVP / UVP / OCP / SCP
Warranty	13-month warranty

- Fully charges 1.5 smartphones in one charging cycle

SP5K0MAPBKS50P0K <input checked="" type="checkbox"/>
SP5K0MAPBKS50P0W <input type="checkbox"/>



Power S150

Capacity	15,000mAh
Dimension	140.0 x 72.0 x 20.0mm
Weight	330g
Input	DC 5V/2A
Output	USB 1: DC 5V/2.1A
	USB 2: DC 5V/1A
	USB 1 + USB 2: DC5V/2.1A (max)
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Fully charges 5 smartphones in one charging cycle

SP15KMAPBK150P0K <input checked="" type="checkbox"/>
SP15KMAPBK150P0W <input type="checkbox"/>



Power S103

Capacity	10,000mAh
Dimension	143.5 x 78.0 x 17.0mm
Weight	232g
Input	DC 5V/2A
Output	5V/2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months

- Convenient cable carry function
- Two connector cable: micro-B and USB Type-A
- LCD display for accurate charging status indication
- Leather like surface texture to prevent scratches and fingerprints
- High quality Li-polymer battery
- Fully charges 3.5 smartphones

SP10KMAPBK103P0K <input checked="" type="checkbox"/>
SP10KMAPBK103P0W <input type="checkbox"/>



Power Banks

Power S102

Capacity	12,000mAh
Dimension	156.4 x 76.2 x 18.3mm
Weight	280g
Input	DC 5V / 2A
Output	USB 1: DC 5V / 2.1A USB 2: DC 5V / 1A USB 1 + USB 2: DC 5V / 2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months



- Li-Polymer battery cell
- Curved surface to offer a smooth feel of touch
- Rubber cover to keep devices from slipping or scratching
- Plug and charge, 10-second power saving mode

SP12KMAPBK102P5K
 SP12KMAPBK102P5W

Power S82

Capacity	8000mAh
Dimension	156.4 x 76.2 x 14.3mm
Weight	200g
Input	DC 5V / 2A
Output	USB 1: DC 5V / 2.1A USB 2: DC 5V / 1A USB 1 + USB 2: DC 5V / 2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months



- Li-Polymer battery cell
- Curved surface for a smooth touch
- Rubber cover to keep devices from slipping or scratching
- Plug and charge, 10-second power saving mode

SP8K0MAPBKS82P5K
 SP8K0MAPBKS82P5W

Power P101

Capacity	10,400mAh
Dimension	101.9 x 86.1 x 25.0mm
Weight	233g
Input	DC 5V / 2A
Output	USB 1: DC 5V / 2.1A USB 2: DC 5V / 1A USB 1+USB 2: DC 5V / 2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months



- Samsung battery cell
- Plug and charge, 10-second power saving mode
- Flashlight and 4-level LED indicator to show charging status

SP10KMAPBK101C1W
 SP10KMAPBK101C1K

Power P81

Capacity	7,800mAh
Dimension	101.9 x 64.6 x 25.0mm
Weight	173g
Input	DC 5V / 2A
Output	USB 1: DC 5V / 2.1A USB 2: DC 5V / 1A USB 1 + USB 2: DC 5V / 2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months



- Samsung battery cell
- Plug and charge, 10-second power saving mode
- Flashlight and 4-level LED indicator to show charging status

SP7K8MAPBK81C1W
 SP7K8MAPBK81C1K

Power P52

Capacity	5200 mAh/18.72Wh
Dimension	92.6 x 47.6 x 22.6 mm
Weight	116g
Input	DC 5V / 2A
Output	DC 5V / 2.4A
Protections	OVP / UVP / OCP / SCP
Warranty	13-month warranty



- LG battery cell
- Smart IC Technology and high output power to charge faster
- Plug and charge, 15-second power saving mode
- Flashlight design and 4-level LED indicator to show charging status

SP5K2MAPBKP52C6W (with cable)
 SP5K2MAPBKP52D6W

Power P51

Capacity	5,200mAh
Dimension	98.0 x 45.0 x 24.7mm
Weight	121g
Input	DC 5V / 1.2A
Output	DC 5V / 2.1A
Protections	OVP / UVP / OCP / SCP
Warranty	13 months



- Samsung battery cell
- Plug and charge, 10-second power saving mode
- Flashlight and 4-level LED indicator to show charging status

SP5K2MAPBKP51C1W
 SP5K2MAPBKP51C1K

Batteries

Alkaline AA Battery

Type	AA
Voltage	1.5V
Dimensions	14.5 x 50.5mm
Weight	23g

SPAL02ABAT40PV1K



Carbon Zinc AA Battery

Type	AA
Voltage	1.5V
Dimensions	14.5 x 50.5mm
Weight	17.3g

SPCZ02ABAT40PV2K



Alkaline AAA Battery

Type	AAA
Voltage	1.5V
Dimensions	10.5 x 44.5mm
Weight	11.5g

SPAL03ABAT40PV1K



Carbon Zinc AAA Battery

Type	AAA
Voltage	1.5V
Dimensions	10.5 x 44.5mm
Weight	8.5g

SPCZ03ABAT40PV2K






**Note: For all electronic devices, e.g. toys, photographic equipment, calculators, audio appliances, remote controls, keyboards, mice etc.

Portable SSDs




Solid State Drives



Memory Modules




External Storage






Apple Solutions



Flash Cards / Card Readers



USB Flash Drives



Power Banks



Batteries

