# 

#### MEAS | MEAS U5200

TE Internal #: U5244-000005-200PA TE Internal Description: PRESS XDCR U5244-000005-200PA +/-1.25% TEB Pressure Transducer

#### View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > +/-1.25% TEB Pressure Transducer



Pressure Transducer Sensor Type: Industrial Pressure Transducers

Pressure: [200 psi]

Output/Span: 1-5V

Pressure Type: Absolute

Pressure Accuracy: Down to ± .1% FSO

All +/-1.25% TEB Pressure Transducer (7)

#### Features

#### **Product Type Features**

Pressure Transducer Sensor Type

Pressure Type

Industrial Pressure Transducers

Absolute

#### **Configuration Features**

Electrical Connection	Packard				
Pressure Port/Fitting	1/4 MNPT				
Electrical Characteristics					
Pressure Transducer Supply Voltage	8 – 30 V				
Body Features					
Port Material	316L				
Dimensions					
Dimensions	24 x 24 x 82 mm[.94 x .94 x 3.23 in]				
Usage Conditions					
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]				
Operation/Application					
Proof Pressure Range	3X Rated				
	200 psi				



## Output/Span

Pressure Accuracy

#### Other

Options

#### 1-5V

Down to  $\pm .1\%$  FSO

Adhesive Label, No Snubber

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Compliant with Exemptions

Not Yet Reviewed

Restricted Materials Above Threshold

Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

#### Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## **Compatible Parts**



PRESS XDCR U5244-000005-200PA



# Also in the Series MEAS U5200



# Customers Also Bought



TE Part #1-480707-9 09P UMNL CAP HSG BLK	TE Part #5-747917-2 37 Rcpt Solder Cup, Gold Flash	TE Part #5748676-4 DIE CAST CBL CLMP KIT,SZ 4	TE Part #350538-3 UMNL PIN 20-14 .0125 PTPPHBZ
TE Part #2001140-03 PACKARD INTERFACE CONN/CBL 3'	TE Part #M5251-000005-100PG PRESS XDCR M5251-000005-100PG		

## Documents

**CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_U5244-000005-200PA\_G.2d\_dxf.zip English Customer View Model PRESS XDCR U5244-000005-200PA



ENG\_CVM\_CVM\_U5244-000005-200PA\_G.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_U5244-000005-200PA\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages U5200

English