

Data sheet | Item number: 211-812

Nozzles; Length: 12 mm; For the use of 211-811; halogen-free; Cable outer diameter: 1.4 ... 5.0 mm; transparent

<https://www.wago.com/211-812>



Technical data

Suitable	for wire diameter 1.4 ... 5 mm
Delivery form	Component
Properties	for one 211-811 marker
Printing device	Smart Printer (thermal transfer printer)

Physical data

Length	12 mm
--------	-------

Mechanical data

Mounting type	Sliding on
---------------	------------

Material data

Color	transparent
Material	Polyurethane
Adhesive information	without adhesive
Halogen-free	Yes
Weight	0.2 g
Fire load	0 MJ

Environmental requirements

Surrounding air temperature (storage)	+5 ... +40 °C
Ambient temperature (operation)	-40 ... +80 °C
Relative humidity	40 ... 80 %

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-04-01
ETIM 8.0	EC001530
ETIM 7.0	EC001530
PU (SPU)	500 Stück
Packaging type	Box
Country of origin VKOrg Germany	IT
GTIN	4050821674986
Customs tariff number VKOrg Germany	39269097900

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 211-812



1 Compatible products

1.1 Required accessories

1.1.1 Marking

1.1.1.1 Marker



Item no.: 211-811

Marker card; for Smart Printer; for use in
nozzles; Length: 12 mm; white


Installation notes

Application



Slide the marker into the marking sleeve
receptacle. Replacing the marker is also
possible after the conductor has been ter-
minated.

Application



Compress the sleeve and slide it onto the conductor to be marked.