

## 3-ph.comm.link PKZM0..f.1aux.cont.

For parallel power feed to several motor-protective circuit-breakers on terminals 1, 3, 5

Powering Business Worldwide™

Part no. B3.2/2-PKZ0 Article no. 063963

### **Program**

Product range		Accessories
Accessories		Three-phase commoning link
		Protected against accidental contact, short-circuit proof, $U_e$ = 690 V, $I_u$ = 63 A Can be extended by rotating by installation for PKZM0 or PKE: attached with an auxiliary contact and a tripindicating auxiliary contact on the right or attached on the left with a shunt release
Circuit-breaker	Number	2
Length	mm	108
Unit width	mm	45 + 18
Notes		

Approbationen
UL approval
CSA approval
Product Standards UL File No. UL CCN CSA File No. CSA Class No.

NA Certification Specially designed for NA Yes

UL 508; CSA-C22.2 No. 14; IEC60947-4-1; CE marking

E36332 NLRV 98494 3211-06

UL listed, CSA certified


## **Main conducting paths**

Rated impulse withstand voltage	U <sub>imp</sub>	V AC	6000
Overvoltage category/pollution degree			III/3
Rated operational voltage	U <sub>e</sub>	V AC	690
Rated uninterrupted current	l <sub>u</sub>	Α	63

# Technical data according to ETIM 4.0

Insulated			YES
Number of phases			3
Cross-section	m	nm²	0
Rated uninterrupted current lu	А	٨	63
Length	m	nm	108
Rated conditional short-circuit current Iq	k.	£Α	0
Rated impulse voltage	k۱	.V	6
Design of electrical connection			Fork connector
Rated short-time withstand current Icw	k/	:A	0
Suitable for devices with auxiliary contacts			No
Suitable for devices with neutral pole			No
Suitable for number of devices			2
Max. rated operating voltage Ue	V	1	690
Unit width	m	nm	63

#### **Dimensions**



# **Additional product information (links)**

AWA1210-2295 (IL03402013Z) Three-phase commoning link

Motor starters and "Special Purpose Ratings" for the North American

Busbar Component Adapters for modern Industrial control panels

ftp://ftp.moeller.net/DOCUMENTATION/AWA\_INSTRUCTIONS/22950506.pdf

http://www.moeller.net/binary/ver\_techpapers/ver953en.pdf

http://www.moeller.net/binary/ver\_techpapers/ver960en.pdf