



3334/6 Screwdriver Set, stainless + Rack



3334/3350/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032060002	⊖	3334	1 x 1.2x6.5x150	1
	⊖	3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕	3350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip

Application: For slotted, Phillips and Pozidriv²⁾ screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032063005	⊖	3334	1 x 1.2x6.5x150	1
	⊖	3335	1 x 0.5x3.0x80 ¹⁾	
	⊕	3350 PH	1 x PH 1x80; 1 x PH 2x100	
	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3334/3355/6 Screwdriver Set, stainless + Rack



3367/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted and Pozidriv²⁾ screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032061003	⊖	3334	1 x 1.2x6.5x150	1
	⊖	3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Application: TORX[®]- and Pozidriv¹⁾-screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032062005	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	1
	⊕	3367 TORX [®]	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100	

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Stainless Series

Keeps rust at bay.

3160 i VDE Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Conical edge, Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm			
05022729002 ¹⁾	0.5	3.0	80	81	1/8"	3 1/8"	10
05022730002	0.6	3.5	100	81	9/64"	4"	10
05022731002	0.8	4.0	100	98	5/32"	4"	10
05022732002	1.0	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i VDE PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm		
05022733002	PH 1	80	98	3 1/8"		10
05022734002	PH 2	100	105	4"		10

3160 i/7 Screwdriver Set, stainless + Rack



Application: Slotted and Phillips screws
Contents: Stainless steel, 7 parts set in display box + rack

Code				
05022728002	⊖	3160 i VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	1
	⊕	3162 i VDE	1 x PH 1x80; 1 x PH 2x100	
	⊖	3247	1 x 0.5x3.0x70	

¹⁾ without Lasertip

Rack for Kraftform screwdrivers



Code				
05134001002		50,0	190,0	1



How do I prevent extraneous rust when working with stainless steel?



Stainless steel does not rust. However, if conventional steel tools are used on stainless steel elements or stainless steel screws the wear debris of these tools can adhere to the surface and begin to rust. This effect, known as extraneous rust, can impair the visual impact and even cause structural damage, resulting in high costs for the necessary repair work. Wear debris that causes extraneous rust can be prevented through the use of stainless steel tools.

Kraftform Plus – Series 300

The right tool for every application.

334/6 Rack Screwdriver set Kraftform Plus Lasertip + Rack



Application: with Lasertip round blades + rack
For slotted and Phillips screws
Content: 6 pieces set in display carton + rack

Code	Icon	Code	Content	Icon
05105650006	⊖	334	1 x 1.2x6.5x150	1
	⊖	335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕	350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip + Rack



Lasertip hexagon blades

Application: with Lasertip hexagon blades + rack
For slotted and Phillips screws
Content: 6 pieces set in display carton + rack

Code	Icon	Code	Content	Icon
05007680003	⊖	334 SK	1 x 0.6x3.5x75; 1 x 0.8x4.0x90; 1 x 1.0x5.5x100; 1 x 1.2x6.5x125	1
	⊕	350 SK PH	1 x PH 1x80; 1 x PH 2x100	

334/335/350/7 Rack Screwdriver set Kraftform Plus Lasertip + Rack



Application: with Lasertip blades + rack
For slotted and Phillips screws
Content: 7 pieces set in display carton + rack

Code	Icon	Code	Content	Icon
05346278001	⊖	334	1 x 1.2x6.5x150	1
	⊖	334 SK	1 x 1.2x6.5x125	
	⊖	335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 1.0x5.5x150; 1 x 1.2x6.0x100	
	⊕	350 PH	1 x PH 1x80; 1 x PH 2x100	

?

Why do many Wera Kraftform Plus screwdriver sets come with a rack?

Many Wera Kraftform Plus screwdrivers sets are sold with a rack for convenient storage and tool retrieval. The rack can be wall-mounted.

Kraftform Kompakt VDE

Versatile tools for live working.

Kraftform Kompakt VDE 60 i/62 i/68 i/18



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
Single-Pole Voltage Tester
18 pieces set

Code			
05347163003	● 817 VDE	1 x 9x102	1
	⚡ 4113	1x0,5x3,0x70	
	● KK 60 i	1 x 0.4x2.5x154; 1 x 0.5x3.0x70; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	⊕ KK 62 i PH/S	1 x # 1x154; 1 x # 2x154	
	⊕ KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154	
	● KK VDE 68 i	1 x # 1x154; 1 x # 2x154	
	⊕ KK 96 VK 6,3	1 x 6.3x89	
	⊕ KK 97 VK 8,1	1 x 8.1x89	
	⊕ KK 98 DK	1 x 89	
	⊕ KK 99 FL	1 x 89	

Kraftform Kompakt VDE 60 i/68 i/7



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
7 pieces set

Code			
05003473002	● 817 VDE	1 x 9x102	1
	● KK 60 i	1 x 0.6x3.5x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	● KK VDE 68 i	1 x # 1x154; 1 x # 2x154	


Kraftform Kompakt VDE 60 i/62 i/65 i/18



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
Single-Pole Voltage Tester
18 pieces set

Code			
05003471008	● 817 VDE	1 x 9x102	1
	● 247	1 x 0.5x3.0x70	
	● KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	⊕ KK 62 i PH/S	1 x # 1x154; 1 x # 2x154	
	⊕ KK 65 i PZ	1 x PZ 1x154; 1 x PZ 2x154	
	⊕ KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154	
	⊕ KK 96 VK 6,3	1 x 6.3x89	
	⊕ KK 97 VK 8,1	1 x 8.1x89	
	⊕ KK 98 DK	1 x 89	
	⊕ KK 99 FL	1 x 89	

Kraftform Kompakt VDE 60 i/7



1 Kraftform handle 817 VDE for Wera interchangeable blades
VDE interchangeable Blades (154 mm long)
7 pieces set

Code			
05003470003	● 817 VDE	1 x 9x102	1
	● KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	

Kraftform Plus – Series 900

The chiseldriver for fastening and chiseling.

932 A Slotted Screwdriver



Application: For slotted screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster from 0.8 x 4.5
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; sizes 2.0 x 12.0; 2.5 x 14.0 Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05018260002	0.6	3.5	4	80	81	9/64"	3 1/8"	10	
05018262002	0.8	4.5	5	8	90	98	0.178"	3 1/2"	10
05018264003	1.0	5.5	6	10	100	105	7/32"	4"	10
05018266003	1.2	7.0	6	10	125	105	9/32"	5"	10
05018268002	1.6	9.0	8	13	150	112	11/32"	6"	10
05018270003	1.6	10.0	8	13	175	112	3/8"	7"	5
05018272002	2.0	12.0	10	16	200	117	1/2"	8"	2
05018274002	2.5	14.0	10	16	250	117	9/16"	10"	2

917 SPH Phillips Screwdriver



Application: For Phillips screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster sizes 1 - 4
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; size 4/200 Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm
05017005002	PH 1	5	8	80	98	3 1/8"
05017010002	PH 2	6	10	100	105	4"
05017015002	PH 3	8	13	150	112	6"
05017020003	PH 4	10	16	200	117	8"



Can I strike the screwdriver with a hammer?



Screwdrivers are often misused for light chiselling work. This is dangerous because conventional screwdrivers have not been designed for this type of work. Handles and blades could splinter and cause injuries.

The Wera chiseldriver has been specially developed for these jobs. The end of the handle has a robust metal impact cap, which is directly connected to the pound-thru hexagonal blade and transfers the full force of the hammer blow. The special tough viscous tempered blade prevents splintering and injuries. More torque can be transferred by attaching an open-jawed or ring spanner to the integrated hexagon bolster.



Screwdrivers

918 SPZ Screwdriver for Pozidriv screws



Application: Suitable for Pozidriv¹-screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster sizes 1 - 4
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; size 4/200 Kraftform, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	
05017050005	PZ 1	5	8	80	98	3 1/8"	10
05017052005	PZ 2	6	10	100	105	4"	10
05017054004	PZ 3	8	13	150	112	6"	5
05017056002	PZ 4	10	16	200	117	8"	2

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

977 TORX®-Screwdriver



Application: For TORX®-socket screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster
Design: Mat nickel, Black Point
Handle: Kraftform, with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	
05024400003	TX 15	5	8	80	98	3 1/8"
05024401003	TX 20	5	8	90	98	3 1/2"
05024402003	TX 25	6	10	100	105	4"
05024403003	TX 27	6	10	125	105	5"
05024404003	TX 30	8	13	150	112	6"
05024405003	TX 40	8	13	150	112	6"



Why is the Kraftform Plus handle made from several components?



Wera makes its Kraftform handles from several materials with different properties. The core is made from a hardwearing plastic that holds the blade securely even when subjected to great forces. The colour-coded soft zones of the external mantle consist of a softer

material with more friction resistance for high torque transfer. The black areas with a harder surface prevent the hand from sticking to the handle enabling you to adjust your grip more quickly.



How can I prevent blisters on my hands?



Manual screwdriving can be quite painful work. Wera has developed the Kraftform handle with a shape that fits snugly in the hand. An optimum positive fit between the hand and the handle and the choice of materials prevent blisters, calluses and excessive strain. You'll notice the difference, especially when repositioning your hand on the handle.

Kraftform Plus – Series 900

The chiseldriver for fastening and chiseling.

932/6 Screwdriver set Kraftform Wera: The Chiseldriver + Rack



Rack for Kraftform screwdrivers



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + Rack

Code				
05018282006	+	917 SPH	1 x PH 1x80; 1 x PH 2x100	1
	-	932 A	1 x 0.6x3.5x80; 1 x 0.8x4.5x90; 1 x 1.0x5.5x100; 1 x 1.2x7.0x125	

Code				
05134001002		50,0	190,0	1

977/6 TORX® Screwdriver set Kraftform Wera: The Chiseldriver + Rack



Application: TORX®
Content: 6 pieces set in display carton + Rack

Code				
05024410003		977 TORX®	1 x TX 15x80; 1 x TX 20x90; 1 x TX 25x100; 1 x TX 27x125; 1 x TX 30x150; 1 x TX 40x150	1

Kraftform Micro Series

The first-class electronic screwdriver.

2035 Electronics Screwdriver for slotted screws



Application: Slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05117990002	0.16	0.8	40	97	2.0	1/32"	1 9/16"	10
05117991002	0.18	1.0	40	97	2.0	0.04"	1 9/16"	10
05117992002	0.20	1.2	40	97	2.0	0.05"	1 9/16"	10
05118000002	0.25	1.2	40	97	2.0	0.05"	1 9/16"	10
05118001002	0.25	1.2	60	97	2.0	0.05"	2 3/8"	10
05118002003	0.23	1.5	40	97	2.0	1/16"	1 9/16"	10
05118003002	0.23	1.5	60	97	2.0	1/16"	2 3/8"	10
05117993002	0.30	1.8	40	97	2.0	0.07"	1 9/16"	10
05118004002	0.30	1.8	60	97	2.0	0.07"	2 3/8"	10
05118005002	0.40	2.0	40	97	2.5	5/64"	1 9/16"	10
05118006004	0.40	2.0	60	97	2.5	5/64"	2 3/8"	10
05118007002	0.40	2.0	100	97	2.5	5/64"	4"	10
05117994002	0.40	2.5	50	97	2.5	3/32"	2"	10
05118008004	0.40	2.5	80	97	2.5	3/32"	3 1/8"	10
05118009002	0.40	2.5	100	97	2.5	3/32"	4"	10
05117995002	0.50	3.0	50	97	3.0	1/8"	2"	10
05118010003	0.50	3.0	80	97	3.0	1/8"	3 1/8"	10
05118011002	0.50	3.0	100	97	3.0	1/8"	4"	10
05117996002	0.50	3.0	150	97	4.0	5/32"	4"	10
05118012004	0.60	3.5	80	97	4.0	9/64"	3 1/8"	10
05118014004	0.80	4.0	80	97	4.0	5/32"	3 1/8"	10
05118015002	0.80	4.0	100	97	4.0	5/32"	4"	10
05118016002	0.80	4.0	150	97	4.0	5/32"	6"	10

2050 PH Electronics Screwdriver for Phillips screws



Application: Phillips-Recess
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118019002	PH 00	40	97	2.5	1 9/16"			10
05118020004	PH 00	60	97	3.0	2 3/8"			10
05118022004	PH 0	60	97	3.0	2 3/8"			10
05118023002	PH 1	60	97	4.0	2 3/8"			10
05118024004	PH 1	80	97	4.0	3 1/8"			10
05118025002	PH 1	100	97	4.0	4"			10

2055 PZ Electronics Pozidriv Screwdriver



Application: Suitable for Pozidriv³ screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118030003	PZ 0	60	97	3.0	2 3/8"			10
05118032003	PZ 1	80	97	4.0	3 1/16"			10

³ Pozidriv = reg. trademark of European Industrial Service Ltd.

2067 Electronics TORX® HF Screwdriver with holding function



Application: For TORX® socket screws
Blade: Round
Design: With holding function for TORX® screws according to Acument Global Technologies Inc. specifications, mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118180002	TX 4	40	97	2.5	1 9/16"			5
05118181002	TX 5	40	97	3.0	1 9/16"			5
05118182002	TX 6	40	97	3.0	1 9/16"			5
05118183002	TX 7	60	97	3.0	2 3/8"			5
05118184002	TX 8	60	97	3.0	2 3/8"			5
05118185002	TX 9	60	97	4.0	2 3/8"			5
05118186002	TX 10	60	97	4.0	2 3/8"			5
05118187002	TX 15	60	97	4.0	2 3/8"			5
05118188002	TX 20	60	97	4.0	2 3/8"			5



How can I hold my TORX® screw securely on the screwdriver?



The electronic TORX® HF screwdriver with holding function literally presses the screw onto the screwdriver. The conical driving flanks that taper toward the tip of the tool, the optimised flank base and the ideal engage depth hold the screw securely on the blade.

8000 A Zyklop ratchet with 1/4" drive



Applications: For 1/4" square sockets and 1/4" adaptors with square drive, with ball lock
Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°
Handle: Multicomponent Kraftform handle for comfort and torque

Code	1/4"	mm	
05003500002	1/4"	152.0	1

8790 HMA Zyklop 1/4" socket



Applications: For hex head fasteners
Design: For manual and (non-impact) machine applications, with ball intercept ring, rear end knurling for reliable manual precision, chrome vanadium, brushed chromium plated finish

Code	mm	mm	mm	mm	mm	
05003501002	4.0	23.0	6.9	13.0	10.0	1
05003502002	4.5	23.0	7.5	13.0	10.0	1
05003503002	5.0	23.0	8.2	13.0	10.0	1
05003504002	5.5	23.0	8.8	13.0	10.0	1
05003505002	6.0	23.0	9.4	13.0	10.0	1
05003506002	7.0	23.0	11.0	13.0	10.0	1
05003507002	8.0	23.0	12.0	13.0	10.0	1
05003508002	9.0	23.0	13.0	14.0	10.0	1
05003509002	10.0	23.0	14.5	14.5	-	1
05003510002	11.0	23.0	16.0	15.0	13.0	1
05003511002	12.0	23.0	17.0	16.0	13.0	1
05003512002	13.0	23.0	18.0	17.0	13.0	1
05003513002	14.0	23.0	20.0	18.0	13.0	1
05003514002	3/16"	23.0	7.5	13.0	10.0	1
05003515002	7/32"	23.0	8.8	13.0	10.0	1
05003516002	1/4"	23.0	11.0	13.0	10.0	1
05003517002	9/32"	23.0	11.0	13.0	10.0	1
05003518002	5/16"	23.0	12.0	13.0	10.0	1
05003519002	11/32"	23.0	13.0	14.0	10.0	1
05003520002	3/8"	23.0	14.5	14.5	-	1
05003521002	7/16"	23.0	16.0	15.0	13.0	1
05003522002	1/2"	23.0	18.0	17.0	13.0	1
05003523002	9/16"	23.0	20.0	18.0	13.0	1



Zyklop Ratchet

The Zyklop Ratchet

Faster than a speeding bullet.

8100 SC 1 Zyklop ratchet set, 1/2" drive, metric



22 piece set, in strong metal case
1 Zyklop ratchet with 1/2" drive, 17 Zyklop sockets (metric), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

Code	Icon	Description	Quantity
05003644002	○	8000 C 1 x 1/2"x277.0	1
	○	8789 C 1 x 1/2"x250.0	
	●	8790 HMC 1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0; 1 x 20.0x37.0; 1 x 21.0x37.0; 1 x 22.0x37.0; 1 x 24.0x37.0; 1 x 27.0x40.0; 1 x 30.0x42.0; 1 x 32.0x42.0	
	●○	8794 LC 1 x 1/2"x250.0	
	●○	8794 SC 1 x 1/2"x125.0	
	●○	8795 C 1 x 1/2"x69.0	

8100 SC 2 Zyklop ratchet set, 1/2" drive, metric



37 piece set, in strong metal case
1 Zyklop ratchet with 1/2" drive, 17 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint, 1 wobble extension, 1 adaptor with quick-release chuck, 13 bits

Code	Icon	Description	Quantity
05003645002	○	8000 C 1 x 1/2"x277.0	1
	○	840/2 Z Hex-Plus 1 x 5x30; 1 x 6x30; 1 x 8x30; 1 x 10x30	
	+	851/2 Z PH 1 x PH 3x32	
	+	855/2 Z PZ 1 x PZ 3x32	
	⊗	867/2 Z TORX® 1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35	
	●○	8784 C2 1 x 5/16"x1/2"x50.0	
	○	8789 C 1 x 1/2"x250.0	
	●	8790 HMC 1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0; 1 x 20.0x37.0; 1 x 21.0x37.0; 1 x 22.0x37.0; 1 x 24.0x37.0; 1 x 27.0x40.0; 1 x 30.0x42.0; 1 x 32.0x42.0	
	●○	8794 C 1 x 1/2"x52.0	
	●○	8795 C 1 x 1/2"x69.0	
	●○	8796 LC 1 x 1/2"x250.0	
	●○	8796 SC 1 x 1/2"x125.0	



How can I find the required tools more easily?



The two-tone foam tool control insert helps you to identify missing tools quickly and select required tools easily. The tool layout has been indelibly cut into the lid insert by laser for easy selection. The foam tool control insert can also be removed and put in the drawer of your mobile cabinet.

8100 SC 3 Zyklop ratchet set, 1/2" drive, Imperial



23 pieces set, in strong metal case
 1 Zyklop ratchet with 1/2" drive, 18 Zyklop sockets (Imperial),
 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle,
 1 universal joint

Code			
05003646002	8000 C	1 x 1/2"x277.0	1
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 3/8"x37.0; 1 x 7/16"x37.0; 1 x 1/2"x37.0; 1 x 9/16"x37.0; 1 x 19/32"x37.0; 1 x 5/8"x37.0; 1 x 11/16"x37.0; 1 x 3/4"x37.0; 1 x 25/32"x37.0; 1 x 13/16"x37.0; 1 x 7/8"x37.0; 1 x 15/16"x37.0; 1 x 31/32"x37.0; 1 x 1"x40.0; 1 x 1 1/16"x40.0; 1 x 1 1/8"x40.0; 1 x 1 3/16"x42.0; 1 x 1 1/4"x42.0	
	8794 LC	1 x 1/2"x250.0	
	8794 SC	1 x 1/2"x125.0	
	8795 C	1 x 1/2"x69.0	

8100 SC 4 Zyklop ratchet set, 1/2" drive, Imperial



38 pieces set, in strong metal case
 1 Zyklop ratchet with 1/2" drive, 18 Zyklop sockets (Imperial), 2 Zyklop
 "flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding
 T-handle, 1 universal joint, 1 wobble extension, 1 adaptor with quick-release
 chuck, 13 bits

Code			
05003647002	8000 C	1 x 1/2"x277.0	1
	840/2 Z Hex-Plus	1 x 7/32"x30; 1 x 1/4"x30; 1 x 5/16"x30; 1 x 3/8"x30	
	851/2 Z PH	1 x PH 3x32	
	855/2 Z PZ	1 x PZ 3x32	
	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35	
	8784 C2	1 x 5/16"x1/2"x50.0	
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 3/8"x37.0; 1 x 7/16"x37.0; 1 x 1/2"x37.0; 1 x 9/16"x37.0; 1 x 19/32"x37.0; 1 x 5/8"x37.0; 1 x 11/16"x37.0; 1 x 3/4"x37.0; 1 x 25/32"x37.0; 1 x 13/16"x37.0; 1 x 7/8"x37.0; 1 x 15/16"x37.0; 1 x 31/32"x37.0; 1 x 1"x40.0; 1 x 1 1/16"x40.0; 1 x 1 1/8"x40.0; 1 x 1 3/16"x42.0; 1 x 1 1/4"x42.0	
	8794 C	1 x 1/2"x52.0	
	8795 C	1 x 1/2"x69.0	
	8796 LC	1 x 1/2"x250.0	
	8796 SC	1 x 1/2"x125.0	



Zyklop Ratchet

The Zyklop Ratchet

Faster than a speeding bullet.

8000 C Zyklop ratchet with 1/2" drive



Applications: For 1/2" square drive sockets and 1/2" adapters with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code	mm	mm	mm	mm	mm	mm	mm
0500360002	1/2"	277.0					1

8790 HMC Zyklop socket with 1/2" drive



Applications: For hex-head fasteners

Design: For manual and (non-impact) machine applications, with ball intercept ring, rear end knurling for reliable manual precision, chrome vanadium, brushed chromium plated

Code	mm	mm	mm	mm	mm	mm	mm
05003601002	10.0	37.0	15.5	24.0	17.0		1
05003602002	11.0	37.0	16.5	24.0	17.0		1
05003603002	12.0	37.0	17.5	24.0	17.0		1
05003604002	13.0	37.0	19.0	24.0	17.0		1
05003605002	14.0	37.0	20.0	24.0	17.0		1
05003606002	15.0	37.0	21.0	24.0	17.0		1
05003607002	16.0	37.0	22.5	24.0	17.0		1
05003608002	17.0	37.0	24.0	26.0	17.0		1
05003609002	18.0	37.0	25.0	26.0	17.0		1
05003610002	19.0	37.0	26.5	26.0	20.0		1
05003611002	20.0	37.0	28.0	26.0	20.0		1
05003612002	21.0	37.0	29.0	26.0	20.0		1
05003613002	22.0	37.0	30.5	26.0	20.0		1
05003614002	24.0	37.0	33.0	28.0	20.0		1
05003615002	27.0	40.0	36.5	32.0	23.0		1
05003616002	30.0	42.0	40.0	34.0	25.0		1
05003617002	32.0	42.0	42.0	36.0	25.0		1
05003618002		3/8"	37.0	15.5	24.0	17.0	1
05003619002		7/16"	37.0	16.5	24.0	17.0	1
05003620002		1/2"	37.0	19.0	24.0	17.0	1
05003621002		9/16"	37.0	20.0	24.0	17.0	1
05003622002		19/32"	37.0	21.0	24.0	17.0	1
05003623002		5/8"	37.0	22.5	24.0	17.0	1
05003624002		11/16"	37.0	25.5	26.0	17.0	1
05003625002		3/4"	37.0	26.5	26.0	20.0	1
05003626002		25/32"	37.0	28.0	26.0	20.0	1
05003627002		13/16"	37.0	29.0	26.0	20.0	1
05003628002		7/8"	37.0	30.5	26.0	20.0	1
05003629002		15/16"	37.0	33.0	28.0	20.0	1
05003630002		31/32"	37.0	33.0	28.0	20.0	1
05003631002		1"	40.0	36.5	32.0	23.0	1
05003632002		1 1/16"	40.0	36.5	32.0	23.0	1
05003633002		1 1/8"	40.0	40.0	34.0	23.0	1
05003634002		1 3/16"	42.0	40.0	34.0	25.0	1
05003635002		1 1/4"	42.0	42.0	36.0	25.0	1

? How can I avoid buying many different ratchets?



Thanks to its intelligent construction the Zyklop can be used as a fine-tooth ratchet, flex-head ratchet, angle ratchet, quick-release ratchet and power ratchet. When locked in a 0° position the tool can even be used as a screwdriver. Zyklop saves space, weight, cost and time!

L-Keys for Hexagon Socket Screws

The Hex-Plus profile extends the life of hexagon socket screws.

3950 PKL/9 Hex Key Set, Metric, stainless



Hex-Plus



9 pieces in two-component clip

Code			
05022720005	○ 3950 PKL	1 x 1.5x90; 1 x 2.0x101; 1 x 2.5x112; 1 x 3.0x123; 1 x 4.0x137; 1 x 5.0x154; 1 x 6.0x172; 1 x 8.0x195; 1 x 10.0x224	10

3950 PKL/9 SZ Hex Key Set, Imperial, stainless



Hex-Plus



9 pieces set, in belt pouch

Code			
05022721002	○ 3950 PKL inch	1 x 3/32"x112; 1 x 7/64"x119; 1 x 1/8"x123; 1 x 9/64"x130; 1 x 5/32"x137; 1 x 3/16"x154; 1 x 1/4"x185; 1 x 5/16"x195; 1 x 3/8"x224	1

950 SPKL/9 SM N Hex Key Set, Metric, BlackLaser



Hex-Plus



9 pieces in two-component clip

Code			
05022088003	○ 950 SPKL	1 x 1.5x90; 1 x 2.0x101; 1 x 2.5x112; 1 x 3.0x123; 1 x 4.0x137; 1 x 5.0x154; 1 x 6.0x172; 1 x 8.0x195; 1 x 10.0x224	5



How do I prevent extraneous rust when working with stainless steel?



Stainless steel does not rust. However, if conventional steel tools are used on stainless steel elements or stainless steel screws the wear debris of these tools can adhere to the surface and begin to rust.

This effect, known as extraneous rust, can impair the visual impact and even cause structural damage, resulting in high costs for the necessary repair work.

Wear debris that causes extraneous rust can be prevented through the use of stainless steel tools.



Ballpoint



The ballpoint on the long arm of L-keys for hexagon socket or TORX® screws makes it possible to insert the tool into the screw more quickly and work at an angle even under difficult installation conditions.



Is there no way of stopping L-keys from slipping out of the clip after frequent use?



L-keys should not slip out of the clip accidentally. Wera uses a non-wearing material that ensures that L-keys stay securely fixed even after frequent removal. The handy fold-over clip opens easily with a sliding switch allowing you to remove the L-keys quickly and easily.

Screwdriving, Drilling, Tapping, Countersinking and Deburring

With 1/4" bit drives for power tools.

844/7 Tap Bits Set



7 pieces in robust case
1 universal bit holder 888/4/1 K Rapidaptor, nonmagnetic, suitable for power tools and electronic drills; single tap bits with 1/4" drive, suitable for holders with DIN 3126-D 6,3, ISO 1173 receiver.

Code	Icon	Part Number	Description	Quantity
05104654002	⊙	888/4/1 K	1 x 1/4"x50	2
	⊕	844	1 x 3,0x33.0; 1 x 4,0x35.0; 1 x 5,0x36.0; 1 x 6,0x40.0; 1 x 8,0x40.0; 1 x 10,0x40.0	

846/8 3-flute Countersink Bits Set



8 pieces in robust case
1 Kraffform quick release bitholding screwdriver 816 R
1 universal bit holder 888/4/1 K Rapidaptor suitable for power tools and electronic drills; countersink bits with 1/4" drive suitable for power tools with DIN 3126-D 6,3, ISO 1173 receiver.

Code	Icon	Part Number	Description	Quantity
05104650002	⊙	816 R	1 x 1/4"x119	2
	⊙	888/4/1 K	1 x 1/4"x50	
	⊕	846 HSS	1 x 6,3x31.0; 1 x 8,3x31.0; 1 x 10,4x34.0; 1 x 12,4x35.0; 1 x 16,5x40.0; 1 x 20,5x41.0	

845/8 1-flute Countersink Bits Set



8 pieces in robust case
1 Kraffform 816 R Rapidaptor quick release bit holder; 1 universal holder 888/4/1 K Rapidaptor, nonmagnetic, suitable for power tools and electronic drills.

Code	Icon	Part Number	Description	Quantity
05104655002	⊙	816 R	1 x 1/4"x119	2
	⊙	888/4/1 K	1 x 1/4"x50	
	⊕	845	1 x 6,3x32.0; 1 x 8,3x32.0; 1 x 10,4x34.0; 1 x 12,4x36.0; 1 x 16,5x40.0; 1 x 20,5x43.0	

847/7 Set Combination Drill Bits Set



7 pieces in robust case
1 Universal bit holder Rapidaptor 888/4/1 K with quick-release chuck suitable for power tools and electronic drills; combination drill bits, 1/4" drive, suitable for power tools with DIN 3126-D 6,3, ISO 1173 receiver.

Code	Icon	Part Number	Description	Quantity
05104651002	⊙	888/4/1 K	1 x 1/4"x50	2
	⊕	847 HSS	1 x 2,5x36.0; 1 x 3,2x39.0; 1 x 3,8x41.0; 1 x 4,5x44.0; 1 x 6,2x51.0; 1 x 6,4x59.0	



848/851/867/19 Metal Twist Drill Bits and Bits Set



19 pieces in robust belt pouch
 1 Universal bit holder Rapidaptor 888/4/1 K suitable for power tools and electronic drills; metal twist Drill Bits and Bits with 1/4" drive, suitable for power tools with DIN 3126-D 6,3, ISO 1173 receiver.

Code	Icon	Item	Quantity
05104652002	⊙	888/4/1 K 1 x 1/4"x50	2
	⊕	848 HSS 1 x 3,0x38.0; 1 x 4,0x44.0; 1 x 4,2x45.0; 1 x 5,0x50.0; 1 x 6,0x50.0; 1 x 8,0x51.0	
	⊕	851/1 TZ PH 2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
	⊕	867/1 Z TORX® 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

849/855/867/18 Wood Twist Drill Bits and Bits Set



18 pieces in robust belt pouch
 1 Universal bit holder Rapidaptor 889/4/1 K suitable for power tools and electronic drills; wood Twist Drill Bit and Bits, 1/4" drive, suitable for power tools with DIN 3126-D 6,3, ISO 1173 receiver.

Code	Icon	Item	Quantity
05104653002	⊙	889/4/1 K 1 x 1/4"x50	2
	⊕	849 HSS 1 x 3,0x70.0; 1 x 4,0x74.0; 1 x 5,0x85.0; 1 x 6,0x95.0; 1 x 8,0x110.0	
	⊕	855/1 TH PZ 2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
	⊕	867/1 Z TORX® 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	



Stainless Steel Tools

Keeps extraneous rust at bay.

3334/3350/3355/6 Screwdriver Set, stainless + Rack



3367/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted, Phillips and Pozidriv¹⁾ screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032063005	⊖	3334	1 x 1.2x6.5x150	1
	⊖	3335	1 x 0.5x3.0x80 ¹⁾	
	⊕	3350 PH	1 x PH 1x80; 1 x PH 2x100	
	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Application: TORX®- and Pozidriv¹⁾-screws
Content: 6 pieces set in display carton + Rack

Code	Icon	Part Number	Description	Quantity
05032062005	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	1
	⊗	3367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100	

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.



Why have there been so few stainless steel tools until now?



Wera recently started using a special process, which ensures that stainless steel tools can meet the same hardness and service life requirements as conventional tools. Vacuum ice hardening gives tools the necessary hardness for industrial applications. The result is a better stainless steel tool for stainless steel materials.

3160 i VDE Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Conical edge, Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05022729002 ¹⁾	0.5	3.0	80	81	1/8"	3 1/8"	10
05022730002	0.6	3.5	100	81	9/64"	4"	10
05022731002	0.8	4.0	100	98	5/32"	4"	10
05022732002	1.0	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i VDE PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm	
05022733002	PH 1	80	98	3 1/8"	10
05022734002	PH 2	100	105	4"	10

3160 i/7 Screwdriver Set, stainless + Rack



Application: Slotted and Phillips screws
Contents: Stainless steel, 7 parts set in display box + Rack

Code				
05022728002	⊖	3160 i VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	1
	⊕	3162 i VDE	1 x PH 1x80; 1 x PH 2x100	
	⊖	3247	1 x 0.5x3.0x70	

¹⁾ without Lasertip

Rack for Kraftform screwdrivers



Code				
05134001002		50,0	190,0	1

Series 7400 Krafftform Torque Screwdrivers

With variable torque adjustment.

Series 7400 Krafftform adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Krafftform, with anti-roll protection, multi-component

Code	Art.No.	1/4"	Nm	Nm	mm	mm	mm	mm	mm
0507470003	7440	1/4"	0.3-1.2	0.05	155	6"			1
05074701003	7441	1/4"	1.2-3.0	0.10	155	6"			1

Series 7400 Krafftform adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Krafftform, with anti-roll protection, multi-component

Code	Art.No.	1/4"	in. lbs.	in. lbs.	mm	mm	mm	mm	mm
05074710002	7445	1/4"	2.5-11.5	0.5	155	6"			1
05074711002	7446	1/4"	11.0-29.0	1.0	155	6"			1

Series 7400 Krafftform pistol handle, adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Krafftform, pistol handle, multi-component

Code	Art.No.	1/4"	Nm	Nm	mm	mm	mm	mm	mm
05074702003	7442	1/4"	3.0-6.0	0.25	150	100	6"	4"	1

Series 7400 Krafftform pistol handle, adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Construction: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Krafftform, pistol handle, multi-component

Code	Art.No.	1/4"	in. lbs.	in. lbs.	mm	mm	mm	mm	mm
05074712002	7447	1/4"	25.0-55.0	2.5	150	100	6"	4"	1



Torque Tools



Why does Wera make adjustable torque screwdrivers?



When it comes to assembly and maintenance work many screws have to be tightened with controlled torque to guarantee the safety of the screw connection and/or prevent damage to the screw or the work piece. Wera's adjustable torque screwdrivers are the perfect tools for these applications. They feature a torque range between 0.3 Nm and 8.8 Nm, two different handles, measurement accuracy of ± 6% and Rapidaptor technology for rapid bit changes.

Wera products are available from MARYLAND METRICS

Series 7400 Kraftform Torque Screwdrivers

With variable torque adjustment.

Series 7400 Kraftform ESD adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126 C 6,3 and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Kraftform, with anti-roll protection, multi-component

Code	Art.No.	Bit Size	Torque Range (Nm)	Clutch Setting (Nm)	Length (mm)	Length (in.)	Weight (kg)
05074730002	7440 ESD	1/4"	0.3-1.2	0.05	155	6"	1
05074731002	7441 ESD	1/4"	1.2-3.0	0.10	155	6"	1

Series 7400 Kraftform ESD adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126 C 6,3 and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Accuracy: ±6 % (EN ISO 6789)
Handle: Kraftform, with anti-roll protection, multi-component

Code	Art.No.	Bit Size	Torque Range (in. lbs.)	Clutch Setting (in. lbs.)	Length (mm)	Length (in.)	Weight (kg)
05074733002	7445 ESD	1/4"	2.5-11.5	0.5	155	6"	1
05074734002	7446 ESD	1/4"	11.0-29.0	1.0	155	6"	1

Rapidaptor



Rapid-in und self-lock

The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.



Rapid-out

Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool.

The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.



Chuck-all

The Rapidaptor quick-release chucks hold 1/4" DIN 3126-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.



Single-hand function

Every function of the Rapidaptor quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

7440/41 Kraffform Torque screwdriver set 0.3-3.0 Nm



Code			
05074738002	●	7400	1 x 7440; 1 x 7441
	○	840/1 Z Hex-Plus	1 x 2.0x25; 1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25
	⊗	867/1 TZ TORX®	1 x TX 6x25; 1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25
		867/1 Z IP TORX PLUS®	1 x 6 IPx25; 1 x 7 IPx25; 1 x 8 IPx25; 1 x 9 IPx25; 1 x 10 IPx25; 1 x 15 IPx25; 1 x 20 IPx25; 1 x 25 IPx25; 1 x 30 IPx25

7440/41/42 Kraffform Torque screwdriver set 0.3-6.0 Nm



Code			
05074739002	●	7400	1 x 7440; 1 x 7441
	●	7400 Pistole	1 x 7442
	○	840/1 Z Hex-Plus	1 x 2.0x25; 1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25
	⊗	867/1 TZ TORX®	1 x TX 6x25; 1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25
		867/1 Z IP TORX PLUS®	1 x 6 IPx25; 1 x 7 IPx25; 1 x 8 IPx25; 1 x 9 IPx25; 1 x 10 IPx25; 1 x 15 IPx25; 1 x 20 IPx25; 1 x 25 IPx25; 1 x 30 IPx25

7442/6 Installation set for tyre pressure control systems



Code			
05074737002	○	327	1 x 32
	●	7400 Pistole	1 x 7443
	●	790 A/50	1 x 11.0; 1 x 12.0
	⊗	867/1 Z TORX®	1 x TX 20x25
	○	870/1	1 x 1/4"x25